FURNI TOP TH1120



FAST-DRYING POLYURETHANE TOPCOAT FOR HIGH PRODUCTIVITY AND DURABLE INTERIOR FINISHES

SHERWIN-WILLIAMS®

wood.sherwin.eu

FURNI TOP TH1120

FAST-DRYING POLYURETHANE TOPCOAT FOR HIGH PRODUCTIVITY AND DURABLE INTERIOR FINISHES

TH1120 is a two-pack solventborne polyurethane topcoat developed for interior wood applications that require excellent productivity, durable performance and consistent appearance.

Its fast processing characteristics help manufacturers increase production efficiency while maintaining high-quality finishes.

TH1120 is available in White and Clear 25-gloss bases and can be tinted to a wide range of colours using the XX1803 tinting paste system.

KEY BENEFITS
High Build & Durability
Fast Drying
Excellent Stacking Performance
Flexible Hardener Options
Enhanced Adhesion on Melamine Foil
Long Pot Life







MAIN PROPERTIES	FEATURES	WHY THIS MATTERS	BENEFITS
HIGH BUILD AND OUTSTANDING DURABILITY	TH1120 delivers high film build, excellent toughness and an attractive surface finish.	Higher film build helps protect surfaces against abrasion, impact and everyday wear.	Improved durability and long-lasting aesthetic quality.
VERY FAST DRYING AND EXCELLENT STACKING	When used with TV1500 hardener, TH1120 offers very fast drying and excellent stacking performance.	Fast drying reduces waiting times between process steps, while excellent stacking performance allows products to be moved and stored sooner.	Higher productivity and improved production throughput.
FLEXIBLE PROCESSING AND EXCELLENT ADHESION	Compatible with TV1500 and TV135 hardeners. The new TV4135 hardener, containing less than 0.1% monomers, can also be used to provide enhanced adhesion on melamine foil substrates. Pot life of approximately 4 hours when mixed according to the recommended hardener.	Multiple hardener options allow the system to be tailored to different substrates and production requirements. Improved early film strength helps minimise the risk of damage during handling and processing.	Increased application flexibility and dependable adhesion across a wider range of substrates.

FURNI TOP TH1120

FAST-DRYING POLYURETHANE TOPCOAT FOR HIGHPRODUCTIVITY AND DURABLE INTERIOR FINISHES

SHERWIN-WILLIAMS – YOUR COATING SOLUTIONS PARTNER

The Sherwin-Williams Company (SHW), through its Performance Coatings Group Division, is an industrial coatings leader that delivers local finishing solutions on a global scale to OEMs and tier suppliers.
Comprised of coatings professionals dedicated to providing unparalleled customer support, Sherwin-Williams brings value to the finishing process through solutions like on-site technical assistance, customized products, colour and design services, and process improvement expertise.
With innovative liquid and powder coating technologies to protect wood, metal and plastic, as well as finishing equipment and supplies needed for coatings application, Sherwin-Williams utilizes an infrastructure spanning six continents to provide better finishing solutions for manufacturers.

Since 1866, Sherwin-Williams has provided manufacturers and finishers with the coatings they need to make their products look better and last longer, while helping their operations meet productivity and sustainability goals.
For the industrial wood markets, our innovative solutions go beyond coatings to include knowledge, tools, equipment, supplies, and industry-leading support.
We're more than a coatings provider – we are Your Coating Solutions Partner.

© 2026 The Sherwin-Williams Company
Z02C08UK 09-2026