



valPure® v60s30

NON-BPA EXTERIOR COIL COATINGS FOR DRD CANS

valPure V60S30 is a series of coil-applied exterior coatings for aluminum draw-redraw (DRD) cans, easy open ends (EOEs) and tabstock. Sherwin-Williams developed the V60S30 series to be a high-performing non-BPA* line of coatings that protect the outside of the can. The products in this series show excellent scuff and blush resistance and robust fabrication capability while also being non-BPA, non-PVC**, non-PFAS*** and non-melamine****. V60S30 is available in both clear and gold and can be tinted to meet custom color needs.

packaging.sherwin.com

1-16-24_acc
[Accessibility Statement](#)

SHERWIN-WILLIAMS®

PERFORMANCE ADVANTAGES

As a global leader in the coatings industry, Sherwin-Williams developed V60S30 as a next-generation product line that meets both performance and regulatory requirements. The products in the V60S30 series are non-BPA* polyester coatings that also deliver exceptional protection to the outside of the can.

FEATURES AND BENEFITS

- Excellent blush and scuff resistance
- Non-BPA*, non-PVC**, non-PFAS*** and non-melamine****
- Available in gold and clear
- Tintable platform
- Wide bake latitude allows for compatibility with many interior coating technologies
- High-solids or ready-for-use versions available
- High flexibility to fabricate can bodies, tabs and EOE

PRODUCT INFO	APPLICATION	SUBSTRATE	TECHNOLOGY	COLOR
V60S30	COIL	ALUMINUM	SOLVENT-BASED POLYESTER	CLEAR, GOLD OR TINTABLE



*Non-BPA: This designation indicates that the coating technology is based on polymeric components that are not derived from Bisphenol A.

**Non-PVC: This designation indicates that the coating technology is based on polymeric components that are not derived from polyvinyl chloride.

***Non-PFAS: This designation indicates that the coating formulation does not include intentionally added PFAS components.

****Non-Melamine: This designation indicates that the coating formulation does not include intentionally added melamine compounds.

Disclaimer: Coating performance is strongly influenced by many variables including, but not limited to, substrate, application conditions, cure conditions, fabrication, filling conditions, product packed and processing. Sherwin-Williams cannot warrant the fill or pack performance of the system but recommends the standard industry practice of trial and test pack under commercial conditions to verify suitability for a specific end use.

As the leading global supplier of packaging coatings, Sherwin-Williams helps develop, protect and advance the packaging design and heritage of many of the world’s best-known brands. Whether your goal is to develop a new generation of packaging designs, meet ever-changing regulatory challenges or to enhance the sustainability of a packaging product, you can count on Sherwin-Williams to deliver the solutions you need.