



CERTIFICATION DOCUMENT
BS-RC-0036
Issued : 29th March 2024

Sherwin-Williams Protective & Marine Coatings

101 PROSPECT AVE,
CLEVELAND
OH, 44115-1093
US

The product has been assessed against the requirements of the UL Guide Category: CDXA

UL Certified Product

FIRETEX FX6010

Copyright © 2024 UL LLC.

UL LLC.

333 Pfingsten Road, Northbrook, IL 60062-2096 USA

UL LLC. authorizes the above named company to reproduce this document provided it is reproduced in its entirety.



CERTIFICATION of FIRETEX FX6010

Sherwin-Williams Protective & Marine Coatings

This certification relates to the use of a reactive coating known as FIRETEX FX6010 for the fire protection of I-shaped steel beams and columns, circular hollow columns, rectangular hollow columns and rectangular hollow beams. The performance scope of the certification is given in Tables below, which show the total dry film thickness of FIRETEX FX6010 (excluding primer and top coat) required to provide fire resistance periods in accordance with BS 476: Part 21: 1987 within the range of 15 minutes to 120 minutes for differing section shapes, section factors and steel design temperatures.

This certification is designed to demonstrate compliance of the product or system specifically with Approved Document B (England and Wales), Section D of the technical Standard (Scotland), Technical Booklet E (Northern Ireland). If compliance is required to other regulatory or guidance documents there may be additional considerations or conflict to be taken into account.

The products are certified on the basis of:

- a) Initial type testing.
- b) Audit testing
- c) FUS-FPC
- d) Quality system – ISO 9001
- e) Performance assessment adopting the principles of the ASFP 'Yellow Book' 5th edition as required by UL guide category CDXA.

The data given in the performance tables of this certificate is applicable to steel sections blast cleaned to ISO 8501-1 Sa 2½ or equivalent and primed with a suitable compatible primer. Guidance with respect to surface preparations, primers and topcoats should be obtained from Sherwin-Williams Protective & Marine Coatings whose responsibility it is to ensure that FIRETEX FX6010 is compatible for use in respect of both ambient and fire conditions.

The data given in the performance tables relates to steel design temperatures for the section type and size. Selection of the appropriate design temperature is dependent on the actual load conditions for the section and as such the design temperature should be provided by a suitably qualified structural engineer.

In the absence of an appropriate design temperature guidance may be obtained by reference to the 'Yellow Book' clause relating to default limiting and critical temperatures.

It is acceptable to derive a protection thickness by linear interpolation between the temperatures given in the tables should the actual design or limiting critical temperature fall between two given temperatures.

This certification relates to ongoing production. Product and/or its immediate packaging are identified with the manufacturers name, the product name and the UL Certified label.



FIRETEX FX6010

Table A1 I-Section Beams 15 Minutes

Required Thickness (mm) for a Design Temperature of

Thickness is intumescent only. Table applies to beams with a concrete slab and protection on three sides.



FIRETEX FX6010

Table A2 I-Section Beams 20 Minutes

Thickness is intumescent only. Table applies to beams with a concrete slab and protection on three sides.


FIRETEX FX6010

Table A3 I-Section Beams 30 Minutes

Required Thickness (mm) for a Design Temperature of

Section Factor (m ⁻¹)	350°C	400°C	450°C	500°C	544°C	544°C	553°C	575°C	576°C	580°C	583°C	593°C	600°C	603°C	610°C	620°C	650°C	700°C	750°C
30	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
35	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
40	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
45	0.346	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
50	0.364	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
55	0.381	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
60	0.399	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
65	0.417	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
70	0.434	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
75	0.452	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
80	0.469	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
85	0.487	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
90	0.504	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
95	0.522	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
100	0.540	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
105	0.557	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
110	0.575	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
115	0.592	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
120	0.610	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
125	0.627	0.346	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
130	0.645	0.361	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
135	0.663	0.377	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
140	0.680	0.393	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
145	0.698	0.409	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
150	0.715	0.425	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
155	0.733	0.441	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
160	0.750	0.457	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
165	0.768	0.472	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
170	0.785	0.488	0.349	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
175	0.803	0.504	0.362	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
180	0.821	0.520	0.376	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
185	0.838	0.536	0.390	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
190	0.856	0.552	0.404	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
195	0.873	0.567	0.417	0.347	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
200	0.891	0.583	0.431	0.358	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
205	0.908	0.599	0.445	0.370	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
210	0.926	0.615	0.459	0.382	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
215	0.944	0.631	0.472	0.393	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
220	0.961	0.647	0.486	0.405	0.347	0.340	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
225	0.979	0.663	0.500	0.416	0.357	0.350	0.346	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
230	0.996	0.678	0.514	0.428	0.367	0.360	0.356	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
235	1.014	0.694	0.527	0.440	0.377	0.370	0.366	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
240	1.031	0.710	0.541	0.451	0.388	0.380	0.376	0.346	0.345	0.340	0.340	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
245	1.049	0.726	0.555	0.463	0.398	0.390	0.386	0.356	0.354	0.349	0.345	0.341	0.338	0.338	0.338	0.338	0.338	0.338	
250	1.066	0.742	0.569	0.474	0.408	0.400	0.396	0.365	0.364	0.358	0.354	0.345	0.338	0.338	0.338	0.338	0.338	0.338	
255	1.084	0.758	0.582	0.486	0.418	0.410	0.406	0.374	0.373	0.367	0.363	0.348	0.338	0.338	0.338	0.338	0.338	0.338	
260	1.102	0.774	0.596	0.498	0.428	0.420	0.416	0.384	0.382	0.377	0.372	0.357	0.347	0.342	0.338	0.338	0.338	0.338	
265	1.119	0.789	0.610	0.509	0.439	0.430	0.425	0.393	0.392	0.386	0.381	0.366	0.356	0.351	0.338	0.338	0.338	0.338	
270	1.137	0.805	0.623	0.521	0.449	0.440	0.435	0.402	0.401	0.395	0.391	0.375	0.364	0.359	0.346	0.338	0.338	0.338	
275	1.154	0.821	0.637	0.532	0.459	0.450	0.445	0.412	0.410	0.404	0.400	0.384	0.373	0.368	0.354	0.338	0.338	0.338	
280	1.172	0.837	0.651	0.544	0.469	0.460	0.455	0.421	0.420	0.413	0.409	0.393	0.382	0.377	0.363	0.343	0.338	0.338	
285	1.189	0.853	0.665	0.556	0.479	0.470	0.465	0.430	0.429	0.423	0.418	0.402	0.391	0.385	0.372	0.351	0.338	0.338	
290	1.207	0.869	0.678	0.567	0.489	0.480	0.475	0.440	0.438	0.432	0.427	0.411	0.399	0.394	0.380	0.360	0.338	0.338	
295	1.225	0.885	0.692	0.579	0.500	0.490	0.485	0.448	0.444	0.436	0.420	0.408	0.403	0.389	0.368	0.338	0.338	0.338	
300	1.242	0.900	0.706	0.590	0.														


FIRETEX FX6010
Table A4 I-Section Beams 45 Minutes

Section Factor (m-1)	Required Thickness (mm) for a Design Temperature of																		
	350°C	400°C	450°C	500°C	544°C	544°C	553°C	575°C	576°C	580°C	583°C	593°C	600°C	603°C	610°C	620°C	650°C	700°C	750°C
30	0.497	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
35	0.543	0.376	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
40	0.588	0.395	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
45	0.634	0.415	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
50	0.680	0.434	0.345	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
55	0.725	0.454	0.363	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
60	0.771	0.474	0.380	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
65	0.816	0.493	0.397	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
70	0.862	0.513	0.414	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
75	0.907	0.532	0.432	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
80	0.953	0.552	0.449	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
85	0.999	0.572	0.466	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
90	1.044	0.591	0.483	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
95	1.090	0.611	0.501	0.342	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
100	1.135	0.630	0.518	0.358	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
105	1.181	0.650	0.535	0.375	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
110	1.226	0.670	0.552	0.391	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
115	1.272	0.689	0.570	0.408	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
120	1.318	0.709	0.587	0.424	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
125	1.363	0.728	0.604	0.441	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
130	1.409	0.748	0.621	0.457	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
135	1.454	0.768	0.639	0.474	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
140	1.488	0.787	0.656	0.490	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
145	1.513	0.807	0.673	0.507	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
150	1.538	0.826	0.691	0.523	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
155	1.563	0.846	0.708	0.540	0.348	0.341	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
160	1.587	0.866	0.725	0.556	0.364	0.358	0.354	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
165	1.612	0.885	0.742	0.573	0.381	0.374	0.371	0.344	0.343	0.339	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
170	1.637	0.905	0.760	0.589	0.398	0.391	0.387	0.361	0.359	0.355	0.351	0.343	0.338	0.338	0.338	0.338	0.338	0.338	
175	1.662	0.924	0.777	0.606	0.415	0.407	0.403	0.376	0.375	0.370	0.367	0.355	0.347	0.343	0.338	0.338	0.338	0.338	
180	1.686	0.944	0.794	0.622	0.432	0.424	0.420	0.391	0.390	0.385	0.382	0.370	0.361	0.358	0.349	0.338	0.338	0.338	
185	1.711	0.964	0.811	0.639	0.448	0.440	0.436	0.407	0.406	0.401	0.397	0.385	0.376	0.372	0.364	0.352	0.338	0.338	
190	1.736	0.983	0.829	0.655	0.465	0.457	0.453	0.422	0.421	0.416	0.413	0.400	0.391	0.387	0.378	0.366	0.338	0.338	
195	1.761	1.003	0.846	0.672	0.482	0.473	0.469	0.438	0.437	0.432	0.428	0.415	0.406	0.402	0.393	0.380	0.339	0.338	
200	1.785	1.022	0.863	0.688	0.499	0.490	0.485	0.454	0.452	0.447	0.443	0.430	0.420	0.416	0.407	0.394	0.352	0.338	
205	1.810	1.042	0.880	0.705	0.515	0.506	0.502	0.469	0.468	0.463	0.459	0.445	0.435	0.431	0.422	0.408	0.366	0.338	
210	1.835	1.062	0.898	0.721	0.532	0.523	0.518	0.485	0.483	0.478	0.474	0.460	0.450	0.446	0.436	0.422	0.380	0.338	
215	1.860	1.081	0.915	0.738	0.549	0.539	0.535	0.500	0.499	0.493	0.489	0.475	0.465	0.460	0.450	0.430	0.393	0.338	
220	1.884	1.101	0.932	0.755	0.566	0.556	0.551	0.516	0.515	0.509	0.504	0.490	0.479	0.475	0.465	0.450	0.407	0.338	
225	1.909	1.120	0.949	0.771	0.583	0.572	0.567	0.532	0.530	0.524	0.520	0.505	0.494	0.490	0.479	0.464	0.421	0.338	
230	1.934	1.140	0.967	0.788	0.599	0.589	0.584	0.547	0.546	0.540	0.535	0.520	0.509	0.504	0.494	0.479	0.435	0.344	
235	1.958	1.160	0.984	0.804	0.616	0.605	0.600	0.563	0.561	0.555	0.550	0.535	0.524	0.519	0.508	0.493	0.448	0.357	
240	1.983	1.179	1.001	0.821	0.633	0.622	0.617	0.578	0.577	0.570	0.566	0.550	0.538	0.533	0.523	0.507	0.462	0.370	
245	2.008	1.199	1.018	0.837	0.650	0.638	0.633	0.594	0.592	0.586	0.581	0.565	0.553	0.548	0.537	0.521	0.476	0.370	
250	2.033	1.218	1.036	0.854	0.667	0.655	0.650	0.610	0.608	0.601	0.596	0.580	0.578	0.568	0.563	0.551	0.535	0.489	0.396
255	2.057	1.238	1.053	0.870	0.683	0.671	0.666	0.625	0.623	0.617	0.612	0.595	0.583	0.577	0.566	0.549	0.503	0.409	0.338
260	2.082	1.258	1.070	0.887	0.700	0.688	0.682	0.641	0.639	0.632	0.627	0.609	0.597	0.592	0.580	0.563	0.517	0.422	0.338
265	2.107	1.277	1.087	0.903	0.717	0.705	0.699	0.656	0.655	0.648	0.642	0.624	0.612	0.607	0.595	0.577	0.531	0.435	0.338
270	2.132	1.297	1.105	0.920	0.734	0.721	0.715	0.672	0.670	0.663	0.658	0.639	0.627	0.621	0.609	0.592	0.544	0.448	0.338
275	2.156	1.316	1.122	0.936	0.750	0.738	0.732	0.688	0.686	0.678	0.673	0.654	0.641	0.636	0.624	0.606	0.558	0.462	0.338
280	2.181	1.336	1.139	0.953	0.767	0.754	0.748	0.703	0.701	0.694	0.688	0.669	0.656	0.651	0.638	0.620	0.572	0.475	0.342
285	2.206	1.356	1.156	0.969	0.784	0.771	0.764	0.719	0.717	0.709	0.704	0.684	0.671	0.665	0.652	0.634	0.585	0.488	0.354
290	2.231	1.375	1.174	0.986	0.801	0.787	0.781	0.734	0.732	0.725	0.719	0.699	0.686	0.680	0.667	0.648	0.599	0.501	0.3


FIRETEX FX6010
Table A5 I-Section Beams 60 Minutes

Section Factor (m-1)	Required Thickness (mm) for a Design Temperature of																		
	350°C	400°C	450°C	500°C	544°C	544°C	553°C	575°C	576°C	580°C	583°C	593°C	600°C	603°C	610°C	620°C	650°C	700°C	750°C
30	0.827	0.580	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
35	0.928	0.628	0.410	0.353	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
40	1.029	0.676	0.439	0.372	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
45	1.130	0.723	0.468	0.392	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
50	1.231	0.771	0.497	0.411	0.353	0.343	0.339	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
55	1.332	0.819	0.526	0.431	0.371	0.361	0.357	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
60	1.433	0.866	0.556	0.450	0.389	0.379	0.375	0.340	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
65	1.498	0.914	0.585	0.470	0.407	0.397	0.393	0.357	0.356	0.349	0.344	0.340	0.338	0.338	0.338	0.338	0.338	0.338	
70	1.537	0.962	0.614	0.489	0.425	0.415	0.411	0.375	0.373	0.366	0.361	0.347	0.338	0.338	0.338	0.338	0.338	0.338	
75	1.576	1.009	0.643	0.509	0.443	0.433	0.429	0.392	0.391	0.384	0.378	0.376	0.359	0.345	0.340	0.338	0.338	0.338	
80	1.615	1.057	0.672	0.528	0.462	0.451	0.446	0.410	0.408	0.401	0.396	0.376	0.363	0.357	0.341	0.338	0.338	0.338	
85	1.654	1.105	0.702	0.548	0.480	0.469	0.464	0.428	0.426	0.418	0.413	0.394	0.380	0.374	0.358	0.338	0.338	0.338	
90	1.693	1.152	0.731	0.567	0.498	0.487	0.482	0.445	0.443	0.436	0.431	0.411	0.397	0.391	0.376	0.353	0.338	0.338	
95	1.732	1.200	0.760	0.587	0.516	0.505	0.500	0.463	0.461	0.453	0.448	0.428	0.414	0.408	0.393	0.370	0.338	0.338	
100	1.771	1.248	0.789	0.606	0.534	0.523	0.518	0.480	0.478	0.471	0.465	0.445	0.432	0.425	0.410	0.387	0.338	0.338	
105	1.810	1.295	0.818	0.626	0.552	0.541	0.536	0.498	0.496	0.488	0.483	0.463	0.449	0.443	0.427	0.404	0.338	0.338	
110	1.849	1.343	0.848	0.645	0.570	0.559	0.554	0.515	0.513	0.506	0.500	0.480	0.466	0.460	0.444	0.421	0.338	0.338	
115	1.888	1.391	0.877	0.665	0.589	0.577	0.572	0.533	0.531	0.523	0.518	0.497	0.483	0.477	0.461	0.438	0.359	0.338	
120	1.927	1.438	0.906	0.684	0.607	0.595	0.590	0.550	0.548	0.541	0.535	0.515	0.500	0.494	0.478	0.455	0.376	0.338	
125	1.966	1.481	0.935	0.704	0.625	0.613	0.608	0.568	0.566	0.558	0.552	0.532	0.518	0.511	0.495	0.472	0.394	0.338	
130	2.005	1.508	0.965	0.723	0.643	0.631	0.626	0.585	0.583	0.576	0.570	0.549	0.535	0.529	0.513	0.490	0.411	0.338	
135	2.044	1.534	0.994	0.742	0.661	0.649	0.644	0.603	0.601	0.593	0.587	0.567	0.552	0.546	0.530	0.507	0.429	0.338	
140	2.082	1.561	1.023	0.762	0.679	0.667	0.662	0.620	0.618	0.611	0.605	0.584	0.569	0.563	0.547	0.524	0.447	0.338	
145	2.121	1.587	1.052	0.781	0.697	0.685	0.680	0.638	0.636	0.628	0.622	0.601	0.586	0.580	0.564	0.541	0.464	0.338	
150	2.160	1.614	1.081	0.801	0.715	0.703	0.698	0.655	0.653	0.645	0.640	0.618	0.597	0.581	0.558	0.482	0.338	0.338	
155	2.199	1.641	1.111	0.820	0.734	0.721	0.716	0.673	0.671	0.663	0.657	0.636	0.621	0.614	0.598	0.575	0.499	0.338	
160	2.238	1.667	1.140	0.840	0.752	0.739	0.734	0.691	0.688	0.680	0.674	0.653	0.638	0.632	0.615	0.592	0.517	0.345	
165	2.277	1.694	1.169	0.859	0.770	0.757	0.751	0.708	0.706	0.698	0.692	0.670	0.655	0.649	0.633	0.609	0.534	0.364	
170	2.316	1.720	1.198	0.879	0.788	0.775	0.769	0.726	0.723	0.715	0.709	0.688	0.672	0.666	0.650	0.625	0.552	0.383	
175	2.355	1.747	1.227	0.898	0.806	0.793	0.787	0.743	0.741	0.733	0.727	0.705	0.690	0.683	0.667	0.643	0.569	0.402	
180	2.394	1.773	1.257	0.918	0.824	0.811	0.805	0.761	0.759	0.750	0.744	0.722	0.707	0.700	0.684	0.660	0.587	0.421	
185	2.433	1.800	1.286	0.937	0.842	0.829	0.823	0.778	0.776	0.768	0.761	0.739	0.724	0.717	0.701	0.677	0.605	0.469	
190	2.482	1.827	1.315	0.957	0.861	0.847	0.841	0.796	0.794	0.785	0.779	0.757	0.741	0.735	0.718	0.694	0.622	0.459	
195	2.544	1.853	1.344	0.976	0.879	0.865	0.859	0.813	0.811	0.803	0.796	0.774	0.759	0.752	0.735	0.711	0.640	0.479	
200	2.605	1.880	1.374	0.996	0.897	0.883	0.877	0.831	0.829	0.820	0.814	0.791	0.776	0.769	0.752	0.728	0.657	0.498	
205	2.667	1.906	1.403	1.015	0.915	0.901	0.895	0.848	0.846	0.837	0.831	0.809	0.793	0.786	0.770	0.746	0.675	0.517	
210	2.729	1.933	1.432	1.035	0.933	0.919	0.913	0.866	0.864	0.855	0.849	0.826	0.810	0.803	0.787	0.763	0.692	0.536	
215	2.791	1.959	1.461	1.054	0.951	0.937	0.931	0.883	0.881	0.872	0.866	0.843	0.827	0.820	0.804	0.780	0.710	0.555	
220	2.852	1.986	1.494	1.074	0.969	0.955	0.949	0.901	0.899	0.890	0.883	0.861	0.845	0.838	0.821	0.797	0.727	0.574	
225	2.914	2.013	1.529	1.093	0.988	0.973	0.967	0.918	0.916	0.907	0.901	0.878	0.862	0.855	0.838	0.814	0.745	0.593	
230	2.976	2.039	1.564	1.113	1.006	0.991	0.985	0.936	0.934	0.925	0.918	0.895	0.879	0.872	0.855	0.831	0.763	0.612	
235	3.038	2.066	1.599	1.132	1.024	1.009	1.003	0.953	0.951	0.942	0.936	0.912	0.896	0.889	0.872	0.849	0.780	0.631	
240	3.100	2.092	1.635	1.152	1.042	1.027	1.021	0.971	0.969	0.960	0.953	0.930	0.913	0.906	0.889	0.865	0.798	0.650	
245	3.161	2.119	1.670	1.171	1.060	1.045	1.039	0.989	0.986	0.977	0.970	0.947	0.931	0.924	0.907	0.882	0.815	0.669	
250	3.223	2.145	1.705	1.190	1.078	1.063	1.056	1.006	1.004	0.995	0.988	0.964	0.948	0.941	0.924	0.894	0.833	0.688	
255	3.285	2.172	1.740	1.210	1.096	1.081	1.074	1.024	1.021	1.012	1.005	0.982	0.965	0.958	0.941	0.916	0.850	0.707	
260	3.347	2.199	1.776	1.229	1.115	1.099	1.092	1.041	1.039	1.030	1.023	0.999	0.982	0.975	0.958	0.933	0.868	0.726	
265	3.409	2.225	1.811	1.249	1.133	1.117	1.110	1.059	1.056	1.047	1.040	1.016	0.999	0.992	0.975	0.950	0.885	0.745	
270	3.498	2.252	1.846	1.268	1.151	1.135	1.128	1.076	1.074	1.064	1.058	1.033	1.017	1.009	0.992	0.967	0.903	0.764	
275	3.588	2.278	1.881	1.288	1.169	1.153	1.146	1.094	1.091	1.082	1.075	1.051	1.034	1.027	1.009	0.985	0.921	0.783	
280	3.679	2.305	1.916	1.307	1.187	1.171	1.164	1.111	1.109	1.109	1.099	1.092	1.068	1.044	1.027	1.002	0.938	0.802	
285	3.769	2.332	1.952	1.327	1.205	1.189	1.182	1.129	1.126	1.117	1.110	1.085	1.068	1.061	1.044	1.019	0.956	0.821	
290	3.859	2.358	1.987	1.346	1.223	1.207	1.200	1.146	1.144	1.134	1.127	1.103	1.085	1.078	1.061	1.036	0.973	0.840	
295	3.950	2.385	2.022	1.366	1.242	1.225	1.2												


FIRETEX FX6010
Table A6 I-Section Beams 75 Minutes

Section Factor (m-1)	Required Thickness (mm) for a Design Temperature of																		
	350°C	400°C	450°C	500°C	544°C	544°C	553°C	575°C	576°C	580°C	583°C	593°C	600°C	603°C	610°C	620°C	650°C	700°C	750°C
30	1.159	0.866	0.644	0.404	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
35	1.315	0.962	0.704	0.443	0.386	0.380	0.377	0.358	0.358	0.355	0.353	0.345	0.339	0.338	0.338	0.338	0.338	0.338	
40	1.472	1.058	0.763	0.462	0.415	0.407	0.404	0.381	0.380	0.377	0.374	0.366	0.359	0.357	0.350	0.340	0.338	0.338	
45	1.682	1.154	0.822	0.521	0.444	0.435	0.431	0.404	0.403	0.399	0.396	0.386	0.380	0.377	0.370	0.360	0.338	0.338	
50	1.892	1.249	0.881	0.560	0.473	0.463	0.458	0.427	0.426	0.421	0.417	0.407	0.400	0.397	0.390	0.380	0.347	0.338	
55	2.103	1.345	0.940	0.599	0.502	0.491	0.486	0.450	0.449	0.443	0.439	0.428	0.420	0.417	0.410	0.399	0.367	0.338	
60	2.313	1.441	0.999	0.638	0.531	0.519	0.513	0.473	0.472	0.465	0.461	0.449	0.440	0.437	0.430	0.419	0.386	0.338	
65	2.476	1.502	1.058	0.677	0.560	0.547	0.540	0.496	0.494	0.487	0.482	0.469	0.461	0.457	0.450	0.439	0.406	0.338	
70	2.539	1.545	1.117	0.716	0.589	0.574	0.567	0.519	0.517	0.509	0.504	0.490	0.481	0.478	0.470	0.459	0.426	0.356	
75	2.602	1.587	1.176	0.755	0.618	0.602	0.595	0.542	0.540	0.531	0.525	0.511	0.501	0.498	0.490	0.479	0.446	0.376	
80	2.664	1.629	1.235	0.794	0.647	0.630	0.622	0.565	0.563	0.553	0.547	0.532	0.521	0.518	0.510	0.498	0.465	0.397	
85	2.727	1.671	1.294	0.833	0.676	0.658	0.649	0.588	0.586	0.575	0.568	0.552	0.541	0.538	0.530	0.518	0.485	0.417	
90	2.790	1.714	1.353	0.872	0.706	0.686	0.676	0.611	0.608	0.597	0.590	0.573	0.562	0.558	0.550	0.538	0.505	0.437	
95	2.853	1.756	1.413	0.911	0.735	0.713	0.704	0.634	0.631	0.619	0.611	0.594	0.582	0.578	0.570	0.558	0.525	0.457	
100	2.915	1.798	1.472	0.950	0.764	0.741	0.731	0.657	0.654	0.642	0.633	0.615	0.602	0.598	0.590	0.578	0.544	0.477	
105	2.978	1.841	1.507	0.989	0.793	0.769	0.758	0.680	0.677	0.664	0.654	0.635	0.622	0.619	0.610	0.597	0.564	0.497	
110	3.041	1.883	1.540	1.028	0.822	0.797	0.785	0.703	0.700	0.686	0.676	0.656	0.643	0.639	0.630	0.617	0.584	0.517	
115	3.104	1.925	1.573	1.067	0.851	0.825	0.813	0.726	0.722	0.708	0.697	0.677	0.663	0.659	0.650	0.637	0.604	0.537	
120	3.166	1.968	1.607	1.106	0.880	0.853	0.840	0.749	0.745	0.730	0.719	0.698	0.683	0.679	0.670	0.657	0.623	0.557	
125	3.229	2.010	1.640	1.145	0.909	0.880	0.867	0.772	0.768	0.752	0.740	0.718	0.703	0.699	0.690	0.677	0.643	0.577	
130	3.292	2.052	1.674	1.184	0.938	0.908	0.895	0.795	0.791	0.774	0.762	0.739	0.724	0.719	0.710	0.696	0.663	0.597	
135	3.355	2.095	1.707	1.222	0.967	0.936	0.922	0.818	0.814	0.796	0.783	0.760	0.744	0.740	0.730	0.716	0.683	0.617	
140	3.421	2.137	1.741	1.261	0.996	0.964	0.949	0.841	0.837	0.818	0.805	0.781	0.764	0.760	0.750	0.736	0.702	0.637	
145	3.521	2.179	1.774	1.300	1.025	0.992	0.976	0.864	0.859	0.840	0.826	0.801	0.784	0.780	0.770	0.756	0.722	0.657	
150	3.620	2.222	1.808	1.339	1.054	1.020	1.004	0.887	0.882	0.862	0.848	0.822	0.804	0.800	0.790	0.776	0.742	0.677	
155	3.719	2.264	1.841	1.378	1.083	1.047	1.031	0.910	0.905	0.884	0.869	0.843	0.825	0.820	0.810	0.795	0.762	0.698	
160	3.818	2.308	1.875	1.417	1.112	1.075	1.058	0.933	0.928	0.906	0.891	0.864	0.845	0.840	0.830	0.815	0.781	0.625	
165	3.917	2.349	1.908	1.456	1.141	1.103	1.085	0.956	0.951	0.928	0.912	0.885	0.865	0.861	0.850	0.835	0.801	0.738	
170	4.016	2.391	1.942	1.492	1.170	1.131	1.113	0.979	0.973	0.950	0.934	0.905	0.885	0.881	0.870	0.855	0.821	0.758	
175	4.115	2.433	1.975	1.524	1.199	1.159	1.140	1.002	0.996	0.973	0.955	0.926	0.906	0.901	0.890	0.875	0.841	0.788	
180	4.214	2.502	2.009	1.557	1.228	1.187	1.167	1.025	1.019	0.995	0.977	0.947	0.926	0.921	0.910	0.894	0.860	0.798	
185	4.313	2.601	2.042	1.589	1.257	1.214	1.194	1.048	1.042	1.017	0.998	0.968	0.946	0.941	0.930	0.914	0.880	0.818	
190	4.412	2.700	2.075	1.622	1.287	1.242	1.222	1.071	1.065	1.039	1.020	0.988	0.966	0.961	0.950	0.934	0.900	0.838	
195	4.506	2.799	2.109	1.654	1.316	1.270	1.249	1.094	1.087	1.061	1.041	1.009	0.987	0.982	0.970	0.954	0.920	0.858	
200	4.537	2.898	2.142	1.687	1.345	1.298	1.276	1.117	1.110	1.083	1.063	1.030	1.007	1.002	0.990	0.973	0.939	0.878	
205	4.568	2.997	2.176	1.719	1.374	1.326	1.303	1.140	1.133	1.105	1.084	1.051	1.027	1.022	1.010	0.993	0.959	0.898	
210	4.599	3.096	2.209	1.752	1.403	1.354	1.331	1.163	1.156	1.127	1.106	1.071	1.047	1.042	1.030	1.013	0.979	0.918	
215	4.630	3.195	2.243	1.784	1.432	1.381	1.358	1.186	1.179	1.149	1.127	1.092	1.068	1.062	1.050	1.033	0.999	0.938	
220	4.660	3.294	2.276	1.817	1.461	1.409	1.385	1.209	1.201	1.171	1.149	1.113	1.088	1.082	1.070	1.053	1.018	0.958	
225	4.691	3.393	2.310	1.849	1.495	1.437	1.413	1.232	1.224	1.193	1.170	1.134	1.108	1.102	1.090	1.072	1.038	0.978	
230	4.722	3.465	2.343	1.882	1.533	1.465	1.440	1.255	1.247	1.215	1.192	1.154	1.128	1.123	1.110	1.092	1.058	0.999	
235	4.753	3.530	2.377	1.914	1.572	1.501	1.467	1.278	1.270	1.237	1.213	1.175	1.148	1.143	1.130	1.112	1.078	1.019	
240	4.784	3.594	2.410	1.947	1.611	1.541	1.504	1.301	1.293	1.259	1.235	1.196	1.169	1.163	1.150	1.132	1.097	1.039	
245	4.815	3.662	2.444	1.979	1.649	1.581	1.545	1.324	1.315	1.281	1.256	1.217	1.189	1.183	1.170	1.152	1.117	1.059	
250	4.846	3.728	2.500	2.012	1.688	1.621	1.586	1.347	1.338	1.304	1.278	1.237	1.209	1.203	1.190	1.171	1.137	1.093	
255	4.876	3.793	2.571	2.044	1.727	1.661	1.627	1.370	1.361	1.326	1.299	1.258	1.229	1.223	1.210	1.191	1.157	1.099	
260	4.907	3.859	2.641	2.077	1.765	1.702	1.668	1.393	1.384	1.348	1.321	1.279	1.250	1.244	1.230	1.211	1.176	1.104	
265	4.938	3.925	2.712	2.109	1.804	1.742	1.709	1.416	1.407	1.370	1.342	1.300	1.270	1.264	1.250	1.231	1.196	1.139	
270	4.969	3.990	2.782	2.142	1.842	1.782	1.750	1.439	1.429	1.392	1.364	1.320	1.290	1.284	1.270	1.251	1.216	1.159	
275	5.004	4.056	2.853	2.174	1.881	1.822	1.791	1.462	1.452	1.414	1.385	1.341	1.310	1.294	1.270	1.236	1.179	1.096	
280	5.031	4.122	2.923	2.207	1.920	1.862	1.832	1.497	1.475	1.436	1.407	1.362	1.331	1.324	1.310	1.290	1.255	1.199	
285	5.061	4.187	2.994	2.239	1.958	1.903	1.873	1.550	1.528	1.498	1.428	1.383	1.351	1.344	1.330	1.310	1.275	1.219	
290	5.092	4.253	3.064	2.272	1.997	1.943	1.914	1.602	1.581	1.488	1.450	1.403	1.371	1.365	1.350	1.330	1.295	1.239	
295	5.123	4.319	3.135	2.304	2.036	1.983													


FIRETEX FX6010
Table A7 I-Section Beams 90 Minutes

Required Thickness (mm) for a Design Temperature of																			
Section Factor (m-1)	350°C	400°C	450°C	500°C	544°C	544°C	553°C	575°C	576°C	580°C	583°C	593°C	600°C	603°C	610°C	620°C	650°C	700°C	750°C
30	2.433	1.154	0.905	0.700	0.535	0.433	0.428	0.396	0.394	0.389	0.386	0.358	0.338	0.338	0.338	0.338	0.338	0.338	
35	2.608	1.298	1.008	0.773	0.590	0.491	0.484	0.443	0.442	0.435	0.431	0.417	0.408	0.404	0.395	0.383	0.350	0.338	0.338
40	2.783	1.442	1.111	0.845	0.645	0.548	0.541	0.491	0.489	0.481	0.476	0.460	0.450	0.446	0.436	0.422	0.386	0.338	0.338
45	2.957	1.649	1.214	0.918	0.699	0.604	0.597	0.539	0.536	0.527	0.520	0.504	0.492	0.487	0.476	0.461	0.421	0.358	0.338
50	3.132	1.876	1.316	0.991	0.754	0.663	0.654	0.587	0.584	0.573	0.565	0.547	0.534	0.529	0.517	0.500	0.457	0.390	0.338
55	3.307	2.103	1.419	1.064	0.809	0.721	0.710	0.634	0.631	0.619	0.610	0.590	0.576	0.571	0.557	0.539	0.492	0.422	0.353
60	3.431	2.330	1.496	1.137	0.864	0.778	0.766	0.682	0.678	0.665	0.655	0.634	0.619	0.612	0.598	0.578	0.528	0.453	0.381
65	3.482	2.492	1.542	1.210	0.919	0.836	0.823	0.730	0.726	0.711	0.700	0.677	0.661	0.654	0.638	0.617	0.563	0.485	0.409
70	3.534	2.572	1.588	1.283	0.974	0.893	0.879	0.777	0.773	0.757	0.745	0.720	0.703	0.696	0.679	0.656	0.598	0.517	0.437
75	3.585	2.651	1.635	1.356	1.028	0.951	0.935	0.825	0.820	0.803	0.799	0.764	0.745	0.737	0.719	0.694	0.634	0.548	0.465
80	3.637	2.731	1.681	1.429	1.083	1.008	0.992	0.873	0.868	0.849	0.835	0.807	0.787	0.779	0.760	0.733	0.669	0.580	0.493
85	3.688	2.811	1.727	1.489	1.138	1.066	1.048	0.920	0.915	0.895	0.880	0.850	0.829	0.821	0.800	0.772	0.705	0.611	0.521
90	3.740	2.891	1.773	1.527	1.193	1.124	1.104	0.968	0.963	0.940	0.925	0.894	0.872	0.862	0.841	0.811	0.740	0.643	0.549
95	3.791	2.971	1.819	1.565	1.248	1.181	1.161	1.016	1.010	0.986	0.970	0.937	0.914	0.904	0.881	0.850	0.776	0.675	0.577
100	3.843	3.051	1.865	1.603	1.303	1.239	1.217	1.064	1.057	1.032	1.015	0.980	0.956	0.946	0.922	0.889	0.811	0.706	0.605
105	3.894	3.131	1.911	1.641	1.357	1.296	1.274	1.111	1.105	1.078	1.060	1.024	0.998	0.987	0.962	0.928	0.846	0.738	0.633
110	3.946	3.211	1.957	1.679	1.412	1.354	1.330	1.159	1.152	1.124	1.105	1.067	1.040	1.029	1.003	0.967	0.882	0.770	0.661
115	3.997	3.291	2.004	1.717	1.467	1.411	1.386	1.207	1.199	1.170	1.150	1.110	1.082	1.071	1.043	1.006	0.917	0.801	0.689
120	4.049	3.371	2.050	1.755	1.504	1.469	1.443	1.254	1.247	1.216	1.195	1.154	1.125	1.112	1.083	1.044	0.953	0.833	0.717
125	4.100	3.453	2.096	1.793	1.537	1.504	1.489	1.302	1.294	1.262	1.240	1.197	1.167	1.154	1.124	1.083	0.988	0.865	0.745
130	4.152	3.539	2.142	1.831	1.571	1.537	1.522	1.350	1.341	1.308	1.285	1.240	1.209	1.196	1.164	1.122	1.023	0.896	0.773
135	4.203	3.625	2.188	1.869	1.605	1.571	1.554	1.397	1.389	1.354	1.330	1.283	1.251	1.237	1.205	1.161	1.059	0.928	0.800
140	4.255	3.711	2.234	1.907	1.639	1.604	1.587	1.445	1.436	1.400	1.375	1.327	1.293	1.279	1.245	1.200	1.094	0.960	0.828
145	4.306	3.797	2.280	1.945	1.672	1.637	1.620	1.486	1.480	1.446	1.420	1.370	1.335	1.321	1.286	1.239	1.130	0.991	0.856
150	4.358	3.883	2.326	1.983	1.706	1.670	1.652	1.517	1.511	1.486	1.465	1.413	1.378	1.362	1.326	1.278	1.165	1.023	0.884
155	4.409	3.968	2.373	2.021	1.740	1.703	1.685	1.548	1.542	1.517	1.499	1.452	1.420	1.404	1.367	1.317	1.201	1.054	0.912
160	4.461	4.054	2.419	2.059	1.773	1.730	1.718	1.578	1.572	1.547	1.529	1.490	1.462	1.446	1.407	1.355	1.236	1.086	0.940
165	4.511	4.140	2.492	2.097	1.807	1.769	1.750	1.609	1.603	1.578	1.560	1.523	1.496	1.484	1.448	1.394	1.271	1.118	0.968
170	4.557	4.226	2.681	2.135	1.841	1.802	1.783	1.640	1.633	1.608	1.591	1.554	1.527	1.515	1.485	1.433	1.307	1.149	0.996
175	4.602	4.312	2.869	2.173	1.874	1.835	1.816	1.670	1.664	1.639	1.622	1.584	1.558	1.546	1.516	1.472	1.342	1.181	1.024
180	4.647	4.398	3.057	2.211	1.908	1.868	1.849	1.701	1.695	1.670	1.653	1.615	1.589	1.577	1.548	1.504	1.378	1.213	1.052
185	4.693	4.484	3.245	2.248	1.942	1.901	1.881	1.732	1.725	1.700	1.683	1.646	1.620	1.608	1.579	1.536	1.413	1.244	1.080
190	4.738	4.529	3.422	2.286	1.975	1.934	1.914	1.762	1.756	1.731	1.714	1.677	1.651	1.639	1.610	1.567	1.449	1.276	1.108
195	4.784	4.563	3.515	2.324	2.009	1.967	1.947	1.793	1.786	1.761	1.745	1.708	1.682	1.670	1.641	1.598	1.483	1.308	1.136
200	4.829	4.596	3.608	2.362	2.043	2.000	1.979	1.824	1.817	1.792	1.776	1.739	1.713	1.701	1.672	1.630	1.515	1.339	1.164
205	4.874	4.630	3.702	2.400	2.076	2.033	2.012	1.854	1.847	1.822	1.807	1.769	1.744	1.732	1.704	1.661	1.547	1.371	1.192
210	4.920	4.663	3.795	2.438	2.110	2.064	2.045	1.885	1.878	1.853	1.837	1.800	1.774	1.763	1.735	1.693	1.579	1.403	1.220
215	4.965	4.696	3.888	2.517	2.144	2.099	2.077	1.916	1.909	1.883	1.868	1.831	1.805	1.794	1.766	1.724	1.610	1.434	1.248
220	5.011	4.730	3.982	2.631	2.177	2.132	2.110	1.946	1.939	1.914	1.899	1.862	1.836	1.825	1.797	1.756	1.642	1.466	1.276
225	5.056	4.763	4.075	2.744	2.211	2.165	2.143	1.977	1.970	1.944	1.930	1.893	1.867	1.856	1.826	1.787	1.674	1.498	1.304
230	5.101	4.797	4.169	2.858	2.245	2.198	2.175	2.008	2.000	1.975	1.960	1.924	1.898	1.887	1.860	1.819	1.706	1.530	1.332
235	5.147	4.830	4.262	2.971	2.278	2.231	2.208	2.038	2.031	2.005	1.991	1.955	1.929	1.918	1.891	1.850	1.738	1.562	1.360
240	5.192	4.863	4.355	3.085	2.312	2.265	2.241	2.069	2.062	2.036	2.022	1.985	1.960	1.949	1.922	1.881	1.769	1.594	1.387
245	5.238	4.897	4.449	3.198	2.346	2.299	2.274	2.099	2.092	2.066	2.053	2.016	1.991	1.980	1.953	1.913	1.801	1.625	1.415
250	5.283	4.930	4.520	3.312	2.379	2.331	2.306	2.130	2.123	2.097	2.084	2.047	2.022	2.011	1.984	1.944	1.833	1.657	1.443
255	5.328	4.963	4.558	3.422	2.413	2.364	2.339	2.161	2.153	2.127	2.114	2.078	2.053	2.042	2.016	1.976	1.865	1.689	1.471
260	5.374	4.997	4.597	3.512	2.447	2.397	2.372	2.191	2.184	2.158	2.145	2.109	2.083	2.073	2.047	2.007	1.897	1.721	1.505
265	5.419	5.030	4.636	3.601	2.520	2.430	2.404	2.222	2.214	2.188	2.176	2.140	2.114	2.104	2.078	2.039	1.929	1.753	1.539
270	5.464	5.064	4.674	3.691	2.608	2.476	2.437	2.253	2.245	2.219	2.207	2.171	2.145	2.135	2.109	2.070	1.960	1.785	1.573
275	5.510	5.097	4.713	3.781	2.696	2.571	2.498	2.283	2.276	2.249	2.238	2.201	2.176	2.166	2.140	2.102	1.992	1.817	1.608
280	5.555	5.130	4.752	3.870	2.784	2.666	2.597	2.314	2.306	2.280	2.268	2.232	2.207	2.197	2.172	2.133	2.		


FIRETEX FX6010
Table A8 I-Section Beams 105 Minutes

Section Factor (m-1)	Required Thickness (mm) for a Design Temperature of																		
	350°C	400°C	450°C	500°C	544°C	544°C	553°C	575°C	576°C	580°C	583°C	593°C	600°C	603°C	610°C	620°C	650°C	700°C	750°C
30	3.048	2.405	1.167	0.943	0.761	0.738	0.727	0.650	0.647	0.632	0.623	0.588	0.564	0.554	0.531	0.433	0.383	0.338	0.338
35	3.323	2.567	1.313	1.057	0.854	0.828	0.817	0.733	0.729	0.714	0.703	0.667	0.641	0.630	0.606	0.510	0.451	0.369	0.338
40	3.454	2.729	1.460	1.171	0.947	0.919	0.907	0.816	0.812	0.796	0.784	0.745	0.718	0.706	0.680	0.587	0.520	0.427	0.349
45	3.519	2.892	1.716	1.285	1.039	1.010	0.997	0.898	0.895	0.877	0.865	0.824	0.795	0.782	0.755	0.664	0.589	0.485	0.399
50	3.583	3.054	1.985	1.398	1.132	1.101	1.087	0.982	0.977	0.959	0.946	0.902	0.872	0.858	0.829	0.742	0.657	0.543	0.449
55	3.647	3.216	2.253	1.491	1.225	1.191	1.177	1.065	1.060	1.041	1.027	0.981	0.948	0.934	0.904	0.819	0.726	0.601	0.498
60	3.712	3.379	2.482	1.539	1.318	1.282	1.267	1.148	1.143	1.122	1.107	1.059	1.025	1.010	0.978	0.896	0.794	0.658	0.548
65	3.776	3.453	2.586	1.587	1.411	1.373	1.357	1.231	1.225	1.204	1.188	1.137	1.102	1.086	1.053	0.974	0.863	0.716	0.598
70	3.841	3.507	2.691	1.635	1.488	1.464	1.447	1.314	1.308	1.286	1.269	1.216	1.179	1.162	1.127	1.051	0.932	0.774	0.648
75	3.905	3.561	2.795	1.684	1.530	1.511	1.503	1.397	1.391	1.368	1.350	1.294	1.256	1.238	1.202	1.128	1.000	0.832	0.698
80	3.970	3.614	2.900	1.732	1.572	1.553	1.544	1.477	1.473	1.449	1.431	1.373	1.332	1.314	1.276	1.204	1.069	0.890	0.747
85	4.034	3.668	3.004	1.780	1.614	1.594	1.585	1.515	1.512	1.501	1.492	1.443	1.409	1.390	1.351	1.283	1.137	0.948	0.797
90	4.099	3.722	3.109	1.829	1.657	1.636	1.626	1.554	1.551	1.539	1.529	1.500	1.480	1.466	1.425	1.360	1.206	1.006	0.847
95	4.163	3.776	3.213	1.877	1.699	1.677	1.667	1.592	1.580	1.577	1.567	1.537	1.516	1.507	1.487	1.438	1.275	1.064	0.897
100	4.228	3.829	3.318	1.925	1.741	1.719	1.708	1.630	1.627	1.614	1.605	1.573	1.552	1.542	1.522	1.493	1.343	1.122	0.947
105	4.292	3.883	3.419	1.973	1.783	1.760	1.749	1.669	1.665	1.652	1.642	1.610	1.588	1.578	1.557	1.527	1.412	1.180	0.997
110	4.357	3.937	3.492	2.022	1.825	1.801	1.790	1.707	1.703	1.690	1.680	1.647	1.623	1.613	1.592	1.561	1.477	1.238	1.046
115	4.421	3.991	3.565	2.070	1.867	1.843	1.831	1.745	1.742	1.728	1.717	1.683	1.659	1.649	1.627	1.595	1.508	1.296	1.096
120	4.486	4.044	3.638	2.118	1.909	1.884	1.872	1.784	1.780	1.766	1.755	1.720	1.695	1.685	1.662	1.629	1.539	1.354	1.146
125	4.617	4.098	3.712	2.166	1.952	1.926	1.913	1.822	1.818	1.803	1.792	1.756	1.731	1.720	1.697	1.663	1.570	1.412	1.196
130	4.774	4.152	3.785	2.215	1.994	1.967	1.955	1.860	1.856	1.841	1.830	1.793	1.767	1.756	1.732	1.697	1.601	1.470	1.246
135	4.932	4.205	3.858	2.263	2.036	2.009	1.996	1.899	1.894	1.879	1.867	1.829	1.802	1.791	1.767	1.731	1.632	1.499	1.295
140	5.089	4.259	3.932	2.311	2.078	2.050	2.037	1.937	1.933	1.917	1.905	1.866	1.838	1.827	1.802	1.765	1.663	1.526	1.345
145	5.247	4.313	4.005	2.359	2.120	2.091	2.078	1.975	1.971	1.955	1.942	1.902	1.874	1.863	1.837	1.799	1.694	1.552	1.395
150	5.405	4.367	4.078	2.408	2.162	2.133	2.119	2.014	2.009	1.993	1.980	1.939	1.910	1.898	1.872	1.834	1.725	1.579	1.445
155	5.562	4.420	4.151	2.456	2.205	2.174	2.160	2.052	2.047	2.030	2.017	1.975	1.946	1.934	1.907	1.868	1.756	1.606	1.486
160	5.720	4.474	4.225	2.831	2.247	2.216	2.201	2.090	2.085	2.068	2.055	2.012	1.982	1.969	1.942	1.902	1.787	1.632	1.513
165	5.877	4.530	4.296	3.209	2.289	2.257	2.242	2.124	2.129	2.104	2.093	2.048	2.017	2.005	1.977	1.936	1.818	1.659	1.541
170	6.035	4.590	4.371	3.470	2.331	2.299	2.283	2.167	2.162	2.144	2.130	2.085	2.053	2.041	2.012	1.970	1.849	1.685	1.568
175	-	4.650	4.445	3.597	2.373	2.340	2.324	2.205	2.200	2.182	2.168	2.121	2.089	2.076	2.047	2.004	1.880	1.712	1.596
180	-	4.710	4.511	3.725	2.415	2.382	2.365	2.244	2.238	2.220	2.205	2.158	2.125	2.112	2.082	2.038	1.911	1.739	1.623
185	-	4.769	4.548	3.853	2.463	2.423	2.406	2.282	2.276	2.257	2.243	2.194	2.161	2.147	2.117	2.072	1.942	1.765	1.651
190	-	4.829	4.585	3.981	2.667	2.495	2.447	2.320	2.314	2.295	2.280	2.231	2.196	2.183	2.152	2.106	1.973	1.792	1.678
195	-	4.889	4.622	4.109	2.871	2.684	2.597	2.359	2.353	2.333	2.318	2.268	2.232	2.219	2.188	2.140	2.003	1.819	1.706
200	-	4.948	4.659	4.237	3.075	2.874	2.778	2.397	2.391	2.371	2.355	2.304	2.268	2.254	2.223	2.174	2.034	1.845	1.733
205	-	5.008	4.696	4.365	3.279	3.063	2.959	2.435	2.429	2.409	2.393	2.341	2.304	2.290	2.258	2.209	2.065	1.872	1.761
210	-	5.068	4.733	4.493	3.446	3.253	3.140	2.517	2.494	2.446	2.430	2.377	2.340	2.325	2.293	2.243	2.096	1.898	1.789
215	-	5.127	4.770	4.539	3.545	3.426	3.320	2.649	2.625	2.548	2.494	2.424	2.376	2.361	2.328	2.277	2.127	1.925	1.816
220	-	5.187	4.807	4.578	3.645	3.522	3.457	2.781	2.755	2.674	2.612	2.494	2.411	2.397	2.363	2.311	2.158	1.952	1.844
225	-	5.247	4.844	4.617	3.745	3.617	3.551	2.913	2.886	2.795	2.730	2.564	2.447	2.432	2.398	2.345	2.189	1.978	1.871
230	-	5.306	4.881	4.655	3.845	3.712	3.645	3.044	3.017	2.918	2.848	2.657	2.524	2.485	2.433	2.379	2.220	2.005	1.899
235	-	5.366	4.918	4.694	3.945	3.807	3.738	3.176	3.147	3.041	2.966	2.759	2.614	2.570	2.482	2.413	2.251	2.031	1.926
240	-	5.426	4.955	4.732	4.045	3.903	3.832	3.308	3.278	3.164	3.084	2.861	2.704	2.655	2.558	2.447	2.282	2.058	1.954
245	-	5.485	4.993	4.771	4.145	3.998	3.926	3.430	3.408	3.287	3.203	2.962	2.794	2.740	2.634	2.508	2.313	2.085	1.981
250	-	5.545	5.030	4.810	4.245	4.093	4.019	3.516	3.496	3.410	3.321	3.064	2.884	2.825	2.710	2.579	2.344	2.111	2.009
255	-	5.605	5.067	4.848	4.345	4.188	4.113	3.603	3.584	3.502	3.433	3.163	2.974	2.910	2.785	2.649	2.375	2.138	2.036
260	-	5.665	5.104	4.887	4.445	4.284	4.207	3.690	3.672	3.594	3.528	3.255	3.064	2.996	2.861	2.720	2.406	2.165	2.064
265	-	5.724	5.141	4.926	4.522	4.379	4.301	3.777	3.759	3.686	3.623	3.347	3.154	3.081	2.937	2.791	2.437	2.191	2.091
270	-	5.784	5.176	4.964	4.567	4.474	4.394	3.863	3.847	3.778	3.718	3.439	3.244	3.166	3.013	2.861	2.487	2.218	2.119
275	-	5.844	5.215	5.003	4.612	4.536	4.488	3.950	3.935	3.870	3.814	3.531	3.334	3.251	3.089	2.932	2.571	2.244	2.146
280	-	5.903	5.252	5.042	4.656	4.581	4.543	4.037	4.022	3.961	3.909	3.627	3.430	3.336	3.165	3.002	2.654	2.271	2.174
285	-	5.963	5.289	5.088	4.701</td														


FIRETEX FX6010
Table A9 I-Section Beams 120 Minutes
Required Thickness (mm) for a Design Temperature of

Section Factor (m-1)	350°C	400°C	450°C	500°C	544°C	544°C	553°C	575°C	576°C	580°C	583°C	593°C	600°C	603°C	610°C	620°C	650°C	700°C	750°C
30	3.473	2.894	1.328	1.187	0.988	0.962	0.952	0.870	0.866	0.852	0.841	0.805	0.780	0.769	0.745	0.710	0.609	0.406	0.338
35	3.570	3.137	2.542	1.342	1.119	1.091	1.079	0.990	0.986	0.970	0.959	0.920	0.893	0.881	0.856	0.818	0.712	0.505	0.400
40	3.667	3.381	2.709	1.516	1.250	1.219	1.207	1.109	1.105	1.089	1.076	1.035	1.007	0.993	0.966	0.926	0.814	0.603	0.486
45	3.764	3.468	2.877	1.807	1.380	1.348	1.335	1.229	1.225	1.207	1.194	1.150	1.120	1.105	1.077	1.035	0.916	0.702	0.572
50	3.861	3.534	3.044	2.097	1.498	1.476	1.462	1.349	1.344	1.326	1.311	1.265	1.233	1.217	1.188	1.143	1.018	0.800	0.659
55	3.958	3.599	3.212	2.387	1.580	1.546	1.533	1.469	1.464	1.445	1.429	1.380	1.346	1.330	1.298	1.251	1.120	0.899	0.745
60	4.055	3.665	3.379	2.554	1.662	1.615	1.597	1.520	1.518	1.510	1.504	1.477	1.459	1.442	1.409	1.359	1.223	0.997	0.831
65	4.152	3.731	3.456	2.682	1.745	1.685	1.661	1.568	1.566	1.557	1.550	1.529	1.514	1.507	1.493	1.467	1.325	1.095	0.917
70	4.249	3.797	3.512	2.810	1.827	1.755	1.726	1.616	1.613	1.604	1.597	1.575	1.559	1.552	1.538	1.516	1.427	1.194	1.003
75	4.345	3.862	3.568	2.938	1.909	1.824	1.790	1.664	1.661	1.652	1.644	1.621	1.605	1.597	1.583	1.561	1.498	1.292	1.089
80	4.442	3.928	3.625	3.066	1.991	1.894	1.854	1.711	1.709	1.699	1.691	1.667	1.650	1.643	1.626	1.605	1.541	1.391	1.175
85	4.580	3.994	3.681	3.193	2.073	1.964	1.919	1.759	1.756	1.746	1.738	1.713	1.696	1.688	1.673	1.649	1.584	1.481	1.261
90	4.789	4.060	3.737	3.321	2.156	2.033	1.983	1.807	1.804	1.793	1.785	1.759	1.741	1.733	1.717	1.694	1.626	1.521	1.348
95	4.998	4.125	3.793	3.431	2.238	2.103	2.047	1.855	1.851	1.840	1.832	1.805	1.786	1.779	1.762	1.738	1.669	1.561	1.434
100	5.207	4.191	3.850	3.500	2.320	2.173	2.112	1.902	1.899	1.887	1.879	1.851	1.832	1.824	1.807	1.783	1.712	1.601	1.494
105	5.417	4.257	3.906	3.569	2.402	2.242	2.176	1.950	1.946	1.935	1.926	1.897	1.877	1.869	1.852	1.827	1.755	1.642	1.532
110	5.626	4.322	3.962	3.638	2.499	2.312	2.240	1.998	1.994	1.982	1.973	1.943	1.923	1.914	1.897	1.871	1.798	1.682	1.569
115	5.835	4.388	4.018	3.707	2.622	2.382	2.304	2.046	2.042	2.029	2.019	1.989	1.968	1.960	1.942	1.916	1.841	1.722	1.606
120	-	4.454	4.075	3.775	2.746	2.452	2.369	2.094	2.089	2.076	2.066	2.035	2.014	2.005	1.987	1.960	1.884	1.762	1.643
125	-	4.529	4.131	3.844	2.869	2.590	2.433	2.141	2.137	2.123	2.113	2.081	2.059	2.050	2.032	2.005	1.927	1.802	1.681
130	-	4.633	4.187	3.913	2.993	2.733	2.562	2.189	2.184	2.171	2.160	2.127	2.104	2.096	2.077	2.049	1.970	1.843	1.718
135	-	4.737	4.243	3.982	3.116	2.877	2.727	2.237	2.232	2.218	2.207	2.173	2.150	2.141	2.122	2.094	2.012	1.883	1.755
140	-	4.841	4.300	4.051	3.240	3.020	2.892	2.285	2.279	2.265	2.254	2.219	2.195	2.186	2.166	2.138	2.055	1.923	1.793
145	-	4.945	4.356	4.120	3.363	3.163	3.057	2.332	2.327	2.312	2.301	2.265	2.241	2.232	2.211	2.182	2.098	1.963	1.830
150	-	5.049	4.412	4.188	3.493	3.307	3.222	2.380	2.375	2.359	2.348	2.311	2.286	2.277	2.256	2.227	2.141	2.003	1.867
155	-	5.153	4.469	4.257	3.626	3.451	3.387	2.428	2.422	2.406	2.395	2.358	2.332	2.322	2.301	2.271	2.184	2.044	1.904
160	-	5.257	4.536	4.326	3.760	3.598	3.536	2.617	2.569	2.454	2.442	2.404	2.377	2.367	2.346	2.316	2.227	2.084	1.942
165	-	5.362	4.624	4.395	3.894	3.745	3.682	3.010	2.961	2.802	2.695	2.535	2.422	2.413	2.391	2.360	2.270	2.124	1.979
170	-	5.466	4.712	4.464	4.028	3.893	3.829	3.403	3.353	3.167	3.042	2.736	2.522	2.466	2.436	2.405	2.313	2.164	2.016
175	-	5.570	4.799	4.521	4.162	4.040	3.975	3.536	3.519	3.451	3.388	3.027	2.774	2.704	2.574	2.449	2.356	2.204	2.053
180	-	5.674	4.887	4.564	4.295	4.187	4.122	3.664	3.646	3.575	3.524	3.231	3.026	2.942	2.786	2.611	2.398	2.245	2.091
185	-	5.778	4.975	4.600	4.429	4.334	4.268	3.792	3.774	3.699	3.645	3.429	3.278	3.181	2.999	2.796	2.441	2.285	2.128
190	-	5.882	5.062	4.648	4.521	4.481	4.414	3.920	3.901	3.822	3.767	3.588	3.463	3.414	3.212	2.981	2.536	2.325	2.165
195	-	5.986	5.150	4.690	4.561	4.537	4.519	4.048	4.029	3.945	3.888	3.703	3.573	3.523	3.417	3.166	2.657	2.365	2.203
200	-	-	5.237	4.732	4.600	4.577	4.559	4.176	4.156	4.068	4.010	3.818	3.684	3.632	3.521	3.351	2.778	2.405	2.240
205	-	-	5.325	4.774	4.640	4.616	4.598	4.305	4.284	4.192	4.131	3.933	3.794	3.741	3.624	3.475	2.899	2.445	2.277
210	-	-	5.413	4.816	4.679	4.656	4.638	4.433	4.411	4.315	4.253	4.048	3.905	3.850	3.727	3.570	3.020	2.496	2.314
215	-	-	5.500	4.884	4.718	4.695	4.678	4.522	4.515	4.439	4.374	4.163	4.015	3.959	3.831	3.666	3.141	2.550	2.352
220	-	-	5.588	4.900	4.758	4.734	4.717	4.563	4.557	4.524	4.496	4.278	4.126	4.068	3.934	3.762	3.262	2.604	2.389
225	-	-	5.676	4.942	4.798	4.774	4.757	4.604	4.598	4.565	4.543	4.363	4.236	4.177	4.037	3.857	3.383	2.658	2.426
230	-	-	5.763	4.984	4.837	4.813	4.796	4.646	4.639	4.607	4.585	4.445	4.347	4.286	4.141	3.953	3.471	2.712	2.466
235	-	-	5.851	5.026	4.877	4.853	4.836	4.687	4.680	4.648	4.627	4.527	4.457	4.396	4.244	4.048	3.549	2.766	2.519
240	-	-	5.939	5.068	4.916	4.892	4.875	4.728	4.721	4.690	4.668	4.587	4.529	4.504	4.437	4.144	3.628	2.820	2.572
245	-	-	6.026	5.110	4.956	4.931	4.915	4.769	4.762	4.732	4.710	4.629	4.573	4.548	4.451	4.240	3.706	2.874	2.624
250	-	-	-	5.152	4.995	4.971	4.955	4.810	4.773	4.752	4.672	4.616	4.592	4.526	4.335	3.784	3.298	2.677	-
255	-	-	-	5.195	5.035	5.010	4.994	4.851	4.845	4.794	4.715	4.660	4.636	4.570	4.431	3.863	2.982	2.729	-
260	-	-	-	5.237	5.074	5.050	5.034	4.892	4.886	4.857	4.836	4.758	4.703	4.679	4.615	4.515	3.941	3.036	2.782
265	-	-	-	5.279	5.114	5.089	5.073	4.934	4.927	4.898	4.878	4.801	4.747	4.723	4.660	4.561	4.019	3.090	2.834
270	-	-	-	5.321	5.153	5.129	5.113	4.975	4.966	4.940	4.920	4.844	4.790	4.767	4.705	4.607	4.098	3.144	2.887
275	-	-	-	5.363	5.193	5.168	5.152	5.016	5.010	4.981	4.961	4.886	4.834	4.811	4.749	4.653	4.176	3.198	2.939
280	-	-	-	5.405	5.232	5.207	5.192	5.057	5.051	5.023	5.029	4.929	4.877	4.854	4.794	4.699	4.254	3.252	2.992
285	-	-	-	5.447	5.272	5.247	5.232	5.098	5.092	5.065	5.045	4.972	4.921	4.898	4.839	4.745	4.333	3.306	3.044
290	-	-	-	5.489	5.311	5.286	5.271	5.139	5.133	5.108	5.087	5.015	4.964	4.942	4.883	4.791	4.411	3.360	3.097
295	-	-	-	5.531	5.3														



FIRETEX FX6010

Table B1 I-Section Columns 15 Minute

Thickness is intumescent only. Table applies to columns with protection on four sides.
Results also apply to I-beams with protection on 4 sides upto a maximum thickness of 6.045 mm



FIRETEX FX6010

Table B2 I-Section Columns 20 Minute

Thickness is intumescent only. Table applies to columns with protection on four sides.
Results also apply to I-beams with protection on 4 sides upto a maximum thickness of 6.045 mm



FIRETEX FX6010																
Table B3 I-Section Columns 30 Minutes																
Required Thickness (mm) for a Design Temperature of																
Section Factor (m-1)	350°C	400°C	450°C	500°C	510°C	530°C	538°C	539°C	545°C	550°C	563°C	580°C	600°C	650°C	700°C	750°C
30	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
35	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
40	0.359	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
45	0.377	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
50	0.395	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
55	0.414	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
60	0.432	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
65	0.450	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
70	0.468	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
75	0.487	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
80	0.505	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
85	0.523	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
90	0.541	0.367	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
95	0.560	0.383	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
100	0.578	0.400	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
105	0.596	0.416	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
110	0.614	0.433	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
115	0.633	0.450	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
120	0.651	0.466	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
125	0.669	0.483	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
130	0.687	0.499	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
135	0.706	0.516	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
140	0.724	0.532	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
145	0.742	0.549	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
150	0.761	0.566	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
155	0.779	0.582	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
160	0.797	0.599	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
165	0.815	0.615	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
170	0.834	0.632	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
175	0.852	0.648	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
180	0.870	0.665	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
185	0.888	0.682	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
190	0.907	0.698	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
195	0.925	0.715	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
200	0.943	0.731	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
205	0.961	0.748	0.365	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
210	0.980	0.764	0.384	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
215	0.998	0.781	0.403	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
220	1.016	0.797	0.421	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
225	1.034	0.814	0.440	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
230	1.053	0.831	0.458	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
235	1.071	0.847	0.477	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
240	1.089	0.864	0.496	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
245	1.107	0.880	0.514	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
250	1.126	0.897	0.533	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
255	1.144	0.913	0.552	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
260	1.162	0.930	0.570	0.358	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
265	1.180	0.947	0.589	0.375	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
270	1.199	0.963	0.608	0.393	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
275	1.217	0.980	0.626	0.411	0.364	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
280	1.235	0.998	0.645	0.429	0.382	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
285	1.254	1.013	0.663	0.446	0.399	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
290	1.272	1.029	0.682	0.464	0.417	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
295	1.290	1.046	0.701	0.482	0.434	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
300	1.308	1.063	0.719	0.500	0.452	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
305	1.327	1.079	0.738	0.517	0.470	0.371	0.356	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
310	1.345	1.096	0.757	0.535	0.487	0.388	0.358	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
315	1.363	1.112	0.775	0.553	0.505	0.406	0.365	0.360	0.360	0.360	0.360	0.360	0.360	0.360	0.360	0.360
320	1.381	1.129	0.794	0.571	0.523	0.423	0.383	0.377	0.374	0.374	0.374	0.374	0.374	0.374	0.374	0.374
325	1.400	1.145	0.813	0.588	0.540	0.440	0.400									



FIRETEX FX6010																
Table B4 I-Section Columns 45 Minutes																
Required Thickness (mm) for a Design Temperature of																
Section Factor (m-1)	350°C	400°C	450°C	500°C	510°C	530°C	538°C	539°C	545°C	550°C	563°C	580°C	600°C	650°C	700°C	750°C
30	0.521	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
35	0.555	0.392	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
40	0.588	0.416	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
45	0.622	0.441	0.355	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
50	0.655	0.466	0.375	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
55	0.689	0.490	0.395	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
60	0.723	0.515	0.415	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
65	0.756	0.540	0.436	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
70	0.790	0.565	0.456	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
75	0.823	0.589	0.476	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
80	0.857	0.614	0.496	0.354	0.354	0.364	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
85	0.891	0.639	0.516	0.367	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
90	0.924	0.664	0.536	0.387	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
95	0.958	0.688	0.556	0.407	0.360	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
100	0.991	0.713	0.576	0.426	0.380	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
105	1.025	0.738	0.596	0.446	0.399	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
110	1.059	0.763	0.616	0.466	0.419	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
115	1.092	0.787	0.636	0.485	0.439	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
120	1.126	0.812	0.656	0.505	0.459	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
125	1.159	0.837	0.677	0.525	0.479	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
130	1.193	0.861	0.697	0.544	0.499	0.365	0.355	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
135	1.227	0.886	0.717	0.564	0.519	0.386	0.358	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
140	1.260	0.911	0.737	0.584	0.539	0.407	0.360	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
145	1.294	0.936	0.757	0.604	0.559	0.428	0.362	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
150	1.327	0.960	0.777	0.623	0.578	0.449	0.365	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
155	1.361	0.985	0.797	0.643	0.598	0.470	0.386	0.375	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
160	1.395	1.010	0.817	0.663	0.618	0.491	0.408	0.397	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
165	1.428	1.035	0.837	0.682	0.638	0.512	0.430	0.419	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
170	1.462	1.059	0.857	0.702	0.658	0.533	0.452	0.441	0.366	0.354	0.354	0.354	0.354	0.354	0.354	0.354
175	1.495	1.084	0.877	0.722	0.678	0.554	0.474	0.464	0.389	0.354	0.354	0.354	0.354	0.354	0.354	0.354
180	1.531	1.109	0.898	0.741	0.698	0.575	0.496	0.486	0.413	0.354	0.354	0.354	0.354	0.354	0.354	0.354
185	1.573	1.134	0.918	0.761	0.718	0.596	0.518	0.508	0.436	0.354	0.354	0.354	0.354	0.354	0.354	0.354
190	1.614	1.158	0.938	0.781	0.738	0.617	0.540	0.530	0.459	0.376	0.354	0.354	0.354	0.354	0.354	0.354
195	1.655	1.183	0.958	0.800	0.757	0.638	0.562	0.552	0.482	0.401	0.355	0.354	0.354	0.354	0.354	0.354
200	1.697	1.208	0.978	0.820	0.777	0.659	0.584	0.574	0.505	0.425	0.379	0.354	0.354	0.354	0.354	0.354
205	1.738	1.232	0.998	0.840	0.797	0.680	0.605	0.596	0.528	0.449	0.403	0.354	0.354	0.354	0.354	0.354
210	1.779	1.257	1.018	0.859	0.817	0.701	0.627	0.618	0.551	0.474	0.428	0.366	0.354	0.354	0.354	0.354
215	1.821	1.282	1.038	0.879	0.837	0.722	0.649	0.640	0.575	0.498	0.452	0.389	0.354	0.354	0.354	0.354
220	1.862	1.307	1.058	0.899	0.857	0.743	0.671	0.662	0.598	0.523	0.476	0.413	0.354	0.354	0.354	0.354
225	1.904	1.331	1.078	0.918	0.877	0.764	0.693	0.685	0.621	0.547	0.500	0.437	0.362	0.354	0.354	0.354
230	1.945	1.356	1.098	0.938	0.897	0.785	0.715	0.707	0.644	0.572	0.524	0.460	0.385	0.354	0.354	0.354
235	1.986	1.381	1.118	0.958	0.917	0.806	0.737	0.729	0.667	0.596	0.548	0.484	0.408	0.354	0.354	0.354
240	2.028	1.406	1.139	0.977	0.937	0.827	0.759	0.751	0.690	0.620	0.572	0.507	0.431	0.354	0.354	0.354
245	2.069	1.430	1.159	0.997	0.956	0.848	0.781	0.773	0.714	0.645	0.596	0.531	0.454	0.354	0.354	0.354
250	2.110	1.455	1.179	1.017	0.976	0.869	0.803	0.795	0.737	0.669	0.620	0.554	0.477	0.354	0.354	0.354
255	2.152	1.480	1.199	1.037	0.996	0.890	0.825	0.817	0.760	0.694	0.644	0.578	0.500	0.354	0.354	0.354
260	2.193	1.505	1.219	1.056	1.016	0.911	0.847	0.839	0.783	0.718	0.668	0.601	0.523	0.354	0.354	0.354
265	2.235	1.538	1.239	1.076	1.036	0.932	0.869	0.861	0.806	0.743	0.692	0.625	0.546	0.354	0.354	0.354
270	2.276	1.563	1.259	1.096	1.056	0.953	0.891	0.884	0.829	0.767	0.716	0.649	0.569	0.370	0.354	0.354
275	2.317	1.629	1.279	1.115	1.076	0.974	0.913	0.906	0.852	0.791	0.740	0.672	0.591	0.391	0.354	0.354
280	2.359	1.674	1.299	1.135	1.096	0.995	0.935	0.928	0.876	0.816	0.764	0.696	0.614	0.413	0.354	0.354
285	2.400	1.720	1.319	1.155	1.116	1.016	0.957	0.950	0.889	0.840	0.788	0.719	0.637	0.434	0.354	0.354
290	2.441	1.765	1.339	1.174	1.135	1.037	0.979	0.972	0.922	0.865	0.813	0.743	0.660	0.456	0.354	0.354
295	2.483	1.811	1.359	1.194	1.155	1.058	1.001	0.994	0.945	0.899	0.837	0.766	0.683	0.477	0.354	0.354
300	2.524	1.856	1.380	1.214	1.175	1.079	1.023	1.016	0.968	0.914	0.861	0.790	0.706	0.498	0.354	0.354
305	2.566	1.902	1.400	1.233	1.195	1.100	1.045	1.038	0.991	0.938	0.885	0.813	0.729	0.520	0.354	0.354
310	2.607	1.947	1.420	1.253	1.215	1.121	1.067	1.060	1.014	0.952	0.909	0.837	0.752	0.541	0.354	0.354
315	2.648	1.993	1.440	1.273	1.235	1.142	1.089	1.083	1.038	0.987	0.933	0.861	0.775	0.562	0.355	0.354
320	2.690	2.038	1.460	1.292	1.275	1.163	1.111	1.105	1.06	1.011	0.957	0.884	0.798	0.584	0.375	0.354
325	2.731	2.083	1.480	1.312	1.275	1.184	1.133									



FIRETEX FX6010																
Table B5 I-Section Columns 60 Minutes																
Required Thickness (mm) for a Design Temperature of																
Section Factor (m-1)	350°C	400°C	450°C	500°C	510°C	530°C	538°C	539°C	545°C	550°C	563°C	580°C	600°C	650°C	700°C	750°C
30	0.858	0.624	0.398	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
35	0.948	0.671	0.429	0.368	0.355	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
40	1.038	0.718	0.459	0.394	0.380	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
45	1.128	0.765	0.489	0.419	0.405	0.375	0.361	0.359	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
50	1.217	0.812	0.519	0.445	0.430	0.399	0.385	0.383	0.373	0.364	0.354	0.354	0.354	0.354	0.354	0.354
55	1.307	0.859	0.549	0.471	0.455	0.423	0.408	0.406	0.396	0.387	0.361	0.354	0.354	0.354	0.354	0.354
60	1.397	0.905	0.580	0.497	0.481	0.447	0.431	0.430	0.419	0.410	0.383	0.354	0.354	0.354	0.354	0.354
65	1.487	0.953	0.610	0.522	0.506	0.470	0.455	0.453	0.443	0.433	0.405	0.364	0.354	0.354	0.354	0.354
70	1.550	1.000	0.640	0.548	0.531	0.494	0.478	0.476	0.466	0.455	0.428	0.386	0.354	0.354	0.354	0.354
75	1.598	1.047	0.670	0.574	0.556	0.518	0.502	0.500	0.489	0.478	0.450	0.408	0.354	0.354	0.354	0.354
80	1.647	1.094	0.700	0.600	0.581	0.542	0.525	0.523	0.512	0.501	0.473	0.430	0.369	0.354	0.354	0.354
85	1.695	1.141	0.731	0.626	0.606	0.566	0.549	0.547	0.535	0.524	0.495	0.451	0.390	0.354	0.354	0.354
90	1.744	1.188	0.761	0.651	0.631	0.590	0.572	0.570	0.558	0.547	0.517	0.473	0.411	0.354	0.354	0.354
95	1.792	1.235	0.791	0.677	0.656	0.614	0.596	0.594	0.582	0.570	0.540	0.495	0.433	0.354	0.354	0.354
100	1.841	1.282	0.821	0.703	0.681	0.638	0.619	0.617	0.605	0.593	0.562	0.517	0.455	0.354	0.354	0.354
105	1.889	1.329	0.851	0.729	0.706	0.662	0.643	0.640	0.628	0.616	0.585	0.539	0.477	0.354	0.354	0.354
110	1.937	1.376	0.881	0.754	0.732	0.686	0.666	0.664	0.651	0.639	0.607	0.560	0.498	0.354	0.354	0.354
115	1.986	1.423	0.912	0.780	0.757	0.710	0.680	0.667	0.674	0.662	0.629	0.592	0.520	0.354	0.354	0.354
120	2.034	1.470	0.942	0.806	0.782	0.734	0.713	0.711	0.697	0.685	0.652	0.604	0.542	0.354	0.354	0.354
125	2.083	1.517	0.972	0.832	0.807	0.757	0.737	0.734	0.721	0.706	0.674	0.626	0.563	0.354	0.354	0.354
130	2.131	1.559	1.002	0.857	0.832	0.781	0.760	0.758	0.744	0.731	0.697	0.648	0.585	0.354	0.354	0.354
135	2.180	1.601	1.032	0.883	0.857	0.805	0.784	0.781	0.767	0.754	0.719	0.669	0.607	0.354	0.354	0.354
140	2.228	1.643	1.063	0.909	0.882	0.829	0.807	0.804	0.790	0.777	0.741	0.691	0.629	0.358	0.354	0.354
145	2.276	1.685	1.093	0.935	0.907	0.853	0.831	0.828	0.813	0.799	0.764	0.713	0.650	0.382	0.354	0.354
150	2.325	1.727	1.123	0.961	0.932	0.877	0.854	0.851	0.836	0.822	0.786	0.735	0.672	0.406	0.354	0.354
155	2.373	1.769	1.153	0.986	0.957	0.901	0.878	0.875	0.860	0.845	0.809	0.757	0.694	0.430	0.354	0.354
160	2.422	1.810	1.183	1.012	0.983	0.925	0.901	0.898	0.883	0.868	0.831	0.778	0.716	0.454	0.354	0.354
165	2.470	1.852	1.214	1.038	1.008	0.949	0.925	0.922	0.906	0.891	0.853	0.800	0.737	0.478	0.354	0.354
170	2.519	1.894	1.244	1.064	1.033	0.973	0.948	0.945	0.929	0.914	0.876	0.822	0.759	0.502	0.354	0.354
175	2.567	1.936	1.274	1.089	1.058	0.997	0.972	0.968	0.952	0.937	0.898	0.844	0.781	0.526	0.354	0.354
180	2.615	1.978	1.304	1.115	1.083	1.021	0.995	0.992	0.975	0.960	0.921	0.866	0.802	0.550	0.354	0.354
185	2.664	2.020	1.334	1.141	1.108	1.048	1.018	1.015	0.999	0.983	0.943	0.888	0.824	0.574	0.354	0.354
190	2.712	2.061	1.364	1.167	1.133	1.068	1.042	1.039	1.022	1.006	0.965	0.909	0.846	0.597	0.354	0.354
195	2.761	2.103	1.395	1.192	1.158	1.092	1.065	1.062	1.045	1.029	0.988	0.931	0.866	0.621	0.354	0.354
200	2.809	2.145	1.425	1.218	1.183	1.116	1.089	1.086	1.068	1.052	1.010	0.953	0.889	0.645	0.356	0.354
205	2.857	2.187	1.455	1.244	1.208	1.140	1.112	1.109	1.091	1.075	1.033	0.975	0.911	0.669	0.382	0.354
210	2.906	2.229	1.485	1.270	1.234	1.164	1.136	1.132	1.114	1.098	1.055	0.997	0.933	0.693	0.408	0.354
215	2.954	2.271	1.515	1.295	1.259	1.188	1.159	1.156	1.138	1.121	1.077	1.018	0.954	0.717	0.435	0.354
220	3.003	2.312	1.564	1.321	1.284	1.212	1.183	1.179	1.161	1.144	1.100	1.040	0.976	0.741	0.461	0.354
225	3.051	2.354	1.615	1.347	1.309	1.236	1.206	1.203	1.184	1.166	1.122	1.062	0.998	0.765	0.488	0.354
230	3.110	2.396	1.665	1.373	1.334	1.260	1.230	1.226	1.207	1.189	1.145	1.084	1.020	0.789	0.514	0.354
235	3.170	2.438	1.716	1.399	1.359	1.284	1.253	1.249	1.230	1.212	1.167	1.106	1.041	0.813	0.540	0.354
240	3.230	2.480	1.767	1.424	1.384	1.308	1.277	1.273	1.253	1.235	1.189	1.127	1.063	0.837	0.567	0.377
245	3.291	2.522	1.818	1.450	1.409	1.331	1.300	1.296	1.277	1.258	1.212	1.149	1.085	0.861	0.593	0.402
250	3.351	2.563	1.869	1.476	1.434	1.355	1.324	1.302	1.281	1.254	1.211	1.167	1.107	0.884	0.619	0.426
255	3.411	2.605	1.920	1.502	1.460	1.379	1.347	1.343	1.323	1.304	1.257	1.193	1.128	0.908	0.646	0.451
260	3.472	2.647	1.971	1.536	1.485	1.403	1.371	1.367	1.346	1.327	1.279	1.215	1.150	0.932	0.672	0.475
265	3.532	2.689	2.021	1.589	1.510	1.427	1.394	1.390	1.369	1.350	1.301	1.236	1.172	0.956	0.699	0.500
270	3.592	2.731	2.072	1.642	1.553	1.451	1.418	1.413	1.392	1.373	1.324	1.258	1.193	0.980	0.725	0.524
275	3.653	2.773	2.123	1.695	1.606	1.475	1.441	1.437	1.416	1.396	1.346	1.280	1.215	1.004	0.751	0.548
280	3.713	2.814	2.174	1.748	1.660	1.499	1.465	1.460	1.439	1.419	1.369	1.302	1.237	1.028	0.778	0.573
285	3.773	2.856	2.225	1.801	1.713	1.528	1.489	1.484	1.462	1.442	1.391	1.324	1.259	1.052	0.804	0.597
290	3.834	2.898	2.276	1.854	1.767	1.582	1.515	1.507	1.485	1.465	1.413	1.346	1.280	1.076	0.831	0.622
295	3.894	2.940	2.327	1.907	1.820	1.636	1.556	1.546	1.508	1.488	1.436	1.367	1.302	1.100	0.857	0.646
300	3.955	2.982	2.377	1.960	1.874	1.691	1.611	1.601	1.549	1.511	1.458	1.389	1.324	1.124	0.883	0.671
305	4.015	3.024	2.428	2.013	1.927	1.745	1.666	1.656	1.604	1.554	1.481	1.411	1.345	1.148	0.910	0.695
310	4.075	3.069	2.479	2.067	1.980	1.800	1.721	1.659	1.609	1.503	1.433	1.367	1.317	1.036	0.720	0.524
315	4.136	3.139	2.530	2.120	2.034	1.854	1.775	1.765	1.714	1.655	1.535	1.455	1.389	1.195	0.963	0.744
320	4.196	3.208	2.581	2.173	2.087	1.908	1.830	1.820	1.769	1.720	1.591	1.476	1.411	1.219	0.989	0.769
325	4.256	3.277	2.632	2.226	2.141	1.963	1.885									



FIRETEX FX6010																
Table B6 I-Section Columns 75 Minutes																
Required Thickness (mm) for a Design Temperature of																
Section Factor (m-1)	350°C	400°C	450°C	500°C	510°C	530°C	538°C	539°C	545°C	550°C	563°C	580°C	600°C	650°C	700°C	750°C
30	1.195	0.922	0.698	0.427	0.415	0.396	0.359	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354
35	1.341	1.019	0.760	0.465	0.448	0.427	0.418	0.417	0.412	0.406	0.393	0.374	0.354	0.354	0.354	0.354
40	1.487	1.116	0.823	0.504	0.481	0.459	0.449	0.448	0.442	0.436	0.422	0.402	0.377	0.354	0.354	0.354
45	1.659	1.212	0.885	0.542	0.515	0.490	0.480	0.479	0.472	0.466	0.451	0.429	0.403	0.354	0.354	0.354
50	1.838	1.309	0.948	0.581	0.548	0.522	0.511	0.509	0.503	0.496	0.480	0.457	0.430	0.356	0.354	0.354
55	2.017	1.409	1.011	0.619	0.581	0.553	0.542	0.540	0.533	0.526	0.509	0.485	0.457	0.381	0.354	0.354
60	2.196	1.502	1.073	0.657	0.614	0.585	0.572	0.571	0.563	0.556	0.538	0.513	0.484	0.406	0.354	0.354
65	2.375	1.565	1.136	0.696	0.648	0.616	0.603	0.602	0.594	0.586	0.567	0.541	0.430	0.354	0.354	0.354
70	2.553	1.620	1.198	0.734	0.681	0.647	0.634	0.632	0.624	0.616	0.596	0.569	0.538	0.455	0.364	0.354
75	2.732	1.675	1.261	0.773	0.714	0.679	0.665	0.663	0.654	0.646	0.625	0.597	0.565	0.480	0.387	0.354
80	2.911	1.721	1.324	0.811	0.747	0.710	0.696	0.694	0.684	0.676	0.654	0.625	0.592	0.505	0.411	0.354
85	3.067	1.786	1.386	0.850	0.780	0.742	0.726	0.724	0.715	0.706	0.683	0.653	0.618	0.529	0.434	0.354
90	3.115	1.841	1.449	0.888	0.814	0.773	0.757	0.755	0.745	0.736	0.712	0.681	0.645	0.554	0.458	0.354
95	3.162	1.897	1.511	0.926	0.847	0.805	0.788	0.786	0.775	0.766	0.741	0.709	0.672	0.579	0.481	0.354
100	3.210	1.952	1.563	0.965	0.880	0.836	0.819	0.817	0.806	0.796	0.770	0.737	0.699	0.604	0.505	0.354
105	3.257	2.007	1.614	1.003	0.913	0.868	0.850	0.847	0.836	0.826	0.799	0.765	0.726	0.628	0.528	0.354
110	3.305	2.063	1.664	1.042	0.947	0.899	0.880	0.878	0.866	0.856	0.828	0.793	0.753	0.653	0.552	0.362
115	3.353	2.118	1.715	1.080	0.960	0.931	0.911	0.909	0.897	0.885	0.857	0.821	0.780	0.748	0.655	0.366
120	3.400	2.173	1.765	1.118	1.013	0.962	0.942	0.939	0.927	0.915	0.886	0.849	0.806	0.703	0.598	0.410
125	3.448	2.229	1.816	1.157	1.046	0.994	0.973	0.970	0.957	0.945	0.915	0.877	0.833	0.727	0.622	0.434
130	3.495	2.284	1.866	1.195	1.080	1.025	1.004	1.001	0.988	0.975	0.945	0.905	0.860	0.752	0.645	0.457
135	3.543	2.339	1.917	1.234	1.113	1.057	1.034	1.032	1.018	1.005	0.974	0.933	0.887	0.777	0.669	0.481
140	3.590	2.395	1.967	1.272	1.146	1.088	1.065	1.062	1.048	1.035	1.003	0.961	0.914	0.802	0.692	0.505
145	3.638	2.450	2.018	1.310	1.179	1.120	1.096	1.093	1.079	1.065	1.032	0.989	0.941	0.826	0.716	0.529
150	3.686	2.505	2.068	1.349	1.213	1.151	1.127	1.124	1.109	1.095	1.061	1.017	0.968	0.851	0.739	0.553
155	3.733	2.561	2.119	1.387	1.246	1.183	1.158	1.155	1.139	1.125	1.090	1.045	0.995	0.876	0.762	0.577
160	3.781	2.616	2.169	1.426	1.279	1.214	1.188	1.185	1.169	1.155	1.119	1.073	1.021	0.901	0.786	0.601
165	3.828	2.671	2.220	1.464	1.312	1.245	1.219	1.216	1.200	1.185	1.148	1.101	1.048	0.925	0.809	0.624
170	3.876	2.727	2.270	1.503	1.346	1.277	1.250	1.247	1.230	1.215	1.177	1.129	1.075	0.950	0.833	0.648
175	3.923	2.782	2.320	1.553	1.379	1.308	1.281	1.277	1.260	1.245	1.206	1.157	1.102	0.975	0.856	0.672
180	3.971	2.837	2.371	1.613	1.412	1.340	1.312	1.308	1.291	1.275	1.235	1.185	1.129	1.000	0.880	0.696
185	4.019	2.893	2.421	1.672	1.445	1.371	1.342	1.339	1.321	1.305	1.264	1.213	1.156	1.024	0.903	0.720
190	4.066	2.948	2.472	1.732	1.479	1.403	1.373	1.370	1.351	1.335	1.293	1.241	1.183	1.049	0.927	0.744
195	4.114	3.003	2.522	1.792	1.512	1.434	1.404	1.400	1.382	1.365	1.322	1.269	1.210	1.074	0.950	0.768
200	4.161	3.059	2.573	1.851	1.570	1.466	1.435	1.431	1.412	1.395	1.351	1.297	1.236	1.099	0.973	0.791
205	4.209	3.121	2.623	1.911	1.635	1.497	1.466	1.462	1.442	1.425	1.380	1.325	1.263	1.123	0.997	0.815
210	4.256	3.183	2.674	1.971	1.701	1.538	1.497	1.492	1.473	1.454	1.409	1.353	1.290	1.148	1.020	0.839
215	4.304	3.245	2.724	2.030	1.766	1.598	1.535	1.527	1.503	1.484	1.438	1.381	1.317	1.173	1.044	0.863
220	4.351	3.308	2.775	2.090	1.831	1.658	1.595	1.588	1.547	1.514	1.467	1.409	1.344	1.198	1.067	0.887
225	4.399	3.370	2.825	2.149	1.897	1.718	1.656	1.648	1.608	1.570	1.496	1.437	1.371	1.222	1.091	0.911
230	4.447	3.432	2.876	2.209	1.962	1.779	1.716	1.709	1.669	1.631	1.553	1.465	1.398	1.247	1.114	0.935
235	4.494	3.495	2.926	2.269	2.027	1.839	1.777	1.769	1.729	1.692	1.594	1.493	1.425	1.272	1.137	0.958
240	4.542	3.557	2.977	2.328	2.093	1.899	1.837	1.829	1.790	1.753	1.655	1.523	1.451	1.296	1.161	0.982
245	4.589	3.619	3.027	2.388	2.158	1.959	1.898	1.880	1.851	1.814	1.716	1.584	1.478	1.321	1.184	1.006
250	4.637	3.681	3.083	2.448	2.223	2.019	1.958	1.950	1.912	1.874	1.777	1.646	1.505	1.346	1.208	1.030
255	4.684	3.744	3.149	2.507	2.289	2.080	2.019	2.011	1.972	1.935	1.839	1.708	1.549	1.371	1.231	1.054
260	4.732	3.806	3.215	2.567	2.354	2.140	2.079	2.071	2.033	1.996	1.900	1.769	1.611	1.395	1.255	1.078
265	4.780	3.868	3.280	2.627	2.419	2.200	2.139	2.132	2.094	2.057	1.961	1.831	1.674	1.420	1.278	1.102
270	4.827	3.930	3.346	2.686	2.485	2.260	2.200	2.192	2.154	2.118	2.022	1.893	1.736	1.445	1.302	1.126
275	4.875	3.993	3.412	2.746	2.550	2.321	2.260	2.253	2.215	2.178	2.083	1.954	1.826	1.670	1.449	1.255
280	4.922	4.055	3.477	2.806	2.615	2.381	2.231	2.213	2.176	2.139	2.045	1.915	1.765	1.521	1.348	1.173
285	4.970	4.117	3.543	2.865	2.681	2.441	2.381	2.374	2.336	2.300	2.206	2.078	1.923	1.520	1.372	1.197
290	5.017	4.179	3.609	2.925	2.746	2.501	2.442	2.434	2.397	2.361	2.267	2.139	1.985	1.584	1.395	1.221
295	5.065	4.242	3.674	2.984	2.811	2.562	2.502	2.495	2.458	2.422	2.328	2.201	2.047	1.648	1.419	1.245
300	5.160	4.304	3.740	3.044	2.877	2.622	2.562	2.555	2.518	2.482	2.389	2.263	2.109	1.713	1.442	1.269
305	5.288	4.366	3.806	3.116	2.942	2.682	2.623	2.615	2.579	2.543	2.450	2.324	2.172	1.777	1.466	1.293
310	5.415	4.428	3.871	3.191	3.007	2.742	2.683	2.676	2.640	2.604	2.512	2.386	2.234	1.842	1.489	1.316
315	5.543	4.491	3.937	3.266	3.075	2.893	2.744	2.736	2.700	2.665	2.573	2.448	2.296	1.906	1.513	1.340
320	5.670	4.553	4.003	3.342	3.155	2.863	2.804	2.797	2.761	2.726	2.634	2.509	2.359	1.971	1.569	1.364
325	5.798	4.615	4.068	3.417	3.234	2.923	2.865									



FIRETEX FX6010																
Table B8 I-Section Columns 90 Minutes																
Required Thickness (mm) for a Design Temperature of																
Section Factor (m-1)	350°C	400°C	450°C	500°C	510°C	530°C	538°C	539°C	545°C	550°C	563°C	580°C	600°C	650°C	700°C	750°C
30	1.554	1.220	0.969	0.773	0.737	0.665	0.633	0.630	0.611	0.594	0.553	0.422	0.402	0.354	0.354	0.354
35	2.080	1.367	1.077	0.851	0.809	0.727	0.691	0.686	0.665	0.646	0.599	0.464	0.435	0.390	0.354	0.354
40	2.607	1.513	1.185	0.929	0.882	0.789	0.748	0.743	0.720	0.698	0.645	0.505	0.469	0.421	0.374	0.354
45	3.068	1.732	1.292	1.007	0.954	0.851	0.806	0.800	0.774	0.750	0.690	0.546	0.502	0.451	0.403	0.354
50	3.131	1.954	1.400	1.085	1.027	0.913	0.863	0.857	0.828	0.802	0.736	0.587	0.535	0.482	0.432	0.362
55	3.195	2.176	1.508	1.163	1.099	0.974	0.921	0.914	0.882	0.853	0.782	0.628	0.569	0.512	0.461	0.390
60	3.259	2.394	1.611	1.240	1.172	1.036	0.978	0.971	0.936	0.905	0.828	0.669	0.602	0.543	0.490	0.418
65	3.322	2.621	1.714	1.318	1.245	1.098	1.035	1.028	0.990	0.957	0.873	0.711	0.635	0.574	0.519	0.446
70	3.386	2.843	1.817	1.396	1.317	1.160	1.093	1.084	1.045	1.009	0.919	0.752	0.668	0.604	0.548	0.474
75	3.449	3.060	1.920	1.474	1.390	1.222	1.150	1.141	1.099	1.061	0.965	0.793	0.702	0.635	0.577	0.501
80	3.513	3.113	2.023	1.546	1.462	1.284	1.208	1.198	1.153	1.112	1.011	0.834	0.735	0.665	0.606	0.529
85	3.576	3.165	2.125	1.609	1.533	1.346	1.265	1.255	1.207	1.164	1.056	0.875	0.768	0.696	0.635	0.557
90	3.640	3.217	2.228	1.672	1.596	1.408	1.322	1.312	1.261	1.216	1.102	0.916	0.802	0.727	0.664	0.585
95	3.703	3.269	2.331	1.735	1.659	1.470	1.380	1.369	1.316	1.268	1.148	0.958	0.835	0.757	0.693	0.613
100	3.767	3.321	2.434	1.798	1.722	1.532	1.437	1.425	1.370	1.320	1.194	0.999	0.868	0.788	0.723	0.641
105	3.830	3.373	2.536	1.861	1.786	1.597	1.495	1.482	1.424	1.371	1.239	1.040	0.902	0.818	0.752	0.668
110	3.894	3.425	2.639	1.924	1.849	1.662	1.556	1.543	1.478	1.423	1.285	1.081	0.935	0.849	0.781	0.696
115	3.957	3.477	2.742	1.987	1.912	1.727	1.622	1.609	1.536	1.475	1.331	1.122	0.968	0.880	0.810	0.724
120	4.021	3.529	2.845	2.050	1.975	1.791	1.688	1.675	1.603	1.529	1.374	1.164	1.002	0.910	0.839	0.752
125	4.084	3.581	2.948	2.113	2.039	1.856	1.755	1.742	1.671	1.598	1.422	1.205	1.035	0.941	0.868	0.780
130	4.148	3.633	3.050	2.176	2.102	1.921	1.821	1.808	1.739	1.667	1.468	1.246	1.068	0.971	0.897	0.807
135	4.212	3.685	3.105	2.239	2.165	1.986	1.887	1.875	1.806	1.736	1.514	1.287	1.102	1.002	0.926	0.835
140	4.275	3.737	3.154	2.302	2.228	2.051	1.953	1.941	1.874	1.805	1.584	1.328	1.135	1.033	0.955	0.863
145	4.339	3.789	3.204	2.365	2.291	2.116	2.020	2.008	1.942	1.873	1.658	1.369	1.168	1.063	0.984	0.891
150	4.402	3.841	3.254	2.428	2.355	2.180	2.086	2.074	2.010	1.942	1.731	1.411	1.202	1.094	1.013	0.919
155	4.466	3.893	3.304	2.491	2.418	2.245	2.152	2.140	2.077	2.011	1.804	1.452	1.235	1.124	1.042	0.947
160	4.529	3.945	3.354	2.554	2.481	2.310	2.218	2.207	2.145	2.080	1.878	1.493	1.268	1.155	1.071	0.974
165	4.593	3.997	3.403	2.617	2.544	2.375	2.285	2.273	2.213	2.149	1.951	1.550	1.302	1.186	1.100	1.002
170	4.656	4.049	3.453	2.680	2.608	2.440	2.351	2.340	2.280	2.217	2.024	1.634	1.335	1.216	1.129	1.030
175	4.720	4.101	3.503	2.743	2.671	2.504	2.417	2.406	2.348	2.286	2.098	1.719	1.568	1.427	1.358	1.258
180	4.783	4.154	3.553	2.806	2.734	2.569	2.483	2.473	2.416	2.355	2.171	1.803	1.402	1.277	1.187	1.086
185	4.847	4.206	3.603	2.869	2.797	2.634	2.550	2.539	2.484	2.424	2.244	1.887	1.435	1.308	1.216	1.114
190	4.910	4.258	3.653	2.932	2.861	2.699	2.616	2.605	2.551	2.493	2.318	1.971	1.468	1.339	1.245	1.141
195	4.974	4.310	3.702	2.995	2.924	2.764	2.682	2.672	2.619	2.561	2.391	2.056	1.501	1.369	1.274	1.169
200	5.038	4.362	3.752	3.058	2.987	2.829	2.748	2.738	2.687	2.630	2.464	2.140	1.568	1.400	1.303	1.197
205	5.124	4.414	3.802	3.121	3.050	2.893	2.815	2.805	2.754	2.699	2.538	2.224	1.670	1.431	1.332	1.225
210	5.272	4.466	3.852	3.184	3.114	2.958	2.881	2.871	2.822	2.768	2.611	2.308	1.772	1.461	1.361	1.253
215	5.420	4.518	3.902	3.247	3.177	3.023	2.947	2.938	2.890	2.837	2.684	2.393	1.875	1.492	1.390	1.280
220	5.569	4.570	3.951	3.310	3.240	3.087	3.013	3.004	2.958	2.905	2.758	2.477	1.977	1.527	1.419	1.308
225	5.717	4.622	4.001	3.373	3.303	3.151	3.079	3.070	3.025	2.974	2.831	2.561	2.080	1.599	1.448	1.336
230	5.865	4.674	4.051	3.437	3.367	3.215	3.143	3.134	3.091	3.043	2.904	2.645	2.182	1.672	1.477	1.364
235	6.014	4.726	4.101	3.500	3.430	3.278	3.207	3.198	3.155	3.109	2.978	2.730	2.284	1.744	1.506	1.392
240	6.162	4.778	4.151	3.563	3.493	3.342	3.271	3.262	3.220	3.173	3.051	2.814	2.387	1.817	1.560	1.420
245	6.310	4.830	4.200	3.626	3.557	3.406	3.335	3.326	3.284	3.238	3.117	2.898	2.489	2.189	1.631	1.447
250	6.459	4.882	4.250	3.689	3.620	3.470	3.399	3.390	3.348	3.302	3.182	2.982	2.592	1.961	1.702	1.475
255	6.607	4.934	4.300	3.752	3.683	3.533	3.463	3.454	3.412	3.367	3.247	3.065	2.694	2.034	1.773	1.503
260	6.755	4.986	4.350	3.816	3.747	3.597	3.527	3.518	3.477	3.431	3.312	3.132	2.796	2.106	1.845	1.552
265	6.904	5.038	4.400	3.879	3.810	3.661	3.591	3.582	3.541	3.496	3.378	3.198	2.899	2.179	1.916	1.629
270	7.052	5.102	4.449	3.942	3.873	3.724	3.655	3.646	3.605	3.560	3.443	3.265	3.001	2.251	1.987	1.707
275	-	5.250	4.499	4.005	3.936	3.788	3.719	3.710	3.669	3.625	3.508	3.331	3.089	2.324	2.058	1.784
280	-	5.393	4.549	4.068	4.000	3.852	3.783	3.774	3.733	3.689	3.573	3.398	3.158	2.396	2.129	1.861
285	-	5.546	4.599	4.131	4.063	3.915	3.847	3.838	3.798	3.754	3.638	3.465	3.227	2.468	2.201	1.939
290	-	5.695	4.649	4.194	4.126	3.979	3.911	3.902	3.862	3.818	3.703	3.531	3.296	2.541	2.272	2.016
295	-	5.843	4.699	4.258	4.190	4.043	3.975	3.966	3.926	3.883	3.768	3.598	3.365	2.613	2.343	2.093
300	-	5.991	4.748	4.321	4.253	4.106	4.039	4.030	3.990	3.947	3.824	3.664	3.434	2.686	2.414	2.171
305	-	6.139	4.798	4.384	4.316	4.170	4.103	4.094	4.054	4.012	3.899	3.721	3.504	2.758	2.486	2.248
310	-	6.287	4.848	4.447	4.379	4.234	4.167	4.158	4.119	4.076	3.964	3.798	3.573	2.831	2.557	2.326
315	-	6.435	4.898	4.510	4.443	4.298	4.231	4.222	4.183	4.141	4.029	3.864	3.642	2.903	2.628	2.403
320	-	6.583	4.948	4.573	4.506	4.361	4.295	4.286	4.247	4.205	4.094	3.931	3.711	3.275	2.959	2.480
325	-	6.731	4.997	4.636	4.569	4.425	4.359	4.350	4.311	4.270	4.159	3.998	3.78			



FIRETEX FX6010																
Table B9 I-Section Columns 105 Minutes																
Required Thickness (mm) for a Design Temperature of																
Section Factor (m-1)	350°C	400°C	450°C	500°C	510°C	530°C	538°C	539°C	545°C	550°C	563°C	580°C	600°C	650°C	700°C	750°C
30	3.056	1.517	1.240	1.029	0.990	0.912	0.875	0.871	0.850	0.832	0.788	0.734	0.670	0.436	0.391	0.354
35	3.285	2.044	1.393	1.150	1.105	1.015	0.973	0.968	0.944	0.924	0.873	0.811	0.738	0.491	0.431	0.384
40	3.514	2.570	1.570	1.270	1.220	1.118	1.071	1.065	1.038	1.015	0.957	0.888	0.806	0.545	0.471	0.418
45	3.743	3.064	1.855	1.391	1.334	1.221	1.168	1.162	1.132	1.106	1.042	0.965	0.874	0.600	0.511	0.453
50	3.972	3.131	2.140	1.511	1.449	1.324	1.266	1.259	1.226	1.198	1.127	1.042	0.942	0.654	0.552	0.487
55	4.201	3.199	2.425	1.690	1.585	1.427	1.364	1.356	1.321	1.289	1.212	1.119	1.010	0.709	0.592	0.522
60	4.430	3.265	2.710	1.872	1.753	1.534	1.462	1.453	1.415	1.381	1.297	1.196	1.079	0.764	0.632	0.556
65	4.659	3.333	2.995	2.055	1.922	1.682	1.577	1.564	1.509	1.472	1.382	1.273	1.147	0.818	0.672	0.591
70	4.888	3.401	3.104	2.237	2.090	1.829	1.717	1.703	1.639	1.583	1.466	1.350	1.215	0.873	0.713	0.626
75	5.092	3.468	3.162	2.419	2.259	1.976	1.856	1.841	1.774	1.713	1.565	1.427	1.283	0.927	0.753	0.660
80	5.151	3.526	3.221	2.602	2.427	2.123	1.996	1.980	1.909	1.843	1.684	1.504	1.351	0.982	0.793	0.695
85	5.210	3.603	3.279	2.784	2.596	2.270	2.136	2.119	2.044	1.973	1.804	1.604	1.420	1.036	0.833	0.729
90	5.268	3.670	3.337	2.967	2.764	2.417	2.276	2.258	2.179	2.103	1.924	1.709	1.488	1.091	0.874	0.764
95	5.327	3.738	3.395	3.085	2.933	2.564	2.416	2.397	2.314	2.233	2.044	1.815	1.569	1.145	0.914	0.798
100	5.386	3.805	3.454	3.138	3.072	2.711	2.555	2.536	2.449	2.363	2.163	1.921	1.661	1.200	0.954	0.833
105	5.444	3.873	3.512	3.191	3.124	2.858	2.695	2.675	2.594	2.493	2.283	2.026	1.753	1.255	0.994	0.867
110	5.503	3.940	3.570	3.243	3.176	3.006	2.835	2.814	2.719	2.623	2.403	2.132	1.645	1.309	1.035	0.902
115	5.561	4.007	3.628	3.296	3.228	3.091	2.968	2.953	2.854	2.753	2.523	2.238	1.937	1.364	1.035	0.936
120	5.620	4.075	3.686	3.349	3.280	3.141	3.078	3.071	2.989	2.884	2.642	2.344	2.029	1.478	1.115	0.971
125	5.679	4.142	3.745	3.402	3.332	3.191	3.128	3.120	3.083	3.014	2.762	2.449	2.121	1.473	1.155	1.006
130	5.737	4.210	3.803	3.454	3.384	3.242	3.177	3.169	3.132	3.091	2.882	2.555	2.213	1.534	1.196	1.040
135	5.796	4.277	3.861	3.507	3.436	3.292	3.227	3.219	3.181	3.141	3.002	2.661	2.305	1.628	1.236	1.075
140	5.855	4.344	3.919	3.560	3.488	3.342	3.276	3.268	3.231	3.191	3.086	2.766	2.397	1.723	1.276	1.109
145	5.913	4.412	3.978	3.613	3.540	3.392	3.326	3.318	3.280	3.241	3.136	2.872	2.489	1.818	1.316	1.144
150	5.972	4.479	4.036	3.665	3.592	3.443	3.375	3.367	3.329	3.290	3.187	2.978	2.581	1.913	1.357	1.178
155	6.030	4.547	4.094	3.718	3.644	3.493	3.425	3.417	3.378	3.340	3.238	3.071	2.673	2.008	1.397	1.213
160	6.089	4.614	4.152	3.771	3.696	3.543	3.475	3.466	3.428	3.390	3.289	3.124	2.765	2.103	1.437	1.247
165	6.148	4.681	4.210	3.824	3.748	3.593	3.524	3.515	3.477	3.439	3.339	3.177	2.857	2.198	1.477	1.282
170	6.206	4.749	4.269	3.876	3.800	3.643	3.574	3.565	3.526	3.489	3.390	3.240	2.949	2.293	1.517	1.317
175	6.265	4.816	4.327	3.929	3.852	3.694	3.623	3.614	3.576	3.539	3.441	3.282	3.041	2.388	1.645	1.351
180	6.323	4.884	4.385	3.982	3.904	3.744	3.673	3.664	3.625	3.589	3.492	3.335	3.104	2.483	1.777	1.386
185	6.382	4.951	4.443	4.035	3.955	3.794	3.722	3.713	3.674	3.638	3.542	3.388	3.161	2.578	1.908	1.420
190	6.441	5.018	4.501	4.087	4.007	3.844	3.772	3.763	3.724	3.688	3.593	3.441	3.217	2.673	2.040	1.455
195	6.499	5.089	4.560	4.140	4.059	3.894	3.821	3.812	3.773	3.738	3.644	3.494	3.273	2.768	2.171	1.489
200	6.558	5.259	4.618	4.193	4.111	3.945	3.871	3.861	3.822	3.788	3.695	3.547	3.329	2.863	2.303	1.543
205	6.617	5.429	4.676	4.246	4.163	3.995	3.920	3.911	3.872	3.837	3.745	3.599	3.386	2.958	2.434	1.716
210	6.675	5.600	4.734	4.298	4.215	4.045	3.970	3.960	3.921	3.887	3.796	3.652	3.442	3.053	2.565	1.889
215	6.734	5.770	4.793	4.351	4.267	4.095	4.019	4.010	3.970	3.937	3.847	3.705	3.498	3.114	2.697	2.062
220	6.792	5.940	4.851	4.404	4.319	4.146	4.069	4.059	4.019	3.986	3.898	3.758	3.555	3.173	2.828	2.235
225	-	6.110	4.909	4.457	4.371	4.196	4.118	4.109	4.069	4.036	3.949	3.811	3.611	3.232	2.960	2.408
230	-	6.281	4.967	4.510	4.423	4.246	4.168	4.158	4.118	4.086	3.999	3.864	3.667	3.290	3.073	2.581
235	-	6.451	5.025	4.562	4.475	4.296	4.217	4.167	4.136	4.050	3.916	3.723	3.349	3.130	2.754	
240	-	6.621	5.084	4.615	4.527	4.346	4.267	4.257	4.217	4.185	4.101	3.969	3.780	3.408	3.187	2.927
245	-	6.791	5.245	4.668	4.579	4.397	4.316	4.306	4.266	4.235	4.152	4.022	3.836	3.467	3.244	3.071
250	-	6.961	5.406	4.721	4.631	4.447	4.366	4.356	4.315	4.285	4.202	4.075	3.892	3.526	3.301	3.123
255	-	-	5.568	4.773	4.683	4.497	4.415	4.405	4.365	4.335	4.253	4.128	3.948	3.585	3.359	3.176
260	-	-	5.730	4.826	4.735	4.547	4.465	4.455	4.414	4.384	4.304	4.181	4.005	3.644	3.416	3.228
265	-	-	5.891	4.879	4.787	4.598	4.514	4.504	4.463	4.434	4.355	4.233	4.061	3.702	3.473	3.280
270	-	-	6.053	4.932	4.839	4.648	4.564	4.553	4.513	4.484	4.405	4.286	4.117	3.761	3.530	3.332
275	-	-	6.214	4.984	4.891	4.698	4.613	4.603	4.562	4.533	4.456	4.339	4.173	3.820	3.587	3.384
280	-	-	6.376	5.037	4.943	4.748	4.663	4.652	4.611	4.583	4.507	4.392	4.230	3.879	3.644	3.436
285	-	-	6.538	5.101	4.995	4.798	4.712	4.702	4.660	4.633	4.558	4.445	4.286	3.938	3.701	3.488
290	-	-	6.699	5.254	5.047	4.849	4.762	4.751	4.710	4.683	4.609	4.498	4.342	3.997	3.758	3.540
295	-	-	6.861	5.408	5.127	4.899	4.812	4.801	4.759	4.722	4.659	4.550	4.398	4.056	3.815	3.593
300	-	-	-	5.561	5.280	4.949	4.861	4.850	4.808	4.782	4.710	4.603	4.455	4.114	3.873	3.645
305	-	-	-	5.714	5.432	4.999	4.911	4.899	4.858	4.832	4.761	4.656	4.511	4.173	3.930	3.697
310	-	-	-	5.867	5.584	5.050	4.960	4.949	4.907	4.882	4.812	4.709	4.567	4.232	3.987	3.749
315	-	-	-	6.021	5.736	5.137	5.014	4.998	4.956	4.931	4.862	4.763	4.633	4.291	4.044	3.801
320	-	-	-	6.174	5.888	5.305	5.076	5.048	5.006	4.981	4.913	4.815	4.680	4.350	4.101	3.853
325	-	-	-	6.327	6.040	5.473	5.173	5.136	5.055	5.031	4.964	4.867	4.736	4.409	4.158	3.905
330	-	-	-	6.481	6.192	5.642	5.365	5.331	5.169	5.080	5.015	4.920	4.792</			



FIRETEX FX6010

Table B10 I-Section Columns 120 Minutes

FIRETEX FX6010																				
Table B10 I-Section Columns 120 Minutes																				
Required Thickness (mm) for a Design Temperature of																				
Section Factor (m-1)	350°C	400°C	450°C	500°C	510°C	530°C	538°C	539°C	545°C	550°C	563°C	580°C	600°C	650°C	700°C	750°C				
30	4.095	2.963	1.499	1.285	1.243	1.158	1.117	1.112	1.089	1.070	1.022	0.966	0.899	0.748	0.626	0.430				
35	4.465	3.229	2.045	1.448	1.400	1.303	1.255	1.249	1.223	1.201	1.146	1.082	1.006	0.835	0.703	0.504				
40	4.836	3.494	2.591	1.723	1.600	1.447	1.393	1.387	1.357	1.332	1.270	1.198	1.112	0.922	0.779	0.578				
45	5.155	3.759	3.074	2.083	1.935	1.669	1.545	1.529	1.491	1.463	1.394	1.314	1.219	1.010	0.856	0.652				
50	5.370	4.024	3.181	2.443	2.270	1.970	1.836	1.820	1.744	1.678	1.518	1.430	1.325	1.097	0.933	0.725				
55	5.585	4.289	3.289	2.803	2.605	2.271	2.128	2.110	2.029	1.955	1.778	1.573	1.432	1.184	1.010	0.799				
60	5.800	4.555	3.396	3.078	2.939	2.571	2.420	2.401	2.313	2.232	2.038	1.811	1.558	1.271	1.086	0.873				
65	6.015	4.820	3.503	3.142	3.100	2.872	2.711	2.691	2.598	2.510	2.299	2.049	1.775	1.359	1.163	0.946				
70	6.230	5.084	3.610	3.206	3.163	3.082	2.993	2.982	2.882	2.787	2.560	2.286	1.993	1.446	1.240	1.020				
75	6.445	5.142	3.717	3.271	3.226	3.142	3.107	3.102	3.081	3.060	2.821	2.524	2.210	1.548	1.316	1.094				
80	6.660	5.200	3.824	3.335	3.289	3.203	3.166	3.162	3.140	3.118	3.064	2.762	2.427	1.728	1.393	1.168				
85	6.875	5.257	3.931	3.400	3.352	3.263	3.226	3.221	3.198	3.176	3.120	3.000	2.645	1.907	1.470	1.241				
90	-	5.315	4.038	3.464	3.416	3.324	3.285	3.280	3.257	3.234	3.177	3.100	2.862	2.086	1.579	1.315				
95	-	5.373	4.145	3.529	3.479	3.384	3.344	3.339	3.316	3.292	3.233	3.154	3.064	2.266	1.744	1.389				
100	-	5.431	4.253	3.593	3.542	3.445	3.404	3.399	3.374	3.350	3.289	3.208	3.116	2.445	1.909	1.462				
105	-	5.488	4.360	3.658	3.605	3.505	3.463	3.458	3.433	3.408	3.345	3.262	3.168	2.625	2.075	1.558				
110	-	5.546	4.467	3.722	3.669	3.566	3.522	3.517	3.491	3.466	3.402	3.317	3.219	2.804	2.240	1.728				
115	-	5.604	4.574	3.787	3.732	3.626	3.582	3.576	3.550	3.524	3.458	3.371	3.271	2.983	2.405	1.897				
120	-	5.662	4.681	3.851	3.795	3.687	3.641	3.635	3.609	3.582	3.514	3.425	3.323	3.086	2.570	2.066				
125	-	5.719	4.788	3.915	3.858	3.747	3.701	3.695	3.667	3.639	3.571	3.479	3.375	3.134	2.736	2.236				
130	-	5.777	4.895	3.980	3.921	3.808	3.760	3.754	3.726	3.697	3.627	3.533	3.427	3.181	2.901	2.405				
135	-	5.835	5.002	4.044	3.985	3.868	3.819	3.813	3.784	3.755	3.683	3.588	3.479	3.228	3.061	2.574				
140	-	5.893	5.104	4.109	4.048	3.929	3.879	3.872	3.843	3.813	3.740	3.642	3.530	3.276	3.108	2.744				
145	-	5.950	5.191	4.173	4.111	3.988	3.938	3.932	3.901	3.871	3.796	3.696	3.582	3.323	3.155	2.913				
150	-	6.008	5.277	4.238	4.174	4.050	3.997	3.991	3.960	3.929	3.852	3.750	3.634	3.370	3.202	3.065				
155	-	6.066	5.363	4.302	4.237	4.110	4.057	4.050	4.019	3.987	3.909	3.805	3.686	3.418	3.249	3.110				
160	-	6.124	5.450	4.367	4.301	4.171	4.116	4.109	4.077	4.045	3.965	3.859	3.738	3.465	3.296	3.155				
165	-	6.181	5.536	4.431	4.364	4.231	4.176	4.169	4.136	4.103	4.021	3.913	3.790	3.512	3.343	3.200				
170	-	6.239	5.622	4.496	4.427	4.292	4.235	4.228	4.194	4.161	4.077	3.967	3.842	3.560	3.391	3.245				
175	-	6.297	5.709	4.560	4.490	4.352	4.294	4.287	4.253	4.219	4.134	4.021	3.893	3.607	3.438	3.290				
180	-	6.355	5.795	4.625	4.553	4.413	4.354	4.346	4.312	4.277	4.190	4.076	3.945	3.654	3.485	3.335				
185	-	6.412	5.881	4.689	4.617	4.473	4.413	4.405	4.370	4.335	4.246	4.130	3.997	3.702	3.532	3.380				
190	-	6.470	5.968	4.753	4.680	4.534	4.472	4.465	4.429	4.393	4.303	4.184	4.049	3.749	3.579	3.425				
195	-	6.528	6.054	4.818	4.743	4.594	4.532	4.524	4.487	4.451	4.359	4.238	4.101	3.796	3.626	3.469				
200	-	6.586	6.140	4.882	4.806	4.655	4.591	4.583	4.546	4.509	4.415	4.293	4.153	3.844	3.673	3.514				
205	-	6.643	6.227	4.947	4.869	4.715	4.650	4.642	4.605	4.567	4.472	4.347	4.204	3.891	3.720	3.559				
210	-	6.701	6.313	5.011	4.933	4.776	4.710	4.702	4.663	4.625	4.528	4.401	4.256	3.938	3.767	3.604				
215	-	6.399	5.076	4.996	4.836	4.769	4.761	4.722	4.683	4.584	4.455	4.308	3.986	3.814	3.649	-				
220	-	6.486	5.247	5.059	4.897	4.829	4.820	4.780	4.740	4.641	4.509	4.360	4.033	3.861	3.694	-				
225	-	6.572	5.435	5.196	4.957	4.888	4.879	4.839	4.798	4.697	4.564	4.412	4.080	3.908	3.739	-				
230	-	6.658	5.622	5.385	5.018	4.947	4.938	4.897	4.856	4.753	4.618	4.464	4.128	3.955	3.784	-				
235	-	6.745	5.810	5.573	5.078	5.007	4.998	4.956	4.914	4.809	4.672	4.516	4.175	4.002	3.829	-				
240	-	6.831	5.997	5.760	5.255	5.079	5.057	5.015	4.972	4.866	4.726	4.567	4.222	4.050	3.874	-				
245	-	6.917	6.185	5.947	5.443	5.215	5.187	5.073	5.030	4.922	4.781	4.619	4.270	4.097	3.919	-				
250	-	-	6.372	6.135	5.631	5.404	5.375	5.239	5.098	4.978	4.835	4.671	4.317	4.144	3.963	-				
255	-	-	6.560	6.322	5.819	5.593	5.564	5.429	5.288	5.035	4.889	4.723	4.364	4.191	4.008	-				
260	-	-	6.747	6.510	6.008	5.782	5.753	5.619	5.479	5.108	4.943	4.775	4.412	4.238	4.053	-				
265	-	-	6.935	6.697	6.196	5.970	5.942	5.808	5.670	5.302	4.997	4.827	4.459	4.285	4.098	-				
270	-	-	6.885	6.384	6.159	6.131	5.998	5.860	5.496	5.052	4.878	4.506	4.332	4.143	-	-				
275	-	-	-	6.572	6.348	6.320	6.188	6.051	5.690	5.164	4.930	4.554	4.379	4.188	-	-				
280	-	-	-	-	6.761	6.537	6.509	6.378	6.242	5.884	5.362	4.982	4.601	4.426	4.233	-	-			
285	-	-	-	-	-	6.949	6.726	6.698	6.568	6.433	6.078	5.559	5.034	4.648	4.473	4.278	-			
290	-	-	-	-	-	-	6.887	6.757	6.623	6.272	5.757	5.091	4.696	4.520	4.322	-	-			
295	-	-	-	-	-	-	-	7.076	6.947	6.814	6.465	5.955	5.294	4.743	4.567	4.368	-	-		
300	-	-	-	-	-	-	-	-	7.005	6.659	6.153	5.496	5.496	4.790	4.614	4.413	-	-		
305	-	-	-	-	-	-	-	-	-	6.853	6.350	5.699	5.699	4.838	4.661	4.457	-	-		
310	-	-	-	-	-	-	-	-	-	7.047	6.548	5.902	5.902	4.895	4.709	4.502	-	-		
315	-	-	-	-	-	-	-	-	-	-	6.746	6.104	4.932	4.932	4.756	4.547	-	-		
320	-	-	-	-	-	-	-	-	-	-	6.943	6.307	4.979	4.979	4.803	4.592	-	-		
325	-	-	-	-	-	-	-	-	-	-	-	6.510	5.027	4.850	4.850	4.637	-	-		
330	-	-	-	-	-	-	-	-	-	-	-	6.712	5.074	4.891	4.891	4.662	-	-		
335	-	-	-	-	-	-	-	-	-	-	-	6.915	5.284	4.944	4.944	4.727	-	-		
340	-	-	-	-	-	-	-	-	-	-	-	-	-	5.536	4.991	4.772	-	-		
345	-	-	-	-	-	-	-	-	-	-	-	-	-	5.789	5.038	4.817	-	-		
350	-	-	-	-	-	-	-	-	-	-	-	-	-	6.041	5.090	4.862	-	-		
355	-	-	-	-	-	-	-	-	-	-	-	-	-	6.294	5.344	4.907	-	-		
360	-	-	-	-	-	-	-	-	-	-	-	-	-	6.546	5.598	4.951	-	-		
365	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.798	5.853	4.996	-	-	
370	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.107	5.041	-	-	-
375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.361	5.096	-	-	-
380	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.615	5.341	-	-	-
385	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.870	5.587	-	-	-

Thickness is intumescent only. Table applies to columns with protection on four sides.
Results also apply to I-beams with protection on 4 sides upto a maximum thickness of 6.045 mm



FIRETEX FX6010																
Table B11 I-Section Columns 150 Minutes																
Required Thickness (mm) for a Design Temperature of																
Section Factor (m-1)	350°C	400°C	450°C	500°C	510°C	530°C	538°C	539°C	545°C	550°C	563°C	580°C	600°C	650°C	700°C	750°C
30	6.150	5.025	3.511	2.563	2.385	1.924	1.773	1.754	1.671	1.601	1.435	1.432	1.359	1.194	1.069	0.922
35	-	5.464	4.189	3.167	3.015	2.614	2.451	2.431	2.335	2.251	2.050	1.829	1.584	1.356	1.220	1.064
40	-	5.902	4.868	3.606	3.431	3.171	3.089	3.079	3.000	2.902	2.665	2.393	2.108	1.517	1.371	1.206
45	-	6.341	5.248	4.044	3.829	3.487	3.373	3.358	3.297	3.243	3.132	2.957	2.631	1.961	1.526	1.348
50	-	6.780	5.490	4.483	4.227	3.803	3.656	3.638	3.558	3.487	3.334	3.184	3.078	2.409	1.949	1.490
55	-	-	5.732	4.921	4.626	4.119	3.939	3.917	3.820	3.730	3.536	3.337	3.183	2.857	2.373	1.871
60	-	-	5.973	5.163	5.024	4.435	4.223	4.196	4.081	3.973	3.738	3.489	3.288	3.096	2.796	2.313
65	-	-	6.215	5.289	5.178	4.751	4.506	4.476	4.342	4.216	3.940	3.642	3.393	3.162	3.083	2.754
70	-	-	6.456	5.415	5.289	5.067	4.790	4.755	4.604	4.459	4.142	3.794	3.499	3.229	3.146	3.077
75	-	-	6.698	5.541	5.400	5.157	5.048	5.034	4.865	4.703	4.344	3.947	3.604	3.295	3.209	3.137
80	-	-	6.939	5.667	5.510	5.235	5.148	5.137	5.094	4.946	4.546	4.100	3.709	3.362	3.272	3.197
85	-	-	-	5.793	5.621	5.313	5.214	5.202	5.156	5.111	4.748	4.252	3.814	3.428	3.335	3.256
90	-	-	-	5.919	5.732	5.390	5.280	5.267	5.218	5.175	4.950	4.405	3.919	3.495	3.398	3.316
95	-	-	-	6.045	5.843	5.468	5.346	5.331	5.280	5.238	5.107	4.557	4.024	3.561	3.461	3.376
100	-	-	-	6.171	5.954	5.546	5.413	5.396	5.342	5.302	5.175	4.710	4.129	3.628	3.524	3.435
105	-	-	-	6.297	6.064	5.623	5.479	5.461	5.403	5.365	5.243	4.863	4.234	3.694	3.587	3.495
110	-	-	-	6.423	6.175	5.701	5.545	5.525	5.465	5.311	5.015	4.339	3.761	3.650	3.554	3.464
115	-	-	-	6.548	6.286	5.779	5.611	5.590	5.527	5.379	5.126	4.445	3.828	3.713	3.614	3.523
120	-	-	-	6.674	6.397	5.856	5.677	5.655	5.589	5.556	5.447	5.202	4.550	3.894	3.776	3.674
125	-	-	-	6.800	6.508	5.934	5.743	5.719	5.651	5.620	5.515	5.279	4.655	3.961	3.839	3.733
130	-	-	-	-	6.618	6.012	5.809	5.784	5.713	5.683	5.583	5.355	4.760	4.027	3.902	3.793
135	-	-	-	-	6.729	6.089	5.876	5.849	5.775	5.747	5.651	5.431	4.865	4.094	3.965	3.853
140	-	-	-	-	6.840	6.167	5.942	5.913	5.837	5.810	5.720	5.508	4.970	4.160	4.028	3.912
145	-	-	-	-	-	6.245	6.008	5.978	5.899	5.874	5.788	5.584	5.075	4.227	4.091	3.972
150	-	-	-	-	-	6.322	6.074	6.043	5.960	5.937	5.856	5.660	5.178	4.293	4.154	4.031
155	-	-	-	-	-	6.400	6.140	6.108	6.022	6.001	5.924	5.737	5.281	4.360	4.217	4.091
160	-	-	-	-	-	6.478	6.206	6.172	6.084	6.064	5.992	5.813	5.384	4.427	4.280	4.151
165	-	-	-	-	-	6.555	6.272	6.237	6.146	6.128	6.060	5.889	5.487	4.493	4.343	4.210
170	-	-	-	-	-	6.633	6.338	6.302	6.208	6.191	6.128	5.966	5.589	4.560	4.406	4.270
175	-	-	-	-	-	6.711	6.405	6.366	6.270	6.255	6.196	6.042	5.692	4.626	4.469	4.329
180	-	-	-	-	-	6.788	6.471	6.431	6.332	6.318	6.264	6.118	5.795	4.693	4.532	4.389
185	-	-	-	-	-	-	6.496	6.394	6.382	6.332	6.195	5.898	4.759	4.595	4.449	-
190	-	-	-	-	-	-	6.560	6.456	6.445	6.400	6.271	6.000	4.826	4.658	4.508	-
195	-	-	-	-	-	-	6.625	6.517	6.509	6.468	6.347	6.103	4.892	4.721	4.568	-
200	-	-	-	-	-	-	6.690	6.579	6.572	6.536	6.424	6.206	4.959	4.784	4.628	-
205	-	-	-	-	-	-	6.755	6.641	6.636	6.604	6.500	6.309	5.025	4.848	4.687	-
210	-	-	-	-	-	-	-	6.703	6.699	6.673	6.576	6.412	5.115	4.911	4.747	-
215	-	-	-	-	-	-	-	-	6.763	6.741	6.653	6.514	5.371	4.974	4.806	-
220	-	-	-	-	-	-	-	-	6.826	6.809	6.729	6.617	5.627	5.037	4.866	-
225	-	-	-	-	-	-	-	-	-	6.805	6.720	5.883	5.139	-	-	-
230	-	-	-	-	-	-	-	-	-	6.882	6.823	6.139	5.362	4.985	-	-
235	-	-	-	-	-	-	-	-	-	-	6.925	6.395	5.585	5.045	-	-
240	-	-	-	-	-	-	-	-	-	-	-	6.651	5.808	5.145	-	-
245	-	-	-	-	-	-	-	-	-	-	-	6.908	6.031	5.324	-	-
250	-	-	-	-	-	-	-	-	-	-	-	-	6.255	5.502	-	-
255	-	-	-	-	-	-	-	-	-	-	-	-	6.478	5.681	-	-
260	-	-	-	-	-	-	-	-	-	-	-	-	6.701	5.860	-	-
265	-	-	-	-	-	-	-	-	-	-	-	-	6.924	6.038	-	-
270	-	-	-	-	-	-	-	-	-	-	-	-	-	6.217	-	-
275	-	-	-	-	-	-	-	-	-	-	-	-	-	6.395	-	-
280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.574	-
285	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.752	-
290	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.931	-
295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
315	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
325	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
335	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
345	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
355	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
365	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
370	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
380	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
385	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Thickness is intumescent only. Table applies to columns with protection on four sides.

Results also apply to I-beams with protection on 4 sides upto a maximum thickness of 6.045 mm



FIRETEX FX6010

Table C1 Circular Hollow Columns 15 Minutes

Thickness is intumescent only.


FIRETEX FX6010

Table C2 Circular Hollow Columns 20 Minutes

Required Thickness (mm) for a Design Temperature of

Section Factor (m-)	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C
60	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
65	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
70	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
75	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
80	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
85	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
90	0.325	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
95	0.350	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
100	0.375	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
105	0.400	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
110	0.425	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
115	0.450	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
120	0.475	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
125	0.500	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
130	0.525	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
135	0.550	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
140	0.575	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
145	0.600	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
150	0.625	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
155	0.650	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
160	0.675	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
165	0.700	0.345	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
170	0.725	0.368	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
175	0.750	0.390	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
180	0.775	0.413	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
185	0.800	0.436	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
190	0.825	0.458	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
195	0.850	0.481	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
200	0.875	0.504	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
205	0.900	0.527	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
210	0.925	0.549	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
215	0.951	0.572	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
220	0.976	0.595	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
225	1.001	0.617	0.345	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
230	1.026	0.640	0.366	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
235	1.051	0.663	0.387	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
240	1.076	0.685	0.408	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
245	1.101	0.708	0.430	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
250	1.126	0.731	0.451	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
255	1.151	0.754	0.472	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
260	1.176	0.776	0.493	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
265	1.201	0.799	0.514	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
270	1.226	0.822	0.535	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
275	1.251	0.844	0.556	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
280	1.276	0.867	0.577	0.335	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
285	1.301	0.890	0.598	0.354	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
290	1.326	0.912	0.619	0.372	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
295	1.351	0.935	0.640	0.391	0.337	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
300	1.376	0.958	0.661	0.410	0.355	0.342	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
305	1.401	0.981	0.682	0.428	0.373	0.360	0.337	0.332	0.327	0.324	0.324	0.324	0.324	0.324	0.324
310	1.426	1.003	0.703	0.447	0.391	0.378	0.354	0.350	0.333	0.324	0.324	0.324	0.324	0.324	0.324
315	1.451	1.026	0.724	0.466	0.409	0.395	0.372	0.367	0.339	0.324	0.324	0.324	0.324	0.324	0.324
320	1.476	1.049	0.745	0.484	0.428	0.413	0.390	0.385	0.345	0.324	0.324	0.324	0.324	0.324	0.324
325	1.501	1.071	0.766	0.503	0.446	0.431	0.407	0.403	0.351	0.324	0.324	0.324	0.324	0.324	0.324
330	1.526	1.094	0.787	0.522	0.464	0.449	0.425	0.420	0.357	0.324	0.324	0.324	0.324	0.324	0.324
335	1.551	1.117	0.808	0.540	0.482	0.467	0.443	0.438	0.363	0.324	0.324	0.324	0.324	0.324	0.324
340	1.576	1.139	0.829	0.559	0.500	0.485	0.461	0.456	0.375	0.332	0.324	0.324	0.324	0.324	0.324
345	1.601	1.162	0.850	0.578	0.518	0.503	0.478	0.473	0.391	0.348	0.333	0.324	0.324	0.324	0.324
350	1.626	1.185	0.871	0.596	0.536	0.521	0.496	0.491	0.406	0.364	0.349	0.324	0.324	0.324	0.324
355	1.651	1.208	0.893	0.615	0.554	0.539	0.514	0.509	0.425	0.381	0.366	0.324	0.324	0.324	0.324
360	1.676	1.230	0.914	0.634	0.572	0.557	0.531	0.526	0.442	0.397	0.382	0.324	0.324	0.324	0.324
365	1.701	1.253	0.935	0.652	0.591	0.575	0.549	0.544	0.458	0.413	0.398	0.324	0.324	0.324	0.324
370	1.726	1.276	0.956	0.671	0.609	0.593	0.567	0.562	0.475	0.429	0.414	0.324	0.324	0.324	0.324
375	1.751	1.298	0.977	0.690	0.627	0.611	0.585	0.579	0.492	0.446	0.430	0.324	0.324	0.324	0.324
380	1.776	1.321	0.998	0.708	0.645	0.629	0.602	0.597	0.509	0.462	0.446	0.324	0.		



FIRETEX FX6010

Table C3 Circular Hollow Columns 30 Minutes

Section Factor (m-)	Required Thickness (mm) for a Design Temperature														
	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C
60	0.469	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
65	0.510	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
70	0.550	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
75	0.590	0.340	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
80	0.631	0.371	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
85	0.671	0.403	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
90	0.712	0.434	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
95	0.752	0.465	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
100	0.793	0.496	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
105	0.833	0.528	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
110	0.874	0.559	0.331	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
115	0.914	0.590	0.360	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
120	0.955	0.622	0.389	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
125	0.995	0.653	0.418	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
130	1.036	0.684	0.447	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
135	1.076	0.715	0.476	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
140	1.116	0.747	0.505	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
145	1.157	0.778	0.535	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
150	1.197	0.809	0.564	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
155	1.238	0.841	0.593	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
160	1.278	0.872	0.622	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
165	1.319	0.903	0.651	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
170	1.359	0.934	0.680	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
175	1.400	0.966	0.710	0.340	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
180	1.440	0.997	0.739	0.369	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
185	1.481	1.028	0.768	0.398	0.335	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
190	1.521	1.060	0.797	0.428	0.364	0.351	0.330	0.326	0.325	0.324	0.324	0.324	0.324	0.324	0.324
195	1.562	1.091	0.826	0.457	0.393	0.380	0.359	0.354	0.335	0.324	0.324	0.324	0.324	0.324	0.324
200	1.602	1.122	0.855	0.487	0.422	0.409	0.387	0.383	0.344	0.324	0.324	0.324	0.324	0.324	0.324
205	1.643	1.153	0.884	0.516	0.451	0.438	0.416	0.411	0.354	0.324	0.324	0.324	0.324	0.324	0.324
210	1.683	1.185	0.914	0.545	0.480	0.466	0.444	0.440	0.367	0.328	0.324	0.324	0.324	0.324	0.324
215	1.723	1.216	0.943	0.575	0.509	0.495	0.473	0.468	0.394	0.355	0.342	0.324	0.324	0.324	0.324
220	1.764	1.247	0.972	0.604	0.538	0.524	0.501	0.496	0.421	0.382	0.369	0.324	0.324	0.324	0.324
225	1.804	1.279	1.001	0.633	0.567	0.553	0.529	0.525	0.449	0.408	0.395	0.324	0.324	0.324	0.324
230	1.845	1.310	1.030	0.663	0.596	0.582	0.558	0.553	0.476	0.435	0.421	0.324	0.324	0.324	0.324
235	1.885	1.341	1.059	0.692	0.625	0.610	0.586	0.582	0.503	0.462	0.448	0.324	0.324	0.324	0.324
240	1.926	1.373	1.089	0.722	0.654	0.639	0.615	0.610	0.530	0.488	0.474	0.324	0.324	0.324	0.324
245	1.966	1.404	1.118	0.751	0.683	0.668	0.638	0.638	0.515	0.501	0.484	0.324	0.324	0.324	0.324
250	2.007	1.435	1.147	0.780	0.712	0.697	0.672	0.667	0.585	0.541	0.527	0.324	0.324	0.324	0.324
255	2.045	1.466	1.176	0.810	0.741	0.725	0.700	0.695	0.612	0.568	0.554	0.324	0.324	0.324	0.324
260	2.083	1.498	1.205	0.839	0.769	0.754	0.729	0.724	0.639	0.595	0.580	0.345	0.324	0.324	0.324
265	2.120	1.529	1.234	0.868	0.798	0.783	0.757	0.752	0.667	0.621	0.607	0.368	0.324	0.324	0.324
270	2.158	1.560	1.263	0.898	0.827	0.812	0.785	0.780	0.694	0.648	0.633	0.391	0.324	0.324	0.324
275	2.195	1.592	1.293	0.927	0.856	0.840	0.814	0.809	0.721	0.675	0.660	0.414	0.324	0.324	0.324
280	2.232	1.623	1.322	0.957	0.885	0.869	0.842	0.837	0.748	0.701	0.686	0.437	0.324	0.324	0.324
285	2.270	1.654	1.351	0.986	0.914	0.898	0.871	0.865	0.776	0.728	0.712	0.460	0.324	0.324	0.324
290	2.307	1.685	1.380	1.015	0.943	0.927	0.899	0.894	0.803	0.755	0.739	0.484	0.324	0.324	0.324
295	2.344	1.717	1.409	1.045	0.972	0.955	0.928	0.922	0.830	0.781	0.765	0.507	0.324	0.324	0.324
300	2.382	1.748	1.438	1.074	1.001	0.984	0.956	0.951	0.857	0.808	0.792	0.530	0.324	0.324	0.324
305	2.419	1.779	1.468	1.103	1.030	1.013	0.985	0.979	0.885	0.835	0.818	0.553	0.324	0.324	0.324
310	2.457	1.811	1.497	1.133	1.059	1.042	1.013	1.007	0.912	0.861	0.845	0.576	0.324	0.324	0.324
315	2.494	1.842	1.526	1.162	1.088	1.070	1.042	1.036	0.939	0.888	0.871	0.599	0.324	0.324	0.324
320	2.531	1.873	1.555	1.192	1.117	1.099	1.070	1.064	0.966	0.915	0.898	0.622	0.336	0.324	0.324
325	2.569	1.904	1.584	1.221	1.146	1.128	1.098	1.093	0.994	0.941	0.924	0.645	0.355	0.324	0.324
330	2.606	1.936	1.613	1.250	1.175	1.157	1.127	1.121	1.021	0.968	0.951	0.669	0.375	0.324	0.324
335	2.644	1.967	1.642	1.280	1.204	1.186	1.155	1.149	1.048	0.995	0.977	0.692	0.395	0.324	0.324
340	2.681	1.998	1.672	1.309	1.233	1.214	1.184	1.178	1.075	1.021	1.004	0.715	0.415	0.324	0.324
345	2.718	2.031	1.701	1.338	1.262	1.243	1.212	1.206	1.103	1.048	1.030	0.738	0.435	0.324	0.324
350	2.756	2.071	1.730	1.368	1.291	1.272	1.241	1.234	1.130	1.075	1.056	0.761	0.454	0.324	0.324
355	2.793	2.111	1.759	1.397	1.320	1.301	1.269	1.263	1.157	1.101	1.083	0.784	0.474	0.324	0.324
360	2.831	2.151	1.788	1.427	1.349	1.329	1.298	1.291	1.184	1.128	1.109	0.807	0.494	0.324	0.324
365	2.868	2.190	1.817	1.456	1.377	1.358	1.326	1.320	1.212	1.155	1.136	0.830	0.514	0.324	0.324
370	2.905	2.230	1.847	1.485	1.406	1.387	1.354	1.348	1.239	1.181	1.162	0.853	0.533	0.324	0.324
375	2.943	2.270	1.876	1.515	1.435	1.416	1.383	1.376	1.266	1.208	1.189	0.877	0.553	0.324	0.324


FIRETEX FX6010

Table C4 Circular Hollow Columns 45 Minutes

Required Thickness (mm) for a Design Temperature

Section Factor (m)	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C
60	1.023	0.701	0.387	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
65	1.095	0.752	0.434	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
70	1.168	0.802	0.482	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
75	1.241	0.853	0.529	0.361	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
80	1.314	0.903	0.577	0.402	0.360	0.350	0.332	0.328	0.325	0.324	0.324	0.324	0.324	0.324	0.324
85	1.386	0.954	0.624	0.443	0.400	0.389	0.371	0.367	0.339	0.324	0.324	0.324	0.324	0.324	0.324
90	1.459	1.005	0.671	0.484	0.440	0.428	0.409	0.406	0.352	0.324	0.324	0.324	0.324	0.324	0.324
95	1.532	1.055	0.719	0.525	0.479	0.468	0.448	0.444	0.376	0.340	0.327	0.324	0.324	0.324	0.324
100	1.604	1.106	0.766	0.565	0.519	0.507	0.487	0.483	0.413	0.376	0.363	0.324	0.324	0.324	0.324
105	1.677	1.156	0.814	0.606	0.559	0.546	0.526	0.522	0.450	0.412	0.399	0.324	0.324	0.324	0.324
110	1.750	1.207	0.861	0.647	0.598	0.586	0.565	0.561	0.487	0.448	0.435	0.324	0.324	0.324	0.324
115	1.823	1.257	0.909	0.688	0.638	0.625	0.604	0.599	0.524	0.485	0.471	0.324	0.324	0.324	0.324
120	1.895	1.308	0.956	0.729	0.678	0.665	0.643	0.638	0.561	0.521	0.507	0.324	0.324	0.324	0.324
125	1.968	1.358	1.003	0.770	0.717	0.704	0.681	0.677	0.599	0.557	0.543	0.324	0.324	0.324	0.324
130	2.037	1.409	1.051	0.811	0.757	0.743	0.720	0.716	0.636	0.593	0.579	0.324	0.324	0.324	0.324
135	2.092	1.459	1.098	0.852	0.797	0.783	0.759	0.754	0.673	0.630	0.615	0.338	0.324	0.324	0.324
140	2.147	1.510	1.146	0.893	0.836	0.822	0.799	0.793	0.710	0.666	0.651	0.372	0.324	0.324	0.324
145	2.203	1.560	1.193	0.933	0.876	0.861	0.837	0.832	0.747	0.702	0.687	0.406	0.324	0.324	0.324
150	2.258	1.611	1.241	0.974	0.916	0.901	0.876	0.871	0.784	0.738	0.723	0.439	0.324	0.324	0.324
155	2.313	1.662	1.288	1.015	0.955	0.940	0.915	0.910	0.821	0.775	0.759	0.473	0.324	0.324	0.324
160	2.369	1.712	1.335	1.056	0.995	0.979	0.953	0.948	0.858	0.811	0.795	0.507	0.324	0.324	0.324
165	2.424	1.763	1.383	1.097	1.035	1.019	0.992	0.987	0.895	0.847	0.831	0.541	0.324	0.324	0.324
170	2.479	1.813	1.430	1.138	1.075	1.058	1.031	1.026	0.933	0.883	0.867	0.575	0.324	0.324	0.324
175	2.535	1.864	1.478	1.179	1.114	1.098	1.070	1.065	0.970	0.920	0.902	0.608	0.324	0.324	0.324
180	2.590	1.914	1.525	1.220	1.154	1.137	1.109	1.103	1.007	0.956	0.938	0.642	0.324	0.324	0.324
185	2.645	1.965	1.573	1.261	1.194	1.176	1.148	1.142	1.044	0.992	0.974	0.676	0.324	0.324	0.324
190	2.701	2.015	1.620	1.302	1.233	1.216	1.187	1.181	1.081	1.028	1.010	0.710	0.348	0.324	0.324
195	2.756	2.065	1.667	1.342	1.273	1.255	1.225	1.220	1.118	1.064	1.046	0.744	0.381	0.324	0.324
200	2.812	2.115	1.715	1.383	1.313	1.294	1.264	1.258	1.155	1.101	1.082	0.777	0.414	0.324	0.324
205	2.867	2.165	1.762	1.424	1.352	1.334	1.303	1.297	1.192	1.137	1.118	0.811	0.447	0.324	0.324
210	2.922	2.215	1.810	1.465	1.392	1.373	1.342	1.336	1.230	1.173	1.154	0.845	0.481	0.324	0.324
215	2.978	2.265	1.857	1.506	1.432	1.413	1.381	1.375	1.267	1.209	1.190	0.879	0.514	0.324	0.324
220	3.033	2.315	1.905	1.547	1.471	1.452	1.420	1.413	1.304	1.246	1.226	0.913	0.547	0.324	0.324
225	3.088	2.365	1.952	1.588	1.511	1.491	1.459	1.452	1.341	1.282	1.262	0.947	0.580	0.339	0.324
230	3.144	2.415	1.999	1.629	1.551	1.531	1.498	1.491	1.378	1.318	1.298	0.980	0.614	0.368	0.324
235	3.199	2.465	2.048	1.670	1.590	1.570	1.536	1.530	1.415	1.354	1.334	1.014	0.647	0.397	0.324
240	3.254	2.515	2.099	1.710	1.630	1.609	1.575	1.568	1.452	1.391	1.370	1.048	0.680	0.425	0.324
245	3.310	2.565	2.150	1.751	1.670	1.649	1.614	1.607	1.489	1.427	1.406	1.082	0.713	0.454	0.324
250	3.365	2.615	2.201	1.792	1.709	1.688	1.653	1.646	1.526	1.463	1.442	1.116	0.747	0.483	0.324
255	3.420	2.665	2.251	1.833	1.749	1.728	1.692	1.685	1.564	1.499	1.478	1.149	0.780	0.512	0.324
260	3.476	2.715	2.302	1.874	1.789	1.767	1.731	1.723	1.601	1.536	1.514	1.183	0.813	0.540	0.324
265	3.531	2.765	2.353	1.915	1.829	1.806	1.770	1.762	1.638	1.572	1.550	1.217	0.847	0.569	0.324
270	3.587	2.815	2.404	1.956	1.868	1.846	1.808	1.801	1.675	1.608	1.586	1.251	0.880	0.598	0.324
275	3.642	2.865	2.454	1.997	1.908	1.885	1.847	1.840	1.712	1.644	1.622	1.285	0.913	0.627	0.324
280	3.697	2.915	2.505	2.042	1.948	1.924	1.886	1.879	1.749	1.681	1.658	1.319	0.946	0.655	0.324
285	3.753	2.965	2.556	2.094	1.987	1.964	1.925	1.917	1.786	1.717	1.694	1.352	0.980	0.684	0.324
290	3.808	3.015	2.607	2.146	2.028	2.003	1.964	1.956	1.823	1.753	1.730	1.386	1.013	0.713	0.363
295	3.863	3.065	2.657	2.198	2.081	2.049	2.003	1.995	1.860	1.789	1.766	1.420	1.046	0.742	0.387
300	3.919	3.115	2.708	2.250	2.133	2.101	2.048	2.037	1.899	1.825	1.802	1.454	1.079	0.770	0.411
305	3.974	3.165	2.759	2.302	2.185	2.154	2.101	2.090	1.941	1.862	1.838	1.488	1.113	0.799	0.435
310	4.037	3.215	2.810	2.354	2.237	2.206	2.153	2.142	1.983	1.893	1.873	1.521	1.146	0.828	0.459
315	4.107	3.265	2.860	2.407	2.290	2.259	2.206	2.195	2.024	1.934	1.909	1.555	1.179	0.857	0.482
320	4.177	3.315	2.911	2.459	2.342	2.311	2.258	2.248	2.066	1.970	1.945	1.589	1.212	0.885	0.506
325	4.247	3.365	2.962	2.511	2.394	2.363	2.311	2.300	2.108	2.007	1.981	1.623	1.246	0.914	0.530
330	4.317	3.415	3.013	2.563	2.447	2.416	2.363	2.353	2.156	2.052	2.017	1.657	1.279	0.943	0.554
335	4.387	3.465	3.063	2.615	2.499	2.468	2.416	2.405	2.209	2.106	2.068	1.690	1.312	0.972	0.578
340	4.456	3.515	3.114	2.667	2.551	2.521	2.468	2.458	2.263	2.159	2.122	1.724	1.346	1.000	0.602
345	4.526	3.565	3.165	2.720	2.604	2.573	2.521	2.510	2.316	2.213	2.175	1.758	1.379	1.029	0.626
350	4.596	3.615	3.216	2.772	2.656	2.625	2.573	2.563	2.369	2.266	2.229	1.792	1.412	1.058	0.649
355	4.666	3.665	3.266	2.824	2.708	2.678	2.626	2.615	2.422	2.320	2.282	1.826	1.445	1.086	0.673
360	4.736	3.715	3.317	2.876	2.761	2.730	2.678	2.668	2.475	2.373	2.336	1.860	1.479	1.115	0.697
365	4.806	3.765	3.368	2.928	2.813	2.782	2.731	2.720	2.528	2.427	2.390	1.893	1.512	1.144	0.721
370	4.876	3.815	3.419	2.980	2.865	2.835	2.783	2.773	2.581	2.480	2.443	1.927	1.545	1.173	0.745
375	4.946	3.865	3.469	3.032	2.918	2.887	2.836	2.826	2.635	2.533	2.497	1.961	1.578	1.201	0.769
380	5.016	3.915	3.520	3.085	2.970	2.940	2.889	2.878	2.688	2.587	2.550	1.995	1.612		



FIRETEX FX6010

Table CS Circular Hollow Columns 60 Minutes

Section Factor (m-)	Required Thickness (mm) for a Design Temperature														
	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C
60	1.561	1.189	0.886	0.625	0.568	0.554	0.531	0.527	0.431	0.380	0.372	0.324	0.324	0.324	0.324
65	1.678	1.277	0.954	0.680	0.621	0.607	0.584	0.579	0.483	0.432	0.424	0.324	0.324	0.324	0.324
70	1.795	1.365	1.022	0.734	0.675	0.661	0.637	0.632	0.535	0.484	0.475	0.327	0.324	0.324	0.324
75	1.912	1.454	1.091	0.788	0.728	0.714	0.690	0.685	0.588	0.536	0.527	0.373	0.324	0.324	0.324
80	2.030	1.542	1.159	0.842	0.782	0.767	0.743	0.738	0.640	0.588	0.578	0.418	0.324	0.324	0.324
85	2.150	1.630	1.228	0.897	0.835	0.821	0.796	0.791	0.692	0.640	0.630	0.464	0.324	0.324	0.324
90	2.269	1.718	1.296	0.951	0.889	0.874	0.849	0.844	0.744	0.692	0.681	0.510	0.326	0.324	0.324
95	2.389	1.806	1.364	1.005	0.942	0.927	0.902	0.897	0.797	0.744	0.733	0.555	0.366	0.324	0.324
100	2.509	1.894	1.433	1.059	0.996	0.980	0.955	0.950	0.849	0.796	0.784	0.601	0.406	0.324	0.324
105	2.629	1.982	1.501	1.114	1.049	1.034	1.008	1.003	0.901	0.848	0.836	0.646	0.447	0.324	0.324
110	2.749	2.069	1.570	1.168	1.103	1.087	1.061	1.055	0.954	0.900	0.888	0.692	0.487	0.324	0.324
115	2.868	2.154	1.638	1.222	1.156	1.140	1.114	1.108	1.006	0.952	0.939	0.737	0.528	0.324	0.324
120	2.988	2.239	1.706	1.276	1.210	1.194	1.167	1.161	1.058	1.003	0.991	0.783	0.568	0.324	0.324
125	3.108	2.324	1.775	1.331	1.263	1.247	1.220	1.214	1.110	1.055	1.042	0.829	0.609	0.347	0.324
130	3.228	2.408	1.843	1.385	1.317	1.300	1.272	1.267	1.163	1.107	1.094	0.874	0.649	0.383	0.324
135	3.348	2.493	1.911	1.439	1.371	1.354	1.325	1.320	1.215	1.159	1.145	0.920	0.690	0.419	0.324
140	3.467	2.578	1.980	1.493	1.424	1.407	1.376	1.373	1.267	1.211	1.197	0.965	0.730	0.455	0.324
145	3.587	2.663	2.051	1.548	1.478	1.460	1.431	1.426	1.319	1.263	1.248	1.011	0.770	0.491	0.324
150	3.707	2.748	2.129	1.602	1.531	1.514	1.484	1.479	1.372	1.315	1.300	1.057	0.811	0.527	0.324
155	3.827	2.833	2.206	1.656	1.585	1.567	1.537	1.531	1.424	1.367	1.351	1.102	0.851	0.563	0.324
160	3.946	2.918	2.283	1.710	1.638	1.620	1.590	1.584	1.476	1.419	1.403	1.148	0.892	0.599	0.324
165	4.041	3.003	2.360	1.765	1.692	1.674	1.643	1.637	1.528	1.471	1.455	1.193	0.932	0.635	0.324
170	4.114	3.088	2.438	1.819	1.745	1.727	1.696	1.690	1.581	1.523	1.506	1.239	0.973	0.671	0.324
175	4.187	3.173	2.515	1.873	1.799	1.780	1.749	1.743	1.633	1.575	1.558	1.284	1.013	0.707	0.324
180	4.260	3.258	2.592	1.927	1.852	1.833	1.802	1.796	1.685	1.627	1.609	1.330	1.054	0.744	0.324
185	4.334	3.343	2.669	1.982	1.906	1.887	1.855	1.849	1.738	1.679	1.661	1.376	1.094	0.780	0.327
190	4.407	3.428	2.747	2.041	1.959	1.940	1.908	1.902	1.790	1.731	1.712	1.421	1.134	0.816	0.363
195	4.480	3.513	2.824	2.114	2.013	1.993	1.961	1.954	1.842	1.783	1.764	1.467	1.175	0.852	0.399
200	4.553	3.598	2.901	2.187	2.079	2.054	2.014	2.007	1.894	1.834	1.815	1.512	1.215	0.888	0.435
205	4.627	3.683	2.978	2.260	2.149	2.122	2.079	2.070	1.950	1.888	1.867	1.558	1.256	0.924	0.471
210	4.700	3.768	3.055	2.333	2.218	2.191	2.146	2.137	2.007	1.938	1.918	1.604	1.296	0.960	0.508
215	4.773	3.853	3.133	2.406	2.288	2.259	2.213	2.204	2.064	1.990	1.970	1.649	1.337	0.996	0.544
220	4.846	3.937	3.210	2.479	2.357	2.328	2.280	2.271	2.124	2.046	2.022	1.695	1.377	1.032	0.580
225	4.919	4.016	3.287	2.552	2.426	2.396	2.347	2.337	2.188	2.110	2.084	1.740	1.418	1.068	0.616
230	4.993	4.078	3.364	2.625	2.496	2.465	2.414	2.404	2.253	2.173	2.147	1.786	1.458	1.104	0.652
235	5.066	4.139	3.442	2.698	2.565	2.533	2.481	2.471	2.317	2.236	2.211	1.831	1.499	1.140	0.689
240	5.139	4.201	3.519	2.771	2.635	2.602	2.548	2.538	2.382	2.299	2.274	1.877	1.539	1.176	0.725
245	5.212	4.262	3.596	2.844	2.704	2.671	2.616	2.605	2.446	2.362	2.337	1.923	1.579	1.212	0.761
250	5.285	4.324	3.673	2.917	2.774	2.739	2.683	2.672	2.510	2.425	2.400	1.968	1.620	1.248	0.797
255	5.359	4.385	3.750	2.990	2.843	2.808	2.750	2.738	2.575	2.488	2.463	2.014	1.660	1.284	0.833
260	5.432	4.447	3.828	3.063	2.913	2.876	2.817	2.805	2.639	2.551	2.526	2.073	1.701	1.320	0.869
265	5.505	4.508	3.905	3.136	2.982	2.945	2.884	2.872	2.704	2.614	2.589	2.135	1.741	1.356	0.906
270	5.578	4.569	3.982	3.210	3.051	3.013	2.951	2.939	2.768	2.678	2.652	2.197	1.782	1.392	0.942
275	5.651	4.631	4.052	3.283	3.121	3.082	3.018	3.006	2.832	2.741	2.715	2.259	1.822	1.428	0.978
280	5.725	4.692	4.120	3.356	3.190	3.150	3.085	3.073	2.897	2.804	2.778	2.322	1.863	1.464	1.014
285	5.798	4.754	4.188	3.429	3.260	3.219	3.153	3.139	2.961	2.867	2.842	2.384	1.903	1.500	1.050
290	5.871	4.815	4.256	3.502	3.329	3.288	3.220	3.206	3.026	2.930	2.905	2.446	1.943	1.536	1.086
295	5.944	4.877	4.323	3.575	3.399	3.356	3.287	3.273	3.090	2.993	2.968	2.509	1.984	1.572	1.123
300	6.048	4.938	4.391	3.648	3.468	3.425	3.354	3.340	3.154	3.056	3.031	2.571	2.025	1.608	1.159
305	6.175	4.999	4.459	3.721	3.538	3.493	3.421	3.407	3.219	3.119	3.094	2.633	2.086	1.644	1.195
310	6.302	5.061	4.527	3.794	3.607	3.562	3.488	3.474	3.283	3.183	3.157	2.695	2.147	1.680	1.231
315	6.429	5.122	4.594	3.867	3.676	3.630	3.555	3.541	3.348	3.246	3.220	2.758	2.208	1.717	1.267
320	6.556	5.184	4.662	3.940	3.746	3.699	3.623	3.607	3.412	3.309	3.283	2.820	2.270	1.753	1.304
325	6.683	5.245	4.730	4.014	3.815	3.767	3.690	3.674	3.477	3.372	3.346	2.882	2.331	1.789	1.340
330	6.811	5.307	4.798	4.092	3.885	3.836	3.757	3.741	3.541	3.435	3.409	2.944	2.392	1.825	1.376
335	6.938	5.368	4.865	4.170	3.954	3.905	3.824	3.808	3.605	3.498	3.473	3.007	2.453	1.861	1.412
340	7.065	5.430	4.933	4.249	4.028	3.973	3.891	3.875	3.670	3.561	3.536	3.069	2.514	1.897	1.448
345	7.192	5.491	5.001	4.327	4.109	4.050	3.958	3.942	3.734	3.624	3.599	3.131	2.575	1.933	1.484
350	7.319	5.552	5.069	4.405	4.191	4.133	4.032	4.010	3.799	3.687	3.662	3.193	2.637	1.969	1.521
355	7.446	5.614	5.136	4.483	4.273	4.216	4.116	4.095	3.870	3.751	3.725	3.256	2.698	2.005	1.557
360	7.573	5.675	5.204	4.561	4.354	4.298	4.206	4.180	3.940	3.814	3.788	3.318	2.759	2.052	1.593
365	7.700	5.737	5.272	4.640	4.436	4.381	4.285	4.265	4.011	3.877	3.851	3.380	2.820	2.112	1.629
370	7.828	5.798	5.340	4.718	4.518	4.464	4.369	4.349	4.082	3.944	3.914	3.443	2.881	2.171	1.665
375	7.955	5.860	5.408	4.796	4.600	4.546	4.454	4.434	4.153	4.004	3.977	3.505	2.942	2.231	1.702



FIRETEX FX6010

Table C6 Circular Hollow Columns 75 Minutes

Required Thickness (mm) for a Design Temperature

Section Factor (m)	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C
60	2.183	1.673	1.327	1.027	0.964	0.949	0.924	0.919	0.837	0.794	0.780	0.567	0.352	0.324	0.324
65	2.536	1.801	1.432	1.112	1.045	1.029	1.002	0.997	0.909	0.863	0.848	0.623	0.406	0.324	0.324
70	2.888	1.929	1.537	1.197	1.126	1.109	1.080	1.075	0.982	0.932	0.916	0.680	0.460	0.324	0.324
75	3.240	2.073	1.642	1.282	1.206	1.189	1.158	1.152	1.054	1.001	0.985	0.736	0.514	0.358	0.324
80	3.592	2.262	1.747	1.367	1.287	1.268	1.236	1.230	1.126	1.071	1.053	0.793	0.567	0.406	0.324
85	3.945	2.451	1.851	1.452	1.368	1.348	1.315	1.308	1.198	1.140	1.122	0.850	0.621	0.455	0.324
90	4.080	2.640	1.956	1.537	1.449	1.428	1.393	1.386	1.270	1.209	1.190	0.906	0.675	0.503	0.324
95	4.174	2.829	2.065	1.622	1.530	1.508	1.471	1.463	1.343	1.279	1.258	0.963	0.728	0.551	0.324
100	4.268	3.018	2.181	1.707	1.610	1.587	1.549	1.541	1.415	1.348	1.327	1.019	0.782	0.599	0.365
105	4.362	3.207	2.296	1.792	1.691	1.667	1.627	1.619	1.487	1.417	1.395	1.076	0.836	0.647	0.408
110	4.456	3.396	2.412	1.877	1.772	1.747	1.705	1.697	1.559	1.487	1.463	1.132	0.889	0.695	0.450
115	4.550	3.585	2.527	1.962	1.853	1.827	1.783	1.774	1.631	1.556	1.532	1.189	0.943	0.744	0.492
120	4.644	3.774	2.643	2.053	1.933	1.907	1.861	1.852	1.704	1.625	1.600	1.245	0.997	0.792	0.534
125	4.739	3.963	2.758	2.157	2.014	1.986	1.939	1.930	1.776	1.694	1.669	1.302	1.050	0.840	0.577
130	4.833	4.070	2.874	2.261	2.115	2.078	2.017	2.007	1.848	1.764	1.737	1.358	1.104	0.888	0.619
135	4.927	4.156	2.989	2.366	2.217	2.180	2.117	2.104	1.927	1.833	1.805	1.415	1.158	0.936	0.661
140	5.021	4.242	3.105	2.470	2.320	2.283	2.219	2.206	2.007	1.902	1.874	1.471	1.211	0.984	0.704
145	5.115	4.329	3.220	2.574	2.423	2.385	2.326	2.307	2.088	1.972	1.942	1.528	1.265	1.033	0.746
150	5.209	4.415	3.336	2.678	2.525	2.487	2.422	2.409	2.173	2.049	2.011	1.585	1.319	1.081	0.788
155	5.303	4.502	3.451	2.782	2.628	2.590	2.524	2.511	2.274	2.148	2.104	1.641	1.372	1.129	0.830
160	5.397	4.588	3.567	2.887	2.731	2.692	2.626	2.612	2.374	2.248	2.203	1.698	1.426	1.177	0.873
165	5.491	4.674	3.682	2.991	2.833	2.794	2.727	2.714	2.474	2.347	2.303	1.754	1.480	1.225	0.915
170	5.585	4.761	3.798	3.095	2.936	2.896	2.829	2.815	2.574	2.446	2.402	1.811	1.533	1.273	0.957
175	5.679	4.847	3.913	3.199	3.039	2.999	2.931	2.917	2.674	2.546	2.501	1.867	1.587	1.321	0.999
180	5.773	4.933	4.023	3.304	3.141	3.101	3.032	3.019	2.775	2.645	2.600	1.924	1.641	1.370	1.042
185	5.867	5.020	4.114	3.408	3.244	3.203	3.134	3.120	2.875	2.745	2.699	1.980	1.694	1.418	1.084
190	5.961	5.106	4.204	3.512	3.347	3.305	3.236	3.222	2.975	2.844	2.799	2.046	1.748	1.466	1.126
195	6.146	5.192	4.295	3.616	3.449	3.408	3.337	3.323	3.075	2.944	2.898	2.136	1.802	1.514	1.169
200	6.347	5.279	4.386	3.721	3.552	3.510	3.439	3.425	3.175	3.043	2.997	2.231	1.855	1.562	1.211
205	6.548	5.365	4.476	3.825	3.655	3.612	3.541	3.527	3.275	3.143	3.096	2.324	1.909	1.610	1.253
210	6.749	5.451	4.567	3.929	3.757	3.715	3.643	3.628	3.376	3.242	3.196	2.417	1.963	1.659	1.295
215	6.950	5.538	4.658	4.024	3.860	3.817	3.744	3.730	3.476	3.341	3.295	2.509	2.016	1.707	1.338
220	7.152	5.624	4.749	4.100	3.963	3.919	3.846	3.831	3.576	3.441	3.394	2.602	2.087	1.755	1.380
225	7.353	5.710	4.839	4.176	4.046	4.015	3.948	3.933	3.676	3.540	3.493	2.695	2.160	1.803	1.422
230	7.554	5.797	4.930	4.252	4.118	4.086	4.035	4.024	3.773	3.640	3.592	2.788	2.232	1.851	1.465
235	7.755	5.883	5.021	4.327	4.189	4.157	4.105	4.095	3.862	3.739	3.692	2.880	2.305	1.899	1.507
240	7.956	5.969	5.112	4.403	4.261	4.227	4.175	4.165	3.952	3.839	3.791	2.973	2.378	1.948	1.549
245	8.157	6.111	5.202	4.479	4.333	4.298	4.246	4.236	4.041	3.938	3.890	3.066	2.451	1.996	1.591
250	8.358	6.257	5.293	4.555	4.405	4.369	4.316	4.307	4.124	4.028	3.989	3.159	2.523	2.051	1.634
255	8.560	6.402	5.384	4.630	4.476	4.440	4.387	4.377	4.196	4.080	3.954	3.252	2.596	2.116	1.676
260	-	6.548	5.474	4.706	4.548	4.511	4.457	4.448	4.269	4.174	4.139	3.344	2.669	2.181	1.718
265	-	6.694	5.565	4.782	4.620	4.581	4.528	4.518	4.341	4.247	4.212	3.437	2.742	2.246	1.760
270	-	6.840	5.656	4.858	4.692	4.652	4.598	4.589	4.413	4.320	4.286	3.530	2.814	2.311	1.803
275	-	6.986	5.747	4.933	4.763	4.723	4.669	4.659	4.485	4.393	4.359	3.623	2.887	2.376	1.845
280	-	7.131	5.837	5.009	4.835	4.794	4.739	4.730	4.557	4.466	4.432	3.715	2.960	2.441	1.887
285	-	7.277	5.928	5.085	4.907	4.864	4.810	4.800	4.629	4.539	4.506	3.808	3.033	2.506	1.930
290	-	7.423	6.038	5.161	4.979	4.935	4.880	4.871	4.702	4.612	4.579	3.901	3.105	2.571	1.972
295	-	7.569	6.170	5.236	5.050	5.006	4.951	4.942	4.774	4.685	4.652	3.994	3.178	2.636	2.014
300	-	7.715	6.302	5.312	5.122	5.077	5.021	5.012	4.846	4.758	4.726	4.075	3.251	2.701	2.071
305	-	7.861	6.434	5.388	5.194	5.148	5.092	5.083	4.918	4.831	4.799	4.156	3.324	2.766	2.131
310	-	8.006	6.566	5.464	5.266	5.218	5.162	5.153	4.990	4.904	4.872	4.237	3.396	2.831	2.192
315	-	8.152	6.698	5.540	5.337	5.289	5.233	5.224	5.062	4.977	4.946	4.317	3.469	2.896	2.252
320	-	8.298	6.831	5.615	5.409	5.360	5.303	5.294	5.135	5.050	5.019	4.398	3.542	2.961	2.313
325	-	8.444	6.963	5.691	5.481	5.431	5.374	5.365	5.207	5.123	5.093	4.479	3.614	3.026	2.373
330	-	8.590	7.095	5.767	5.553	5.501	5.444	5.436	5.279	5.196	5.166	4.559	3.687	3.091	2.434
335	-	-	7.227	5.843	5.624	5.572	5.515	5.506	5.351	5.269	5.239	4.640	3.760	3.156	2.494
340	-	-	7.359	5.918	5.696	5.643	5.585	5.577	5.423	5.342	5.313	4.721	3.833	3.221	2.555
345	-	-	7.491	6.031	5.768	5.714	5.656	5.647	5.495	5.415	5.386	4.802	3.905	3.286	2.615
350	-	-	7.623	6.260	5.840	5.785	5.726	5.718	5.568	5.488	5.459	4.882	3.978	3.351	2.676
355	-	-	7.755	6.489	5.911	5.855	5.797	5.788	5.640	5.561	5.533	4.963	4.066	3.416	2.736
360	-	-	7.887	6.718	6.005	5.926	5.867	5.859	5.712	5.634	5.606	5.044	4.161	3.481	2.797
365	-	-	8.019	6.947	6.298	6.069	5.938	5.929	5.784	5.707	5.679	5.124	4.257	3.546	2.857
370	-	-	8.151	7.176	6.590	6.384	6.126	6.088	5.887	5.788	5.753	5.205	4.352	3.611	2.918
375	-	-	8.283	7.405	6.882	6.698	6.456	6.418	6.049	5.853	5.826	5.286	4.447	3.676	2.979
380	-	-	8.415	7.634	7.175	7.013	6.785	6.748	6.211	5.926	5.899	5.366	4.542	3.741	3.039
385	-	-	8.547	7.863	7.467	7.327	7.115	7.078	6.426	6.081	5.973	5.447	4.637	3.806	3.100
390															


FIRETEX FX6010

Table C7 Circular Hollow Columns 90 Minutes

Required Thickness (mm) for a Design Temperature of

Section Factor (m-)	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C
60	4.074	2.747	1.767	1.426	1.354	1.337	1.309	1.303	1.210	1.160	1.145	0.908	0.705	0.515	0.324
65	4.292	3.002	1.908	1.544	1.467	1.449	1.419	1.413	1.313	1.260	1.243	0.991	0.773	0.568	0.353
70	4.509	3.347	2.074	1.662	1.580	1.561	1.529	1.522	1.416	1.360	1.342	1.073	0.841	0.627	0.407
75	4.727	3.693	2.349	1.780	1.693	1.673	1.639	1.632	1.519	1.459	1.440	1.155	0.910	0.685	0.462
80	4.944	4.016	2.623	1.897	1.806	1.785	1.748	1.741	1.622	1.559	1.539	1.237	0.978	0.744	0.516
85	5.162	4.156	2.898	2.015	1.919	1.896	1.858	1.851	1.725	1.658	1.637	1.319	1.046	0.803	0.571
90	5.379	4.297	3.172	2.196	2.036	2.008	1.968	1.960	1.828	1.758	1.736	1.401	1.114	0.861	0.625
95	5.597	4.437	3.447	2.381	2.203	2.165	2.101	2.089	1.938	1.858	1.834	1.484	1.182	0.920	0.680
100	5.815	4.577	3.722	2.566	2.371	2.328	2.257	2.244	2.056	1.957	1.933	1.566	1.250	0.978	0.734
105	6.017	4.718	3.996	2.750	2.538	2.491	2.414	2.399	2.181	2.065	2.033	1.648	1.319	1.037	0.789
110	6.177	4.858	4.107	2.935	2.705	2.654	2.570	2.554	2.315	2.189	2.156	1.730	1.387	1.095	0.843
115	6.336	4.998	4.215	3.120	2.873	2.817	2.726	2.709	2.449	2.312	2.279	1.812	1.455	1.154	0.898
120	6.495	5.139	4.323	3.305	3.040	2.980	2.882	2.863	2.584	2.436	2.402	1.894	1.523	1.213	0.952
125	6.655	5.279	4.431	3.490	3.208	3.143	3.039	3.018	2.718	2.559	2.525	1.977	1.591	1.271	1.007
130	6.814	5.419	4.539	3.675	3.375	3.306	3.195	3.173	2.853	2.683	2.648	2.072	1.660	1.330	1.061
135	6.974	5.559	4.647	3.860	3.542	3.469	3.351	3.328	2.987	2.809	2.771	2.185	1.728	1.388	1.115
140	7.133	5.700	4.755	4.027	3.710	3.632	3.507	3.483	3.121	2.930	2.894	2.296	1.796	1.447	1.170
145	7.293	5.840	4.863	4.136	3.877	3.795	3.664	3.638	3.256	3.054	3.017	2.411	1.864	1.505	1.224
150	7.452	5.982	4.971	4.244	4.030	3.958	3.820	3.793	3.390	3.177	3.140	2.524	1.932	1.564	1.279
155	7.612	5.079	4.353	4.140	4.083	3.976	3.948	3.525	3.301	3.263	3.237	2.001	1.623	1.333	
160	7.771	6.361	5.187	4.462	4.250	4.193	4.095	4.074	3.649	3.424	3.386	2.750	2.093	1.681	1.388
165	7.930	6.551	5.295	4.571	4.360	4.304	4.206	4.186	3.769	3.548	3.509	2.863	2.196	1.740	1.442
170	8.090	6.740	5.403	4.680	4.470	4.414	4.317	4.297	3.888	3.671	3.632	2.976	2.300	1.798	1.497
175	8.249	6.930	5.511	4.789	4.580	4.525	4.429	4.409	4.007	3.795	3.755	3.089	2.404	1.857	1.551
180	8.409	7.119	5.619	4.898	4.690	4.635	4.540	4.520	4.127	3.918	3.871	3.202	2.508	1.915	1.606
185	8.568	7.309	5.727	5.007	4.800	4.746	4.651	4.632	4.245	4.040	4.000	3.315	2.612	1.974	1.660
190	-	7.498	5.835	5.116	4.911	4.857	4.762	4.743	4.362	4.159	4.118	3.428	2.716	2.038	1.715
195	-	7.688	5.943	5.225	5.021	4.967	4.874	4.855	4.478	4.278	4.236	3.541	2.819	2.128	1.769
200	-	7.878	6.150	5.334	5.131	5.078	4.985	4.966	4.594	4.397	4.353	3.654	2.923	2.219	1.823
205	-	8.067	6.399	5.443	5.241	5.188	5.096	5.078	4.711	4.516	4.471	3.767	3.027	2.309	1.878
210	-	8.257	6.649	5.552	5.351	5.299	5.208	5.190	4.827	4.635	4.589	3.880	3.131	2.400	1.932
215	-	8.446	6.899	5.661	5.461	5.409	5.319	5.301	4.943	4.754	4.706	3.993	3.235	2.490	1.987
220	-	8.636	7.149	5.770	5.571	5.520	5.430	5.413	5.060	4.873	4.824	4.091	3.339	2.581	2.046
225	-	-	7.398	5.879	5.681	5.630	5.542	5.524	5.176	4.992	4.941	4.187	3.442	2.671	2.112
230	-	-	7.648	6.000	5.792	5.741	5.653	5.636	5.292	5.111	5.059	4.284	3.546	2.762	2.179
235	-	-	7.898	6.218	5.902	5.852	5.764	5.747	5.409	5.230	5.177	4.380	3.650	2.852	2.246
240	-	-	8.148	6.436	6.044	5.962	5.876	5.859	5.525	5.349	5.294	4.477	3.754	2.943	2.313
245	-	-	8.397	6.654	6.254	6.158	5.996	5.970	5.642	5.412	5.473	3.858	3.033	2.380	
250	-	-	8.647	6.873	6.465	6.365	6.206	6.168	5.788	5.588	5.529	4.670	3.962	3.124	2.447
255	-	-	-	7.091	6.675	6.573	6.404	6.371	5.936	5.705	5.647	4.766	4.052	3.214	2.514
260	-	-	-	7.309	6.885	6.781	6.606	6.575	6.084	5.824	5.765	4.863	4.134	3.305	2.581
265	-	-	-	7.528	7.095	6.989	6.812	6.778	6.232	5.943	5.882	4.959	4.217	3.395	2.648
270	-	-	-	7.746	7.305	7.197	7.016	6.981	6.409	6.106	6.012	5.056	4.299	3.486	2.715
275	-	-	-	7.964	7.516	7.405	7.220	7.184	6.596	6.285	6.188	5.152	4.381	3.576	2.782
280	-	-	-	8.182	7.726	7.612	7.424	7.387	6.783	6.464	6.364	5.249	4.464	3.667	2.849
285	-	-	-	8.401	7.936	7.820	7.628	7.590	6.971	6.643	6.540	5.345	4.546	3.757	2.916
290	-	-	-	-	8.146	8.028	7.832	7.793	7.158	6.822	6.716	5.442	4.628	3.848	2.983
295	-	-	-	-	8.356	8.236	8.036	7.996	7.345	7.001	6.893	5.538	4.711	3.938	3.050
300	-	-	-	-	8.567	8.444	8.240	8.199	7.533	7.180	7.069	5.635	4.793	4.029	3.116
305	-	-	-	-	-	8.444	8.402	7.720	7.359	7.245	5.731	4.875	4.121	3.183	
310	-	-	-	-	-	-	-	-	7.538	7.421	5.824	4.958	4.214	3.250	
315	-	-	-	-	-	-	-	-	7.717	7.597	5.924	5.040	4.306	3.317	
320	-	-	-	-	-	-	-	-	7.897	7.773	6.065	5.122	4.398	3.384	
325	-	-	-	-	-	-	-	-	8.076	7.950	6.259	5.205	4.490	3.451	
330	-	-	-	-	-	-	-	-	8.255	8.126	6.452	5.287	4.582	3.518	
335	-	-	-	-	-	-	-	-	8.434	8.302	6.646	5.369	4.674	3.585	
340	-	-	-	-	-	-	-	-	8.613	8.478	6.839	5.452	4.766	3.652	
345	-	-	-	-	-	-	-	-	8.654	7.033	5.534	4.859	3.719		
350	-	-	-	-	-	-	-	-	-	7.226	5.616	4.951	3.786		
355	-	-	-	-	-	-	-	-	-	7.420	5.699	5.043	3.853		
360	-	-	-	-	-	-	-	-	-	7.613	5.781	5.135	3.920		
365	-	-	-	-	-	-	-	-	-	7.806	5.863	5.227	3.987		
370	-	-	-	-	-	-	-	-	-	8.000	5.946	5.319	4.092		
375	-	-	-	-	-	-	-	-	-	8.193	6.194	5.412	4.208		
380	-	-	-	-	-	-	-	-	-	8.387	6.539	5.504	4.323		
385	-	-	-	-	-	-	-	-	-	8.580	6.884	5.596	4.439		
390	-	-	-	-	-	-	-	-	-	-	7.229	5.688	4.555		
395	-	-	-	-	-	-	-	-	-	-	7.574	5.780	4.671		
400	-	-	-	-	-	-	-	-	-	-	7.919	5.872	4.786		

Thickness is intumescent only.



FIRETEX FX6010

Table C8 Circular Hollow Columns 120 Minutes

Required Thickness (mm) for a Design Temperature of

Section Factor (m-)	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C
60	6.480	5.422	4.172	3.095	2.346	2.282	2.175	2.154	1.936	1.821	1.821	1.584	1.346	1.137	1.032
65	6.853	5.778	4.528	3.368	2.883	2.807	2.681	2.657	2.290	2.096	2.041	1.721	1.468	1.245	1.129
70	7.225	6.116	4.884	3.843	3.421	3.332	3.187	3.159	2.740	2.518	2.455	1.859	1.589	1.352	1.225
75	7.597	6.432	5.241	4.188	3.958	3.856	3.694	3.662	3.190	2.940	2.870	1.997	1.710	1.460	1.322
80	7.970	6.748	5.597	4.468	4.242	4.188	4.100	4.083	3.611	3.361	3.285	2.256	1.831	1.568	1.419
85	8.342	7.065	5.953	4.748	4.505	4.446	4.351	4.333	3.973	3.783	3.699	2.542	1.952	1.675	1.515
90	-	7.381	6.247	5.028	4.767	4.705	4.603	4.583	4.271	4.106	4.059	2.828	2.102	1.783	1.612
95	-	7.697	6.537	5.308	5.029	4.963	4.854	4.833	4.500	4.323	4.272	3.114	2.290	1.890	1.708
100	-	8.013	6.827	5.588	5.292	5.221	5.106	5.083	4.729	4.541	4.486	3.400	2.478	1.998	1.805
105	-	8.329	7.117	5.868	5.554	5.479	5.357	5.334	4.957	4.758	4.699	3.686	2.667	2.113	1.902
110	-	-	7.407	6.146	5.816	5.737	5.608	5.584	5.186	4.975	4.913	3.972	2.855	2.230	1.998
115	-	-	7.696	6.424	6.084	5.997	5.860	5.834	5.415	5.193	5.126	4.140	3.044	2.347	2.090
120	-	-	7.986	6.701	6.362	6.274	6.125	6.096	5.647	5.410	5.339	4.295	3.232	2.464	2.180
125	-	-	8.276	6.979	6.639	6.552	6.403	6.374	5.886	5.627	5.553	4.451	3.420	2.581	2.270
130	-	-	-	7.257	6.917	6.829	6.681	6.651	6.124	5.845	5.766	4.606	3.609	2.698	2.360
135	-	-	-	7.534	7.194	7.107	6.958	6.929	6.377	6.084	5.981	4.761	3.797	2.815	2.450
140	-	-	-	7.812	7.471	7.384	7.236	7.206	6.655	6.363	6.258	4.916	3.986	2.932	2.539
145	-	-	-	8.089	7.749	7.662	7.514	7.484	6.932	6.644	6.535	5.071	4.138	3.049	2.629
150	-	-	-	8.367	8.026	7.939	7.791	7.761	7.209	6.917	6.812	5.226	4.286	3.165	2.719
155	-	-	-	-	8.304	8.217	8.069	8.039	7.487	7.194	7.089	5.381	4.435	3.282	2.809
160	-	-	-	-	-	8.494	8.347	8.317	7.764	7.472	7.366	5.536	4.584	3.399	2.899
165	-	-	-	-	-	-	-	-	7.749	7.643	5.691	4.733	3.516	2.988	-
170	-	-	-	-	-	-	-	-	8.026	7.920	5.847	4.881	3.633	3.079	-
175	-	-	-	-	-	-	-	-	8.303	8.197	6.054	5.030	3.750	3.169	-
180	-	-	-	-	-	-	-	-	-	8.474	6.525	5.179	3.867	3.259	-
185	-	-	-	-	-	-	-	-	-	6.995	5.327	3.984	3.349	-	-
190	-	-	-	-	-	-	-	-	-	7.466	5.476	4.157	3.438	-	-
195	-	-	-	-	-	-	-	-	-	7.936	5.625	4.338	3.528	-	-
200	-	-	-	-	-	-	-	-	-	8.407	5.774	4.519	3.618	-	-
205	-	-	-	-	-	-	-	-	-	-	5.922	4.701	3.708	-	-
210	-	-	-	-	-	-	-	-	-	-	6.297	4.882	3.798	-	-
215	-	-	-	-	-	-	-	-	-	-	6.800	5.064	3.888	-	-
220	-	-	-	-	-	-	-	-	-	-	7.302	5.245	3.978	-	-
225	-	-	-	-	-	-	-	-	-	-	7.805	5.427	4.128	-	-
230	-	-	-	-	-	-	-	-	-	-	8.307	5.668	4.298	-	-
235	-	-	-	-	-	-	-	-	-	-	-	5.790	4.469	-	-
240	-	-	-	-	-	-	-	-	-	-	-	5.971	4.640	-	-
245	-	-	-	-	-	-	-	-	-	-	-	6.274	4.811	-	-
250	-	-	-	-	-	-	-	-	-	-	-	6.580	4.981	-	-
255	-	-	-	-	-	-	-	-	-	-	-	6.886	5.152	-	-
260	-	-	-	-	-	-	-	-	-	-	-	7.192	5.323	-	-
265	-	-	-	-	-	-	-	-	-	-	-	7.498	5.493	-	-
270	-	-	-	-	-	-	-	-	-	-	-	7.804	5.664	-	-
275	-	-	-	-	-	-	-	-	-	-	-	8.110	5.835	-	-
280	-	-	-	-	-	-	-	-	-	-	-	8.416	5.999	-	-
285	-	-	-	-	-	-	-	-	-	-	-	-	6.129	-	-
290	-	-	-	-	-	-	-	-	-	-	-	-	6.259	-	-
295	-	-	-	-	-	-	-	-	-	-	-	-	6.390	-	-
300	-	-	-	-	-	-	-	-	-	-	-	-	6.520	-	-
305	-	-	-	-	-	-	-	-	-	-	-	-	6.650	-	-
310	-	-	-	-	-	-	-	-	-	-	-	-	6.781	-	-
315	-	-	-	-	-	-	-	-	-	-	-	-	6.911	-	-
320	-	-	-	-	-	-	-	-	-	-	-	-	7.041	-	-
325	-	-	-	-	-	-	-	-	-	-	-	-	7.172	-	-
330	-	-	-	-	-	-	-	-	-	-	-	-	7.302	-	-
335	-	-	-	-	-	-	-	-	-	-	-	-	7.432	-	-
340	-	-	-	-	-	-	-	-	-	-	-	-	7.563	-	-
345	-	-	-	-	-	-	-	-	-	-	-	-	7.693	-	-
350	-	-	-	-	-	-	-	-	-	-	-	-	7.824	-	-
355	-	-	-	-	-	-	-	-	-	-	-	-	7.954	-	-
360	-	-	-	-	-	-	-	-	-	-	-	-	8.084	-	-
365	-	-	-	-	-	-	-	-	-	-	-	-	8.215	-	-
370	-	-	-	-	-	-	-	-	-	-	-	-	8.345	-	-
375	-	-	-	-	-	-	-	-	-	-	-	-	8.475	-	-
380	-	-	-	-	-	-	-	-	-	-	-	-	8.606	-	-
385	-	-	-	-	-	-	-	-	-	-	-	-	8.736	-	-
390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
395	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Thickness is intumescent only.



FIRETEX FX6010

Table D1 Rectangular Hollow Columns 15 Minutes

Thickness is intumescent only.

Results also apply to hollow rectangular beams with protection on 4 sides upto a maximum thickness of 5.992 mm


FIRETEX FX6010
Table D2 Rectangular Hollow Columns 20 Minutes
Required Thickness (mm) for a Design Temperature of

Section Factor (m-1)	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C
65	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
70	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
75	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
80	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
85	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
90	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
95	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
100	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
105	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
110	0.323	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
115	0.347	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
120	0.372	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
125	0.397	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
130	0.421	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
135	0.446	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
140	0.470	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
145	0.495	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
150	0.519	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
155	0.544	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
160	0.569	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
165	0.593	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
170	0.618	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
175	0.642	0.337	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
180	0.667	0.359	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
185	0.691	0.381	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
190	0.716	0.403	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
195	0.741	0.425	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
200	0.765	0.447	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
205	0.790	0.469	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
210	0.814	0.491	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
215	0.839	0.513	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
220	0.863	0.535	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
225	0.888	0.557	0.324	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
230	0.913	0.579	0.344	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
235	0.937	0.601	0.364	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
240	0.962	0.623	0.384	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
245	0.986	0.645	0.404	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
250	1.011	0.667	0.424	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
255	1.035	0.689	0.444	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
260	1.060	0.711	0.464	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
265	1.085	0.733	0.484	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
270	1.109	0.755	0.504	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
275	1.134	0.777	0.524	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
280	1.158	0.799	0.544	0.328	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
285	1.183	0.821	0.564	0.346	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
290	1.207	0.843	0.584	0.364	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
295	1.232	0.865	0.604	0.381	0.329	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
300	1.257	0.887	0.624	0.399	0.346	0.333	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
305	1.281	0.909	0.644	0.417	0.364	0.350	0.328	0.324	0.321	0.320	0.320	0.320	0.320	0.320	0.320
310	1.306	0.931	0.664	0.435	0.381	0.367	0.345	0.341	0.327	0.320	0.320	0.320	0.320	0.320	0.320
315	1.330	0.953	0.684	0.453	0.398	0.384	0.362	0.358	0.333	0.320	0.320	0.320	0.320	0.320	0.320
320	1.355	0.975	0.704	0.471	0.416	0.401	0.379	0.375	0.339	0.320	0.320	0.320	0.320	0.320	0.320
325	1.379	0.997	0.724	0.493	0.433	0.419	0.396	0.392	0.345	0.320	0.320	0.320	0.320	0.320	0.320
330	1.404	1.019	0.744	0.506	0.450	0.436	0.413	0.409	0.351	0.320	0.320	0.320	0.320	0.320	0.320
335	1.429	1.041	0.764	0.524	0.468	0.453	0.430	0.426	0.357	0.320	0.320	0.320	0.320	0.320	0.320
340	1.453	1.063	0.784	0.542	0.485	0.470	0.447	0.443	0.364	0.322	0.320	0.320	0.320	0.320	0.320
345	1.478	1.085	0.804	0.560	0.502	0.487	0.464	0.459	0.380	0.338	0.322	0.320	0.320	0.320	0.320
350	1.502	1.107	0.824	0.578	0.520	0.505	0.481	0.476	0.396	0.354	0.338	0.320	0.320	0.320	0.320
355	1.527	1.129	0.844	0.596	0.537	0.522	0.498	0.493	0.412	0.370	0.353	0.320	0.320	0.320	0.320
360	1.551	1.151	0.864	0.613	0.555	0.539	0.515	0.510	0.429	0.385	0.369	0.320	0.320	0.320	0.320
365	1.576	1.173	0.884	0.631	0.572	0.556	0.532	0.527	0.445	0.401	0.385	0.320	0.320	0.320	0.320
370	1.601	1.195	0.904	0.649	0.589	0.573	0.549	0.544	0.461	0.417	0.400	0.320	0.320	0.320	0.320
375	1.625	1.217	0.923	0.667	0.607	0.591	0.566	0.561	0.477	0.433	0.416	0.320	0.320	0.320	0.320
380	1.650	1.239	0.943	0.685	0.624	0.608	0.583	0.578	0.493	0.449	0.431	0.320	0.320	0.320	0.320
385	1.674	1.261	0.963	0.703	0.641	0.625	0.600	0.595	0.510	0.464	0.447	0.			


FIRETEX FX6010
Table D3 Rectangular Hollow Columns 30 Minutes
Required Thickness (mm) for a Design Temperature of

Section Factor (m-1)	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C
65	0.355	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
70	0.401	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
75	0.446	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
80	0.491	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
85	0.536	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
90	0.581	0.347	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
95	0.626	0.378	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
100	0.672	0.409	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
105	0.717	0.441	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
110	0.762	0.472	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
115	0.807	0.503	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
120	0.852	0.534	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
125	0.897	0.565	0.332	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
130	0.943	0.596	0.360	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
135	0.988	0.627	0.389	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
140	1.033	0.658	0.418	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
145	1.078	0.690	0.447	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
150	1.123	0.721	0.476	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
155	1.168	0.752	0.505	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
160	1.213	0.783	0.533	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
165	1.259	0.814	0.562	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
170	1.304	0.845	0.591	0.343	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
175	1.349	0.876	0.620	0.371	0.331	0.321	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
180	1.394	0.907	0.649	0.396	0.357	0.347	0.332	0.329	0.323	0.320	0.320	0.320	0.320	0.320	0.320
185	1.439	0.938	0.678	0.425	0.384	0.374	0.356	0.355	0.332	0.320	0.320	0.320	0.320	0.320	0.320
190	1.484	0.970	0.706	0.453	0.411	0.400	0.384	0.381	0.341	0.320	0.320	0.320	0.320	0.320	0.320
195	1.530	1.001	0.735	0.480	0.438	0.427	0.411	0.408	0.354	0.326	0.320	0.320	0.320	0.320	0.320
200	1.575	1.032	0.764	0.508	0.464	0.453	0.437	0.434	0.379	0.350	0.340	0.320	0.320	0.320	0.320
205	1.620	1.063	0.793	0.535	0.491	0.480	0.463	0.460	0.404	0.375	0.364	0.320	0.320	0.320	0.320
210	1.665	1.094	0.822	0.563	0.518	0.506	0.499	0.496	0.429	0.399	0.389	0.320	0.320	0.320	0.320
215	1.710	1.125	0.851	0.590	0.545	0.533	0.515	0.512	0.454	0.424	0.413	0.320	0.320	0.320	0.320
220	1.755	1.156	0.880	0.618	0.571	0.560	0.542	0.538	0.480	0.448	0.438	0.320	0.320	0.320	0.320
225	1.801	1.187	0.908	0.645	0.598	0.586	0.568	0.564	0.505	0.473	0.462	0.320	0.320	0.320	0.320
230	1.846	1.219	0.937	0.672	0.625	0.613	0.594	0.591	0.530	0.498	0.486	0.320	0.320	0.320	0.320
235	1.891	1.250	0.966	0.700	0.652	0.639	0.620	0.617	0.555	0.522	0.511	0.335	0.320	0.320	0.320
240	1.936	1.281	0.995	0.727	0.678	0.666	0.646	0.643	0.580	0.547	0.535	0.356	0.320	0.320	0.320
245	1.991	1.312	1.024	0.755	0.705	0.692	0.673	0.669	0.605	0.571	0.559	0.377	0.320	0.320	0.320
250	2.049	1.343	1.053	0.782	0.732	0.719	0.699	0.695	0.630	0.596	0.584	0.399	0.320	0.320	0.320
255	2.106	1.374	1.081	0.810	0.759	0.745	0.725	0.721	0.655	0.620	0.608	0.420	0.320	0.320	0.320
260	2.164	1.405	1.110	0.837	0.785	0.772	0.751	0.747	0.680	0.645	0.633	0.441	0.320	0.320	0.320
265	2.221	1.436	1.139	0.864	0.812	0.798	0.777	0.774	0.706	0.670	0.657	0.462	0.320	0.320	0.320
270	2.279	1.468	1.168	0.892	0.839	0.825	0.804	0.800	0.731	0.694	0.681	0.483	0.320	0.320	0.320
275	2.337	1.499	1.197	0.919	0.866	0.852	0.830	0.826	0.756	0.719	0.706	0.505	0.320	0.320	0.320
280	2.394	1.530	1.226	0.947	0.892	0.878	0.856	0.852	0.781	0.743	0.730	0.526	0.320	0.320	0.320
285	2.452	1.561	1.254	0.974	0.919	0.905	0.882	0.878	0.806	0.768	0.754	0.547	0.338	0.320	0.320
290	2.509	1.592	1.283	1.002	0.946	0.931	0.908	0.904	0.831	0.792	0.779	0.568	0.356	0.320	0.320
295	2.567	1.623	1.312	1.029	0.972	0.958	0.935	0.930	0.856	0.817	0.803	0.590	0.374	0.320	0.320
300	2.624	1.654	1.341	1.056	0.999	0.984	0.961	0.957	0.881	0.841	0.828	0.611	0.393	0.320	0.320
305	2.682	1.685	1.370	1.084	1.026	1.011	0.987	0.983	0.906	0.866	0.852	0.632	0.411	0.320	0.320
310	2.739	1.717	1.399	1.111	1.053	1.037	1.013	1.009	0.932	0.891	0.876	0.653	0.429	0.320	0.320
315	2.797	1.748	1.427	1.139	1.079	1.064	1.040	1.035	0.957	0.915	0.901	0.674	0.448	0.320	0.320
320	2.855	1.779	1.456	1.166	1.106	1.091	1.066	1.061	0.982	0.940	0.925	0.696	0.466	0.320	0.320
325	2.912	1.810	1.485	1.194	1.133	1.117	1.092	1.087	1.007	0.964	0.949	0.717	0.484	0.320	0.320
330	2.970	1.841	1.514	1.221	1.160	1.144	1.118	1.113	1.032	0.989	0.974	0.738	0.502	0.320	0.320
335	3.027	1.872	1.543	1.249	1.186	1.170	1.144	1.140	1.057	1.013	0.998	0.759	0.521	0.320	0.320
340	3.085	1.903	1.572	1.276	1.213	1.197	1.171	1.166	1.082	1.038	1.023	0.781	0.539	0.320	0.320
345	3.142	1.934	1.601	1.303	1.240	1.223	1.197	1.192	1.107	1.063	1.047	0.802	0.557	0.320	0.320
350	3.200	2.000	1.629	1.331	1.267	1.250	1.223	1.218	1.132	1.087	1.071	0.823	0.576	0.320	0.320
355	3.257	2.084	1.658	1.358	1.293	1.276	1.249	1.244	1.158	1.112	1.096	0.844	0.594	0.325	0.320
360	3.315	2.168	1.687	1.386	1.320	1.303	1.275	1.270	1.183	1.136	1.120	0.865	0.612	0.340	0.320
365	3.373	2.253	1.716	1.413	1.347	1.329	1.302	1.296	1.208	1.161	1.144	0.887	0.631	0.356	0.320
370	3.430	2.337	1.745	1.441	1.374	1.356	1.328	1.323	1.233	1.185	1.169	0.908	0.649	0.371	0.320
375	3.488	2.421	1.774	1.468	1.400	1.383	1.354	1.349	1.258	1.210	1.193	0.929	0.667	0.386	0.320
380	3.545	2.505	1.802	1.495	1.427	1.409	1.380	1.375	1.283	1.235	1.217	0.950	0.685	0.401	0.320
385	3.603	2.589	1.831	1.523	1.454	1.436	1.406	1.401	1.308	1.259	1.242	0.			


FIRETEX FX6010
Table D4 Rectangular Hollow Columns 45 Minutes
Required Thickness (mm) for a Design Temperature of

Section Factor (m-1)	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C
65	1.023	0.662	0.349	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
70	1.108	0.727	0.405	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
75	1.194	0.792	0.461	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
80	1.279	0.857	0.517	0.328	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
85	1.364	0.922	0.574	0.374	0.332	0.322	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320	0.320
90	1.450	0.987	0.630	0.420	0.376	0.365	0.348	0.345	0.329	0.320	0.320	0.320	0.320	0.320	0.320
95	1.535	1.052	0.686	0.466	0.419	0.408	0.390	0.387	0.343	0.320	0.320	0.320	0.320	0.320	0.320
100	1.620	1.117	0.743	0.512	0.463	0.451	0.433	0.429	0.369	0.336	0.327	0.320	0.320	0.320	0.320
105	1.705	1.181	0.799	0.557	0.507	0.495	0.475	0.471	0.408	0.374	0.364	0.320	0.320	0.320	0.320
110	1.791	1.246	0.855	0.603	0.551	0.538	0.517	0.513	0.447	0.412	0.401	0.320	0.320	0.320	0.320
115	1.876	1.311	0.912	0.649	0.595	0.581	0.559	0.556	0.486	0.450	0.438	0.320	0.320	0.320	0.320
120	1.960	1.376	0.968	0.695	0.638	0.624	0.602	0.598	0.525	0.487	0.475	0.320	0.320	0.320	0.320
125	2.039	1.441	1.024	0.741	0.682	0.667	0.644	0.640	0.565	0.525	0.512	0.335	0.320	0.320	0.320
130	2.118	1.506	1.081	0.787	0.726	0.710	0.686	0.682	0.604	0.563	0.550	0.367	0.320	0.320	0.320
135	2.198	1.571	1.137	0.833	0.770	0.754	0.728	0.724	0.643	0.600	0.587	0.398	0.320	0.320	0.320
140	2.277	1.636	1.193	0.879	0.814	0.797	0.771	0.766	0.682	0.638	0.624	0.430	0.320	0.320	0.320
145	2.356	1.701	1.249	0.925	0.857	0.840	0.813	0.808	0.721	0.676	0.661	0.462	0.320	0.320	0.320
150	2.435	1.766	1.306	0.971	0.901	0.883	0.855	0.850	0.761	0.713	0.698	0.493	0.320	0.320	0.320
155	2.514	1.831	1.362	1.017	0.945	0.926	0.897	0.892	0.800	0.751	0.735	0.525	0.343	0.320	0.320
160	2.593	1.895	1.418	1.063	0.989	0.970	0.939	0.934	0.839	0.789	0.772	0.557	0.372	0.320	0.320
165	2.672	1.964	1.475	1.109	1.033	1.013	0.982	0.976	0.878	0.827	0.810	0.589	0.401	0.320	0.320
170	2.751	2.044	1.531	1.155	1.076	1.056	1.024	1.018	0.918	0.864	0.847	0.620	0.431	0.320	0.320
175	2.830	2.125	1.587	1.201	1.120	1.099	1.066	1.060	0.957	0.902	0.884	0.652	0.460	0.326	0.320
180	2.909	2.205	1.644	1.247	1.164	1.142	1.108	1.102	0.996	0.940	0.921	0.684	0.489	0.352	0.320
185	2.988	2.285	1.700	1.293	1.208	1.186	1.151	1.144	1.035	0.977	0.958	0.715	0.518	0.378	0.320
190	3.067	2.365	1.756	1.339	1.252	1.229	1.193	1.186	1.074	1.015	0.995	0.747	0.548	0.404	0.320
195	3.147	2.446	1.812	1.385	1.295	1.272	1.235	1.228	1.114	1.053	1.032	0.779	0.577	0.430	0.320
200	3.226	2.526	1.869	1.430	1.339	1.315	1.277	1.270	1.153	1.090	1.070	0.811	0.606	0.455	0.320
205	3.305	2.606	1.925	1.476	1.383	1.358	1.319	1.313	1.192	1.128	1.107	0.842	0.636	0.481	0.320
210	3.384	2.686	1.998	1.522	1.427	1.401	1.362	1.355	1.231	1.166	1.144	0.874	0.665	0.507	0.320
215	3.463	2.767	2.081	1.588	1.471	1.445	1.404	1.397	1.270	1.204	1.181	0.906	0.694	0.533	0.320
220	3.542	2.847	2.163	1.614	1.514	1.488	1.446	1.439	1.310	1.241	1.218	0.937	0.723	0.559	0.326
225	3.621	2.927	2.245	1.660	1.558	1.531	1.488	1.481	1.349	1.279	1.255	0.969	0.753	0.584	0.347
230	3.700	3.007	2.328	1.706	1.602	1.574	1.531	1.523	1.388	1.317	1.292	1.001	0.782	0.610	0.368
235	3.779	3.088	2.410	1.752	1.646	1.617	1.573	1.565	1.427	1.354	1.330	1.033	0.811	0.636	0.389
240	3.858	3.168	2.492	1.798	1.690	1.661	1.615	1.607	1.466	1.392	1.367	1.064	0.840	0.662	0.410
245	3.938	3.248	2.575	1.844	1.733	1.704	1.657	1.649	1.506	1.430	1.404	1.096	0.870	0.688	0.430
250	4.030	3.329	2.657	1.890	1.777	1.747	1.699	1.691	1.545	1.467	1.441	1.128	0.899	0.713	0.451
255	4.123	3.409	2.739	1.936	1.821	1.790	1.742	1.733	1.584	1.505	1.478	1.160	0.928	0.739	0.472
260	4.216	3.489	2.822	2.023	1.865	1.833	1.784	1.775	1.623	1.543	1.515	1.191	0.958	0.765	0.493
265	4.308	3.569	2.904	2.120	1.909	1.876	1.826	1.817	1.662	1.581	1.552	1.223	0.987	0.791	0.514
270	4.401	3.650	2.986	2.217	1.962	1.920	1.868	1.859	1.702	1.618	1.590	1.255	1.016	0.817	0.535
275	4.493	3.730	3.069	2.315	2.067	1.989	1.911	1.901	1.741	1.656	1.627	1.286	1.045	0.842	0.556
280	4.586	3.810	3.151	2.412	2.171	2.096	1.965	1.943	1.780	1.694	1.664	1.318	1.075	0.868	0.576
285	4.678	3.890	3.233	2.509	2.276	2.202	2.076	2.052	1.842	1.731	1.701	1.350	1.104	0.894	0.597
290	4.771	3.979	3.316	2.607	2.380	2.309	2.186	2.163	1.905	1.769	1.738	1.382	1.133	0.920	0.618
295	4.863	4.079	3.398	2.704	2.484	2.415	2.296	2.274	1.968	1.807	1.775	1.413	1.163	0.946	0.639
300	4.956	4.178	3.480	2.801	2.589	2.522	2.407	2.385	2.031	1.844	1.812	1.445	1.192	0.971	0.660
305	5.048	4.277	3.563	2.898	2.693	2.628	2.517	2.496	2.094	1.882	1.850	1.477	1.221	0.997	0.681
310	5.141	4.377	3.645	2.996	2.797	2.735	2.627	2.607	2.158	1.920	1.887	1.508	1.250	1.023	0.701
315	5.233	4.476	3.727	3.093	2.902	2.842	2.737	2.717	2.243	1.991	1.924	1.540	1.280	1.049	0.722
320	5.326	4.575	3.810	3.190	3.006	2.948	2.848	2.828	2.373	2.131	2.007	1.572	1.309	1.075	0.743
325	5.418	4.675	3.892	3.287	3.111	3.055	2.958	2.939	2.502	2.271	2.151	1.604	1.338	1.100	0.764
330	5.511	4.774	3.967	3.385	3.215	3.161	3.068	3.050	2.632	2.411	2.295	1.635	1.368	1.126	0.785
335	5.603	4.873	4.096	3.482	3.319	3.268	3.178	3.161	2.762	2.550	2.439	1.667	1.397	1.152	0.806
340	5.696	4.973	4.205	3.579	3.424	3.375	3.289	3.272	2.892	2.690	2.584	1.699	1.426	1.178	0.826
345	5.788	5.072	4.313	3.676	3.528	3.481	3.399	3.383	3.021	2.830	2.728	1.730	1.455	1.204	0.847
350	5.881	5.171	4.422	3.774	3.632	3.588	3.509	3.494	3.151	2.969	2.872	1.762	1.485	1.229	0.868
355	5.976	5.271	4.531	3.871	3.737	3.694	3.620	3.605	3.281	3.109	3.016	1.794	1.514	1.255	0.889
360	6.074	5.370	4.640	3.974	3.841	3.801	3.730	3.716	3.411	3.249	3.160	1.826	1.543	1.281	0.910
365	6.172	5.469	4.748	4.086	3.946	3.908	3.840	3.827	3.540	3.389	3.304	1.857	1.572	1.307	0.931
370	6.270	5.569	4.857	4.199	4.058	4.018	3.950	3.938	3.670	3.528	3.448	1.889	1.602	1.333	0.951
375	6.367	5.668	4.966	4.311	4.169	4.129	4.061	4.049	3.800	3.668	3.592	1.921	1.631	1.358	0.972
380	6.465	5.767	5.075	4.424	4.281	4.240	4.172	4.160	3.930	3.808	3.736	1.999	1.660	1.384	0.993
385	6.563	5.867	5.183	4.536	4.392	4.351	4.283	4.270	4.057	3.945	3.880	2.			


FIRETEX FX6010
Table D5 Rectangular Hollow Columns 60 Minutes
Required Thickness (mm) for a Design Temperature of

Section Factor (m-1)	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C
65	1.663	1.245	0.879	0.606	0.553	0.539	0.517	0.513	0.413	0.360	0.351	0.320	0.320	0.320	0.320
70	1.798	1.354	0.969	0.674	0.614	0.599	0.574	0.570	0.475	0.425	0.415	0.320	0.320	0.320	0.320
75	1.932	1.464	1.058	0.747	0.684	0.668	0.642	0.638	0.541	0.499	0.479	0.320	0.320	0.320	0.320
80	2.044	1.574	1.147	0.820	0.753	0.737	0.710	0.706	0.607	0.555	0.543	0.372	0.320	0.320	0.320
85	2.154	1.684	1.237	0.893	0.823	0.806	0.779	0.774	0.673	0.619	0.607	0.425	0.320	0.320	0.320
90	2.264	1.793	1.326	0.966	0.893	0.875	0.847	0.842	0.739	0.684	0.671	0.478	0.337	0.320	0.320
95	2.374	1.903	1.415	1.039	0.963	0.944	0.915	0.910	0.804	0.749	0.735	0.531	0.381	0.320	0.320
100	2.484	2.009	1.505	1.112	1.032	1.013	0.983	0.978	0.870	0.813	0.799	0.584	0.425	0.320	0.320
105	2.594	2.113	1.594	1.185	1.102	1.082	1.051	1.046	0.936	0.878	0.863	0.637	0.468	0.349	0.320
110	2.704	2.218	1.683	1.259	1.172	1.151	1.119	1.114	1.002	0.943	0.927	0.690	0.512	0.385	0.320
115	2.813	2.322	1.773	1.332	1.242	1.219	1.187	1.182	1.068	1.008	0.991	0.743	0.556	0.421	0.320
120	2.923	2.426	1.862	1.405	1.311	1.288	1.255	1.250	1.134	1.072	1.054	0.796	0.600	0.458	0.320
125	3.033	2.530	1.953	1.478	1.381	1.357	1.323	1.317	1.200	1.137	1.118	0.849	0.643	0.494	0.330
130	3.143	2.634	2.059	1.551	1.451	1.426	1.391	1.385	1.265	1.202	1.182	0.902	0.687	0.530	0.360
135	3.253	2.738	2.165	1.624	1.520	1.495	1.459	1.453	1.331	1.267	1.246	0.955	0.731	0.566	0.389
140	3.363	2.842	2.271	1.697	1.590	1.564	1.528	1.521	1.397	1.331	1.310	1.008	0.775	0.602	0.418
145	3.473	2.947	2.376	1.770	1.660	1.633	1.596	1.589	1.463	1.396	1.374	1.061	0.818	0.638	0.448
150	3.582	3.051	2.482	1.844	1.730	1.702	1.664	1.657	1.529	1.461	1.438	1.114	0.862	0.674	0.477
155	3.692	3.155	2.588	1.917	1.799	1.771	1.732	1.725	1.595	1.526	1.502	1.167	0.906	0.711	0.506
160	3.802	3.259	2.694	2.015	1.869	1.840	1.800	1.793	1.661	1.590	1.566	1.220	0.950	0.747	0.536
165	3.912	3.363	2.800	2.130	1.939	1.909	1.868	1.861	1.726	1.655	1.630	1.273	0.993	0.783	0.565
170	4.093	3.467	2.906	2.245	2.053	2.001	1.936	1.929	1.792	1.720	1.694	1.326	1.037	0.819	0.594
175	4.293	3.571	3.012	2.360	2.171	2.120	2.049	2.036	1.872	1.785	1.758	1.379	1.081	0.855	0.624
180	4.492	3.676	3.118	2.474	2.289	2.239	2.168	2.156	1.955	1.849	1.822	1.432	1.125	0.891	0.653
185	4.691	3.780	3.224	2.589	2.408	2.358	2.287	2.275	2.039	1.914	1.886	1.485	1.168	0.927	0.682
190	4.891	3.884	3.330	2.704	2.526	2.477	2.406	2.394	2.143	2.009	1.954	1.534	1.212	0.964	0.712
195	5.090	4.018	3.436	2.819	2.645	2.596	2.526	2.513	2.265	2.133	2.079	1.591	1.256	1.000	0.741
200	5.289	4.179	3.542	2.934	2.763	2.715	2.645	2.633	2.387	2.257	2.203	1.644	1.299	1.036	0.771
205	5.489	4.340	3.648	3.048	2.881	2.833	2.764	2.752	2.509	2.381	2.327	1.697	1.343	1.072	0.800
210	5.688	4.501	3.754	3.163	3.000	2.952	2.883	2.871	2.631	2.504	2.451	1.750	1.387	1.108	0.829
215	5.887	4.662	3.860	3.278	3.118	3.071	3.003	2.991	2.753	2.628	2.575	1.803	1.431	1.144	0.859
220	5.993	4.823	3.977	3.393	3.237	3.190	3.122	3.110	2.876	2.752	2.700	1.856	1.474	1.180	0.888
225	6.079	4.984	4.121	3.507	3.355	3.309	3.241	3.229	2.998	2.875	2.824	1.909	1.518	1.217	0.917
230	6.166	5.145	4.265	3.622	3.473	3.428	3.360	3.348	3.120	2.999	2.948	1.992	1.562	1.253	0.947
235	6.252	5.306	4.409	3.737	3.592	3.547	3.480	3.468	3.242	3.123	3.072	2.134	1.606	1.289	0.976
240	6.338	5.467	4.553	3.852	3.710	3.666	3.598	3.587	3.364	3.246	3.196	2.275	1.649	1.325	1.005
245	6.425	5.628	4.697	3.972	3.828	3.785	3.718	3.706	3.486	3.370	3.320	2.417	1.693	1.361	1.035
250	6.511	5.789	4.842	4.108	3.948	3.904	3.837	3.825	3.609	3.494	3.445	2.559	1.737	1.397	1.064
255	6.598	5.936	4.986	4.244	4.082	4.033	3.959	3.946	3.731	3.617	3.569	2.701	1.781	1.433	1.093
260	6.684	6.018	5.130	4.379	4.215	4.166	4.091	4.078	3.858	3.741	3.693	2.843	1.824	1.470	1.123
265	6.771	6.101	5.274	4.515	4.349	4.299	4.223	4.210	3.984	3.865	3.817	2.984	1.868	1.506	1.152
270	6.857	6.183	5.418	4.650	4.482	4.432	4.355	4.342	4.112	3.991	3.942	3.126	1.912	1.542	1.182
275	6.943	6.266	5.562	4.786	4.615	4.565	4.488	4.474	4.242	4.119	4.069	3.268	1.989	1.578	1.211
280	7.030	6.348	5.706	4.922	4.749	4.699	4.620	4.606	4.372	4.248	4.197	3.410	2.172	1.614	1.240
285	7.116	6.431	5.850	5.057	4.882	4.832	4.752	4.738	4.502	4.376	4.325	3.552	2.354	1.650	1.270
290	7.203	6.513	5.964	5.193	5.015	4.965	4.884	4.870	4.631	4.505	4.453	3.693	2.537	1.686	1.299
295	7.289	6.596	6.049	5.328	5.149	5.098	5.016	5.002	4.761	4.633	4.581	3.835	2.720	1.723	1.328
300	7.376	6.678	6.133	5.464	5.282	5.231	5.148	5.134	4.891	4.762	4.709	3.973	2.902	1.759	1.358
305	7.462	6.760	6.218	5.600	5.416	5.364	5.280	5.266	5.021	4.891	4.837	4.104	3.085	1.795	1.387
310	7.548	6.843	6.303	5.735	5.549	5.497	5.413	5.398	5.150	5.019	4.965	4.235	3.268	1.831	1.416
315	7.635	6.925	6.387	5.871	5.682	5.630	5.545	5.530	5.280	5.148	5.093	4.365	3.451	1.867	1.446
320	7.721	7.008	6.472	5.977	5.816	5.763	5.677	5.662	5.410	5.276	5.221	4.496	3.633	1.903	1.475
325	7.808	7.090	6.557	6.067	5.940	5.896	5.809	5.794	5.549	5.405	5.348	4.627	3.816	1.939	1.504
330	7.894	7.173	6.642	6.156	6.030	5.995	5.935	5.925	5.669	5.533	5.476	4.757	3.961	2.224	1.534
335	7.981	7.255	6.726	6.245	6.121	6.085	6.026	6.016	5.784	5.662	5.604	4.888	4.115	2.553	1.563
340	8.067	7.338	6.811	6.334	6.211	6.176	6.117	6.107	5.900	5.791	5.732	5.019	4.249	2.882	1.592
345	8.153	7.420	6.896	6.424	6.302	6.267	6.208	6.198	6.016	5.919	5.860	5.149	4.383	3.212	1.622
350	8.240	7.503	6.980	6.513	6.392	6.357	6.299	6.289	6.108	6.012	5.970	5.280	4.517	3.541	1.651
355	8.326	7.585	7.065	6.602	6.483	6.448	6.390	6.380	6.200	6.105	6.062	5.410	4.651	3.870	1.681
360	8.413	7.667	7.150	6.691	6.573	6.539	6.481	6.472	6.292	6.197	6.155	5.541	4.785	4.036	1.710
365	8.499	7.750	7.234	6.781	6.663	6.629	6.572	6.563	6.384	6.290	6.248	5.672	4.919	4.163	1.739
370	-	7.832	7.319	6.870	6.754	6.720	6.664	6.654	6.476	6.382	6.341	5.802	5.053	4.290	1.769
375	-	7.915	7.404	6.959	6.844	6.811	6.755	6.745	6.568	6.475	6.433	5.929	5.186	4.417	1.798
380	-	7.997	7.489	7.048	6.935	6.901	6.846	6.836	6.660	6.567	6.526	6.019	5.320	4.544	1.827
385	-	8.080	7.573	7.138	7.025	6.992	6.937	6.927	6.752	6.660	6.619	6.108	5.454	4.	



FIRETEX FX6010

Table D6 Rectangular Hollow Columns 75 Minutes

FIRETEX FX6010															
Table D6 Rectangular Hollow Columns 75 Minutes															
Required Thickness (mm) for a Design Temperature of															
Section Factor (m-1)	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C
65	2.817	1.803	1.390	1.058	0.994	0.978	0.948	0.944	0.859	0.815	0.800	0.584	0.352	0.320	0.320
70	3.029	1.989	1.519	1.167	1.099	1.081	1.050	1.045	0.954	0.905	0.889	0.650	0.418	0.320	0.320
75	3.241	2.176	1.648	1.275	1.203	1.184	1.151	1.145	1.049	0.998	0.981	0.724	0.463	0.375	0.320
80	3.454	2.363	1.776	1.383	1.307	1.287	1.252	1.246	1.145	1.091	1.073	0.799	0.548	0.431	0.320
85	3.666	2.549	1.905	1.492	1.412	1.391	1.353	1.347	1.241	1.184	1.164	0.874	0.614	0.487	0.351
90	3.879	2.736	2.033	1.600	1.516	1.494	1.455	1.448	1.336	1.277	1.256	0.948	0.679	0.543	0.395
95	4.088	2.922	2.162	1.709	1.620	1.597	1.556	1.549	1.432	1.370	1.348	1.023	0.744	0.598	0.439
100	4.225	3.109	2.291	1.817	1.725	1.700	1.657	1.650	1.528	1.463	1.440	1.098	0.810	0.655	0.484
105	4.392	3.295	2.419	1.925	1.829	1.803	1.758	1.751	1.623	1.556	1.531	1.173	0.875	0.711	0.528
110	4.560	3.482	2.548	2.050	1.934	1.906	1.859	1.852	1.719	1.649	1.623	1.247	0.940	0.767	0.572
115	4.727	3.668	2.676	2.179	2.060	2.025	1.965	1.955	1.816	1.742	1.715	1.322	1.006	0.823	0.617
120	4.894	3.855	2.805	2.308	2.189	2.154	2.094	2.084	1.921	1.834	1.806	1.397	1.071	0.878	0.661
125	5.062	4.028	2.933	2.437	2.318	2.283	2.223	2.214	2.026	1.927	1.898	1.471	1.136	0.934	0.705
130	5.229	4.191	3.062	2.566	2.447	2.412	2.352	2.343	2.152	2.051	2.009	1.546	1.202	0.990	0.750
135	5.396	4.355	3.190	2.695	2.576	2.540	2.482	2.472	2.282	2.182	2.141	1.621	1.267	1.046	0.794
140	5.564	4.518	3.319	2.823	2.705	2.669	2.611	2.601	2.413	2.313	2.272	1.696	1.332	1.102	0.838
145	5.731	4.681	3.448	2.952	2.834	2.798	2.740	2.730	2.543	2.444	2.403	1.770	1.398	1.158	0.883
150	5.898	4.845	3.576	3.081	2.963	2.927	2.869	2.859	2.673	2.575	2.535	1.845	1.463	1.214	0.927
155	6.016	5.008	3.705	3.210	3.092	3.055	2.998	2.988	2.804	2.706	2.666	1.920	1.528	1.270	0.971
160	6.126	5.172	3.833	3.339	3.221	3.184	3.127	3.118	2.934	2.837	2.797	2.041	1.594	1.326	1.016
165	6.236	5.335	3.985	3.468	3.350	3.313	3.256	3.247	3.064	2.968	2.929	2.186	1.659	1.382	1.060
170	6.346	5.498	4.219	3.596	3.479	3.442	3.385	3.376	3.195	3.099	3.060	2.331	1.724	1.438	1.104
175	6.456	5.662	4.454	3.725	3.608	3.571	3.515	3.505	3.325	3.230	3.192	2.476	1.790	1.493	1.149
180	6.567	5.825	4.688	3.854	3.737	3.699	3.644	3.634	3.455	3.361	3.323	2.621	1.855	1.549	1.193
185	6.677	5.986	4.923	4.018	3.866	3.828	3.773	3.763	3.586	3.492	3.454	2.766	1.920	1.605	1.237
190	6.787	6.081	5.158	4.239	4.037	3.973	3.902	3.892	3.716	3.623	3.586	2.911	2.046	1.661	1.282
195	6.897	6.193	5.392	4.460	4.255	4.191	4.097	4.080	3.867	3.754	3.717	3.056	2.208	1.717	1.326
200	7.007	6.306	5.627	4.681	4.473	4.409	4.313	4.296	4.027	3.884	3.848	3.201	2.371	1.773	1.370
205	7.117	6.419	5.861	4.902	4.690	4.627	4.529	4.512	4.220	4.065	4.007	3.346	2.534	1.829	1.415
210	7.227	6.532	5.998	5.123	4.908	4.846	4.746	4.728	4.433	4.276	4.217	3.491	2.696	1.885	1.459
215	7.337	6.645	6.102	5.344	5.126	5.064	4.962	4.944	4.646	4.488	4.426	3.635	2.859	1.941	1.503
220	7.447	6.758	6.205	5.565	5.344	5.282	5.178	5.160	4.858	4.699	4.636	3.780	3.022	2.116	1.548
225	7.557	6.871	6.309	5.787	5.562	5.500	5.394	5.376	5.071	4.910	4.846	3.925	3.184	2.302	1.592
230	7.667	6.984	6.412	5.960	5.779	5.718	5.611	5.592	5.284	5.121	5.055	4.120	3.347	2.487	1.636
235	7.777	7.097	6.516	6.058	5.955	5.928	5.827	5.808	5.497	5.332	5.265	4.318	3.510	2.673	1.681
240	7.887	7.210	6.620	6.156	6.052	6.024	5.975	5.966	5.690	5.543	5.474	4.516	3.672	2.858	1.725
245	7.998	7.323	6.723	6.254	6.149	6.120	6.071	6.062	5.861	5.754	5.684	4.714	3.835	3.043	1.769
250	8.108	7.436	6.827	6.353	6.246	6.217	6.166	6.157	6.015	5.940	5.893	4.912	4.008	3.229	1.814
255	8.218	7.549	6.930	6.451	6.343	6.313	6.262	6.253	6.109	6.032	6.001	5.110	4.197	3.414	1.858
260	8.328	7.661	7.034	6.549	6.439	6.409	6.357	6.348	6.202	6.124	6.093	5.307	4.386	3.600	1.902
265	8.438	7.774	7.137	6.648	6.536	6.506	6.453	6.444	6.295	6.216	6.186	5.505	4.574	3.785	1.954
270	-	7.887	7.241	6.746	6.633	6.602	6.548	6.539	6.388	6.308	6.278	5.703	4.763	3.969	2.209
275	-	8.000	7.345	6.844	6.730	6.698	6.644	6.635	6.481	6.400	6.370	5.901	4.952	4.145	2.465
280	-	8.113	7.448	6.942	6.827	6.795	6.740	6.730	6.575	6.492	6.462	6.006	5.141	4.321	2.720
285	-	8.226	7.552	7.041	6.924	6.891	6.835	6.826	6.668	6.584	6.554	6.101	5.329	4.497	2.975
290	-	8.339	7.655	7.139	7.021	6.987	6.931	6.921	6.761	6.676	6.647	6.196	5.518	4.673	3.230
295	-	8.452	7.759	7.237	7.118	7.084	7.026	7.017	6.854	6.768	6.739	6.291	5.707	4.849	3.486
300	-	8.565	7.862	7.336	7.215	7.180	7.122	7.112	6.948	6.860	6.831	6.385	5.896	5.025	3.741
305	-	-	7.966	7.434	7.312	7.276	7.218	7.208	7.041	6.952	6.923	6.480	6.004	5.201	3.973
310	-	-	8.070	7.532	7.409	7.373	7.303	7.134	7.044	7.016	6.975	6.575	6.099	5.377	4.132
315	-	-	8.173	7.630	7.506	7.469	7.409	7.398	7.227	7.136	7.108	6.670	6.195	5.553	4.291
320	-	-	8.277	7.729	7.602	7.565	7.504	7.494	7.320	7.228	7.200	6.764	6.290	5.729	4.451
325	-	-	8.380	7.827	7.699	7.662	7.600	7.589	7.414	7.320	7.292	6.859	6.386	5.905	4.610
330	-	-	8.484	7.925	7.796	7.758	7.695	7.685	7.507	7.412	7.385	6.954	6.481	6.008	4.769
335	-	-	8.587	8.024	7.893	7.854	7.791	7.780	7.600	7.504	7.477	7.049	6.577	6.103	4.929
340	-	-	-	8.122	7.990	7.951	7.887	7.876	7.693	7.596	7.569	7.143	6.673	6.197	5.088
345	-	-	-	8.220	8.087	8.047	7.982	7.971	7.786	7.689	7.661	7.238	6.768	6.292	5.247
350	-	-	-	8.318	8.184	8.143	8.078	8.067	7.880	7.781	7.733	6.864	6.387	5.407	-
355	-	-	-	8.417	8.281	8.240	8.173	8.162	7.973	7.873	7.846	7.428	6.959	6.482	5.566
360	-	-	-	8.515	8.378	8.336	8.269	8.258	8.066	8.065	8.030	7.622	6.705	6.577	5.725
365	-	-	-	-	8.475	8.432	8.364	8.353	8.159	8.057	8.030	7.617	7.150	6.672	5.884
370	-	-	-	-	8.572	8.529	8.460	8.449	8.252	8.149	8.122	7.712	7.246	6.767	5.989
375	-	-	-	-	-	-	8.556	8.544	8.346	8.241	8.215	7.807	7.341	6.862	6.076
380	-	-	-	-	-	-	-	-	8.333	8.307	8.091	7.901	7.437	6.957	6.164
385	-	-	-	-	-	-	-	-	8.425	8.399	8.091	7.996	7.533	7.052	6.252
390	-	-	-	-	-	-	-	-	8.517	8.491	8.091	7.628	7.147	7.639	-
395	-	-	-	-	-	-	-	-	8.609	8.584	8.186	7.724	7.242	6.427	-
400	-	-	-	-	-	-	-	-	-	-	-	8.281	7.819	7.337	6.515

Thickness is intumescent only.

Results also apply to hollow rectangular beams with protection on 4 sides upto a maximum thickness of 5.992 mm


FIRETEX FX6010
Table D7 Rectangular Hollow Columns 90 Minutes
Required Thickness (mm) for a Design Temperature of

Section Factor (m-1)	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C		
65	4.075	3.126	1.871	1.516	1.444	1.426	1.390	1.384	1.290	1.240	1.223	0.982	0.786	0.647	0.368		
70	4.353	3.407	2.155	1.660	1.583	1.563	1.525	1.519	1.419	1.366	1.347	1.088	0.874	0.718	0.432		
75	4.631	3.687	2.439	1.804	1.722	1.701	1.664	1.654	1.548	1.492	1.472	1.194	0.962	0.789	0.495		
80	4.909	3.960	2.722	1.948	1.862	1.839	1.796	1.789	1.677	1.618	1.596	1.300	1.050	0.860	0.559		
85	5.187	4.176	3.006	2.156	2.022	1.987	1.931	1.924	1.806	1.744	1.721	1.406	1.138	0.931	0.623		
90	5.465	4.392	3.290	2.364	2.213	2.173	2.106	2.096	1.948	1.870	1.845	1.512	1.225	1.001	0.687		
95	5.743	4.608	3.573	2.573	2.404	2.359	2.286	2.274	2.098	2.005	1.974	1.618	1.313	1.072	0.750		
100	5.960	4.824	3.857	2.781	2.596	2.545	2.466	2.453	2.257	2.154	2.120	1.724	1.401	1.143	0.814		
105	6.069	5.041	4.056	2.989	2.787	2.731	2.646	2.631	2.416	2.303	2.266	1.830	1.489	1.214	0.878		
110	6.177	5.257	4.224	3.197	2.979	2.917	2.826	2.810	2.576	2.452	2.412	1.936	1.577	1.285	0.942		
115	6.286	5.473	4.391	3.405	3.170	3.103	3.006	2.989	2.735	2.601	2.558	2.074	1.665	1.355	1.006		
120	6.395	5.689	4.559	3.613	3.362	3.289	3.186	3.167	2.894	2.750	2.704	2.215	1.753	1.426	1.069		
125	6.504	5.905	4.726	3.821	3.553	3.475	3.366	3.346	3.053	2.899	2.850	2.356	1.841	1.497	1.133		
130	6.612	6.032	4.894	4.024	3.745	3.661	3.546	3.524	3.213	3.048	2.996	2.497	1.929	1.568	1.197		
135	6.721	6.152	5.062	4.221	3.936	3.847	3.726	3.703	3.372	3.197	3.142	2.638	2.063	1.638	1.261		
140	6.830	6.272	5.229	4.418	4.146	4.049	3.906	3.881	3.531	3.346	3.288	2.779	2.209	1.709	1.324		
145	6.939	6.391	5.397	4.616	4.356	4.265	4.123	4.092	3.702	3.495	3.434	2.920	2.354	1.780	1.388		
150	7.047	6.511	5.564	4.813	4.567	4.481	4.346	4.317	3.877	3.644	3.580	3.061	2.499	1.851	1.452		
155	7.156	6.631	5.732	5.010	4.777	4.697	4.568	4.541	4.052	3.793	3.726	3.202	2.645	1.922	1.516		
160	7.265	6.751	5.899	5.207	4.987	4.913	4.791	4.766	4.232	3.949	3.871	3.344	2.790	2.057	1.579		
165	7.374	6.871	6.049	5.404	5.197	5.130	5.014	4.991	4.495	4.233	4.101	3.485	2.936	2.225	1.643		
170	7.482	6.990	6.196	5.601	5.407	5.346	5.237	5.215	4.799	4.517	4.394	3.626	3.081	2.393	1.707		
175	7.591	7.110	6.343	5.798	5.617	5.562	5.466	5.440	5.022	4.801	4.687	3.767	3.226	2.560	1.771		
180	7.700	7.230	6.489	5.976	5.827	5.778	5.683	5.664	5.286	5.085	4.980	3.908	3.372	2.728	1.834		
185	7.808	7.350	6.636	6.122	6.002	5.970	5.906	5.889	5.549	5.369	5.273	4.170	3.517	2.895	1.898		
190	7.917	7.470	6.783	6.268	6.147	6.115	6.055	6.045	5.789	5.653	5.566	4.459	3.662	3.063	1.994		
195	8.026	7.590	6.930	6.414	6.292	6.260	6.200	6.189	6.019	5.929	5.859	4.748	3.808	3.231	2.181		
200	8.135	7.709	7.077	6.560	6.438	6.405	6.344	6.333	6.162	6.071	6.032	5.038	3.972	3.398	2.369		
205	8.243	7.829	7.224	6.706	6.583	6.550	6.489	6.478	6.304	6.213	6.174	5.327	4.258	3.566	2.556		
210	-	7.949	7.371	6.852	6.728	6.694	6.633	6.622	6.447	6.354	6.315	5.616	4.544	3.734	2.743		
215	-	8.069	7.517	6.998	6.874	6.839	6.778	6.767	6.590	6.496	6.456	5.906	4.830	3.901	2.930		
220	-	8.189	7.664	7.144	7.019	6.984	6.922	6.911	6.732	6.638	6.598	6.047	5.115	4.165	3.117		
225	-	8.308	7.811	7.290	7.165	7.129	7.067	7.056	6.875	6.779	6.739	6.179	5.401	4.453	3.304		
230	-	8.428	7.958	7.436	7.310	7.274	7.211	7.200	7.018	6.921	6.880	6.312	5.687	4.740	3.492		
235	-	-	8.105	7.581	7.455	7.419	7.355	7.344	7.160	7.063	7.022	6.444	5.943	5.028	3.679		
240	-	-	8.252	7.727	7.601	7.564	7.506	7.489	7.303	7.204	7.163	6.577	6.063	5.316	3.866		
245	-	-	8.399	7.873	7.746	7.709	7.644	7.633	7.445	7.346	7.304	6.709	6.183	5.603	4.122		
250	-	-	8.545	8.019	7.892	7.854	7.789	7.778	7.588	7.488	7.446	6.842	6.304	5.891	4.418		
255	-	-	8.165	8.037	7.999	7.933	7.922	7.731	7.630	7.587	6.974	6.424	6.017	4.714			
260	-	-	8.311	8.182	8.144	8.078	8.066	7.873	7.771	7.728	7.107	6.544	6.124	5.010			
265	-	-	8.457	8.328	8.288	8.222	8.211	8.016	7.913	7.870	7.240	6.664	6.231	5.307			
270	-	-	-	8.603	8.473	8.433	8.367	8.355	8.159	8.055	8.011	7.372	6.784	6.338	5.603		
275	-	-	-	-	8.618	8.578	8.511	8.500	8.301	8.196	8.152	7.505	6.905	6.444	5.899		
280	-	-	-	-	-	-	-	-	-	-	-	8.338	8.294	7.637	7.025		
285	-	-	-	-	-	-	-	-	-	-	-	8.480	8.435	7.770	7.145		
290	-	-	-	-	-	-	-	-	-	-	-	8.576	7.902	7.265	6.765		
295	-	-	-	-	-	-	-	-	-	-	-	8.035	7.386	6.872	6.286		
300	-	-	-	-	-	-	-	-	-	-	-	8.167	7.506	6.979	6.380		
305	-	-	-	-	-	-	-	-	-	-	-	8.300	7.626	7.086	6.473		
310	-	-	-	-	-	-	-	-	-	-	-	8.433	7.746	7.193	6.566		
315	-	-	-	-	-	-	-	-	-	-	-	-	7.866	7.300	6.659		
320	-	-	-	-	-	-	-	-	-	-	-	-	7.987	7.407	6.752		
325	-	-	-	-	-	-	-	-	-	-	-	-	8.107	7.514	6.845		
330	-	-	-	-	-	-	-	-	-	-	-	-	8.227	7.621	6.938		
335	-	-	-	-	-	-	-	-	-	-	-	-	8.347	7.728	7.031		
340	-	-	-	-	-	-	-	-	-	-	-	-	8.467	7.835	7.124		
345	-	-	-	-	-	-	-	-	-	-	-	-	8.588	7.942	7.218		
350	-	-	-	-	-	-	-	-	-	-	-	-	-	8.049	7.311		
355	-	-	-	-	-	-	-	-	-	-	-	-	-	8.156	7.404		
360	-	-	-	-	-	-	-	-	-	-	-	-	-	8.263	7.497		
365	-	-	-	-	-	-	-	-	-	-	-	-	-	8.369	7.590		
370	-	-	-	-	-	-	-	-	-	-	-	-	-	8.476	7.683		
375	-	-	-	-	-	-	-	-	-	-	-	-	-	8.583	7.776		
380	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.869		
385	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.962		
390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.056		
395	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.149		
400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.242		

Thickness is intumescent only.

Results also apply to hollow rectangular beams with protection on 4 sides upto a maximum thickness of 5.992 mm


FIRETEX FX6010
Table D8 Rectangular Hollow Columns 120 Minutes
Required Thickness (mm) for a Design Temperature of

Section Factor (m-1)	350°C	400°C	450°C	500°C	512°C	515°C	520°C	521°C	538°C	547°C	550°C	600°C	650°C	700°C	750°C	
65	-	5.741	4.679	3.601	3.345	3.269	3.164	3.131	2.578	2.286	2.232	1.751	1.582	1.468	1.306	
70	-	6.127	5.072	3.975	3.693	3.610	3.495	3.460	2.974	2.718	2.655	1.982	1.731	1.602	1.421	
75	-	6.514	5.466	4.349	4.095	4.020	3.919	3.879	3.402	3.149	3.078	2.302	1.880	1.736	1.536	
80	-	6.900	5.859	4.723	4.462	4.387	4.281	4.249	3.812	3.581	3.501	2.622	2.077	1.870	1.650	
85	-	7.287	6.122	5.098	4.829	4.754	4.641	4.611	4.210	3.998	3.924	2.942	2.311	2.019	1.765	
90	-	7.674	6.360	5.472	5.196	5.121	5.002	4.973	4.565	4.349	4.271	3.262	2.544	2.189	1.880	
95	-	8.060	6.599	5.846	5.563	5.488	5.362	5.334	4.920	4.700	4.616	3.582	2.778	2.359	2.000	
100	-	-	6.837	6.061	5.925	5.854	5.722	5.696	5.274	5.051	4.961	3.901	3.011	2.529	2.126	
105	-	-	7.076	6.237	6.090	6.053	5.991	5.980	5.602	5.402	5.307	4.183	3.245	2.698	2.252	
110	-	-	7.314	6.412	6.255	6.215	6.147	6.135	5.885	5.753	5.652	4.459	3.478	2.868	2.378	
115	-	-	7.552	6.587	6.419	6.376	6.303	6.290	6.103	6.005	5.957	4.736	3.712	3.038	2.504	
120	-	-	7.791	6.762	6.584	6.538	6.459	6.445	6.262	6.165	6.119	5.013	3.945	3.208	2.630	
125	-	-	8.029	6.938	6.749	6.700	6.615	6.600	6.421	6.325	6.281	5.289	4.179	3.377	2.756	
130	-	-	8.268	7.113	6.914	6.861	6.771	6.755	6.579	6.486	6.443	5.566	4.413	3.547	2.882	
135	-	-	8.506	7.288	7.078	7.023	6.927	6.910	6.738	6.646	6.606	5.843	4.647	3.717	3.008	
140	-	-	-	7.464	7.243	7.184	7.083	7.065	6.896	6.807	6.768	6.059	4.881	3.887	3.134	
145	-	-	-	7.639	7.408	7.346	7.239	7.220	7.055	6.967	6.930	6.251	5.115	4.172	3.260	
150	-	-	-	7.814	7.573	7.507	7.395	7.375	7.213	7.128	7.092	6.443	5.349	4.501	3.386	
155	-	-	-	-	7.989	7.737	7.669	7.551	7.530	7.372	7.288	7.254	6.635	5.583	4.831	3.512
160	-	-	-	-	8.165	7.902	7.831	7.707	7.686	7.531	7.449	7.417	6.827	5.817	5.160	3.638
165	-	-	-	-	8.340	8.067	7.992	7.863	7.841	7.689	7.609	7.579	7.019	6.060	5.490	3.764
170	-	-	-	-	8.515	8.232	8.154	8.019	7.996	7.848	7.770	7.741	7.211	6.312	5.819	3.890
175	-	-	-	-	8.397	8.315	8.175	8.151	8.006	7.930	7.903	7.403	6.563	6.088	4.557	
180	-	-	-	-	-	8.477	8.331	8.306	8.165	8.091	8.065	7.595	6.815	6.331	5.517	
185	-	-	-	-	-	-	8.487	8.461	8.324	8.251	8.228	7.787	7.066	6.573	6.048	
190	-	-	-	-	-	-	-	-	8.411	8.390	7.979	7.318	6.816	6.267	-	
195	-	-	-	-	-	-	-	-	-	-	8.171	7.569	7.058	6.486	-	
200	-	-	-	-	-	-	-	-	-	-	8.363	7.821	7.301	6.705	-	
205	-	-	-	-	-	-	-	-	-	-	8.555	8.072	7.543	6.924	-	
210	-	-	-	-	-	-	-	-	-	-	-	8.323	7.785	7.143	-	
215	-	-	-	-	-	-	-	-	-	-	-	8.575	8.028	7.363	-	
220	-	-	-	-	-	-	-	-	-	-	-	-	8.270	7.582	-	
225	-	-	-	-	-	-	-	-	-	-	-	-	8.513	7.801	-	
230	-	-	-	-	-	-	-	-	-	-	-	-	-	8.020	-	
235	-	-	-	-	-	-	-	-	-	-	-	-	-	8.239	-	
240	-	-	-	-	-	-	-	-	-	-	-	-	-	8.458	-	
245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
285	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
290	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
315	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
325	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
330	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
335	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
340	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
345	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
355	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
365	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
370	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
380	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
385	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
395	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Thickness is intumescent only.

Results also apply to hollow rectangular beams with protection on 4 sides upto a maximum thickness of 5.992 mm



FIRETEX FX601C

Table E1 Rectangular Hollow Beams 15 Minutes

Required Thickness (mm) for a Design Temperature (°C)

Thickness is intumescent only. Table applies to beams with a concrete slab and protection on three sides.



FIRETEX FX6010

Table E2 Rectangular Hollow Beams 20 Minutes

Required Thickness (mm) for a Design Temperature (°C)

Thickness is intumescent only. Table applies to beams with a concrete slab and protection on three sides



FIRETEX FX6010

Table E3 Rectangular Hollow Beams 30 Minutes

Thickness is intumescent only. Table applies to beams with a concrete slab and protection on three sides.



FIRETEX FX6010

Table E4 Rectangular Hollow Beams 45 Minutes

Required Thickness (mm) for a Design Temperature (°C)																			
Section Factor (m-1)	350°C	400°C	450°C	500°C	544°C	550°C	553°C	575°C	576°C	580°C	583°C	593°C	600°C	603°C	610°C	620°C	650°C	700°C	750°C
65	0.489	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
70	0.597	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
75	0.656	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
80	0.815	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
85	0.924	0.375	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
90	1.032	0.436	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
95	1.141	0.497	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
100	1.250	0.559	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
105	1.359	0.620	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
110	1.453	0.691	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
115	1.546	0.762	0.404	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
120	1.539	0.803	0.449	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
125	1.582	0.864	0.493	0.352	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
130	1.626	0.925	0.538	0.384	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
135	1.669	0.986	0.583	0.417	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
140	1.712	1.047	0.627	0.450	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
145	1.755	1.108	0.672	0.483	0.345	0.330	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
150	1.798	1.169	0.717	0.513	0.355	0.330	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
155	1.841	1.231	0.761	0.548	0.396	0.330	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
160	1.884	1.292	0.806	0.581	0.422	0.404	0.396	0.339	0.336	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
165	1.927	1.353	0.851	0.614	0.447	0.429	0.420	0.361	0.358	0.348	0.340	0.333	0.329	0.329	0.329	0.329	0.329	0.329	
170	1.970	1.414	0.895	0.646	0.473	0.454	0.445	0.384	0.381	0.370	0.362	0.343	0.329	0.329	0.329	0.329	0.329	0.329	
175	2.013	1.468	0.940	0.679	0.499	0.478	0.469	0.405	0.392	0.384	0.356	0.337	0.329	0.329	0.329	0.329	0.329	0.329	
180	2.056	1.517	0.985	0.712	0.524	0.503	0.493	0.429	0.426	0.415	0.406	0.378	0.358	0.350	0.330	0.329	0.329	0.329	
185	2.099	1.565	1.029	0.745	0.559	0.528	0.517	0.451	0.448	0.437	0.429	0.400	0.371	0.352	0.329	0.329	0.329	0.329	
190	2.143	1.614	1.074	0.780	0.575	0.552	0.541	0.474	0.471	0.469	0.460	0.432	0.403	0.372	0.342	0.329	0.329	0.329	
195	2.186	1.662	1.119	0.810	0.601	0.577	0.566	0.496	0.493	0.482	0.473	0.443	0.423	0.394	0.363	0.329	0.329	0.329	
200	2.229	1.710	1.163	0.843	0.626	0.602	0.590	0.519	0.516	0.504	0.495	0.465	0.444	0.414	0.384	0.329	0.329	0.329	
205	2.272	1.759	1.208	0.876	0.652	0.626	0.614	0.541	0.538	0.526	0.518	0.487	0.465	0.435	0.404	0.329	0.329	0.329	
210	2.315	1.807	1.253	0.909	0.677	0.651	0.638	0.564	0.549	0.540	0.509	0.487	0.478	0.456	0.425	0.338	0.329	0.329	
215	2.358	1.856	1.297	0.941	0.703	0.676	0.656	0.586	0.573	0.562	0.553	0.530	0.499	0.477	0.445	0.358	0.329	0.329	
220	2.401	1.904	1.342	0.974	0.728	0.700	0.686	0.609	0.593	0.584	0.552	0.530	0.500	0.498	0.466	0.377	0.329	0.329	
225	2.444	1.951	1.387	1.007	0.754	0.725	0.711	0.632	0.628	0.616	0.585	0.554	0.524	0.498	0.467	0.396	0.329	0.329	
230	2.487	2.001	1.431	1.040	0.780	0.749	0.735	0.652	0.649	0.636	0.605	0.573	0.543	0.513	0.481	0.450	0.329	0.329	
235	2.530	2.049	1.483	1.072	0.805	0.774	0.759	0.676	0.673	0.660	0.631	0.617	0.594	0.564	0.538	0.434	0.329	0.329	
240	2.573	2.098	1.539	1.105	0.831	0.799	0.783	0.699	0.696	0.683	0.673	0.653	0.615	0.595	0.549	0.453	0.329	0.329	
245	2.616	2.146	1.594	1.138	0.856	0.823	0.807	0.721	0.718	0.705	0.695	0.661	0.637	0.602	0.569	0.472	0.329	0.329	
250	2.659	2.194	1.649	1.171	0.882	0.848	0.832	0.744	0.741	0.727	0.718	0.683	0.658	0.628	0.594	0.491	0.329	0.329	
255	2.703	2.243	1.704	1.203	0.908	0.873	0.856	0.766	0.753	0.740	0.722	0.687	0.654	0.623	0.591	0.472	0.329	0.329	
260	2.746	2.291	1.759	1.236	0.933	0.897	0.880	0.789	0.776	0.752	0.722	0.686	0.651	0.619	0.586	0.466	0.329	0.329	
265	2.789	2.340	1.815	1.269	0.958	0.922	0.904	0.818	0.808	0.794	0.764	0.748	0.722	0.687	0.652	0.549	0.329	0.329	
270	2.832	2.387	1.870	1.304	0.984	0.944	0.924	0.834	0.824	0.810	0.789	0.769	0.744	0.719	0.687	0.562	0.329	0.329	
275	2.875	1.426	1.925	1.334	1.010	0.971	0.953	0.856	0.853	0.839	0.829	0.792	0.765	0.735	0.709	0.587	0.329	0.329	
280	2.918	1.485	1.980	1.367	1.035	0.996	0.977	0.879	0.875	0.861	0.851	0.813	0.787	0.766	0.740	0.606	0.329	0.329	
285	2.961	1.533	2.035	1.400	1.061	1.021	1.001	0.901	0.898	0.884	0.873	0.853	0.835	0.808	0.779	0.734	0.625	0.329	
290	3.012	1.582	2.090	1.433	1.087	1.045	1.024	0.924	0.911	0.901	0.895	0.876	0.857	0.830	0.808	0.775	0.644	0.329	
295	3.066	1.630	2.146	1.489	1.112	1.070	1.049	0.946	0.943	0.928	0.918	0.879	0.850	0.813	0.776	0.663	0.329	0.329	
300	3.119	1.679	2.201	1.536	1.139	1.095	1.073	0.965	0.951	0.940	0.900	0.872	0.851	0.824	0.796	0.682	0.329	0.329	
305	3.172	1.727	2.256	1.582	1.163	1.109	1.086	0.981	0.961	0.942	0.922	0.894	0.873	0.843	0.817	0.709	0.329	0.329	
310	3.225	1.775	2.311	1.622	1.194	1.144	1.122	1.014	1.010	0.995	0.984	0.944	0.916	0.894	0.876	0.837	0.721	0.329	
315	3.279	1.824	2.366	1.670	1.214	1.169	1.146	1.036	1.033	1.018	1.007	0.966	0.937	0.905	0.878	0.840	0.740	0.329	
320	3.332	1.872	2.422	1.828	1.240	1.193	1.170	1.058	1.055	1.040	1.029	0.987	0.958	0.946	0.918	0.879	0.759	0.329	
325	3.385	1.920	2.477	1.896	1.266	1.218	1.194	1.081	1.078	1.062	1.051	1.009	0.980	0.968	0.939	0.899	0.778	0.329	
330	3.439	1.969	2.532	1.964	1.291	1.243	1.217	1.123	1.107</td										



FIRETEX FX6010

Table E5 Rectangular Hollow Beams 60 Minutes

Required Thickness (mm) for a Design Temperature (°C)																			
Section Factor (m-1)	350°C	400°C	450°C	500°C	544°C	550°C	553°C	575°C	576°C	580°C	583°C	593°C	600°C	603°C	610°C	620°C	650°C	700°C	750°C
65	1.427	0.532	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
70	1.488	0.698	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
75	1.549	0.848	0.448	0.448	0.448	0.448	0.448	0.448	0.448	0.448	0.448	0.448	0.448	0.448	0.448	0.448	0.448	0.448	
80	1.610	1.006	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451	
85	1.671	1.164	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553	
90	1.732	1.322	0.656	0.385	0.385	0.385	0.385	0.385	0.385	0.385	0.385	0.385	0.385	0.385	0.385	0.385	0.385	0.385	
95	1.793	1.457	0.759	0.449	0.449	0.449	0.449	0.449	0.449	0.449	0.449	0.449	0.449	0.449	0.449	0.449	0.449	0.449	
100	1.854	1.514	0.861	0.513	0.357	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	
105	1.915	1.571	0.964	0.577	0.408	0.389	0.389	0.389	0.389	0.389	0.389	0.389	0.389	0.389	0.389	0.389	0.389	0.389	
110	1.976	1.628	1.066	0.642	0.459	0.439	0.439	0.439	0.439	0.439	0.439	0.439	0.439	0.439	0.439	0.439	0.439	0.439	
115	2.037	1.683	1.169	0.656	0.460	0.459	0.459	0.459	0.459	0.459	0.459	0.459	0.459	0.459	0.459	0.459	0.459	0.459	
120	2.098	1.742	1.271	0.770	0.561	0.539	0.539	0.539	0.539	0.539	0.539	0.539	0.539	0.539	0.539	0.539	0.539	0.539	
125	2.159	1.799	1.374	0.834	0.612	0.590	0.579	0.505	0.501	0.489	0.479	0.448	0.426	0.418	0.397	0.370	0.359	0.339	
130	2.220	1.856	1.463	0.898	0.663	0.640	0.629	0.551	0.548	0.534	0.525	0.492	0.469	0.460	0.438	0.409	0.329	0.329	
135	2.281	1.912	1.522	0.963	0.714	0.690	0.679	0.598	0.594	0.580	0.570	0.536	0.512	0.502	0.448	0.372	0.329	0.329	
140	2.342	1.969	1.581	1.027	0.766	0.741	0.729	0.644	0.640	0.626	0.615	0.579	0.554	0.544	0.520	0.487	0.404	0.329	
145	2.403	2.026	1.641	1.091	0.817	0.791	0.779	0.691	0.687	0.672	0.661	0.623	0.597	0.586	0.561	0.526	0.436	0.339	
150	2.463	2.083	1.700	1.155	0.868	0.841	0.821	0.737	0.733	0.718	0.708	0.667	0.630	0.620	0.586	0.535	0.329	0.329	
155	2.525	2.140	1.759	1.203	0.919	0.891	0.878	0.784	0.780	0.753	0.740	0.700	0.672	0.650	0.605	0.598	0.329	0.329	
160	2.586	2.197	1.818	1.284	0.970	0.942	0.928	0.830	0.826	0.809	0.797	0.754	0.724	0.712	0.683	0.644	0.533	0.399	
165	2.647	2.254	1.878	1.348	1.021	0.992	0.978	0.877	0.872	0.855	0.842	0.798	0.767	0.754	0.724	0.683	0.565	0.420	
170	2.708	2.311	1.937	1.412	1.072	1.042	1.028	0.923	0.919	0.901	0.887	0.842	0.809	0.796	0.765	0.722	0.597	0.441	
175	2.769	2.368	1.996	1.478	1.123	1.093	1.077	0.970	0.965	0.946	0.933	0.885	0.852	0.838	0.806	0.761	0.629	0.462	
180	2.830	2.425	2.055	1.547	1.175	1.143	1.127	1.016	1.011	0.992	0.978	0.929	0.895	0.880	0.847	0.800	0.661	0.483	
185	2.891	2.482	2.115	1.615	1.226	1.193	1.177	1.063	1.058	1.038	1.024	0.973	0.937	0.922	0.888	0.839	0.693	0.504	
190	2.953	2.539	2.174	1.684	1.278	1.243	1.228	1.109	1.104	1.084	1.070	1.030	0.984	0.970	0.926	0.845	0.739	0.540	
195	3.093	2.596	2.233	1.752	1.328	1.294	1.277	1.156	1.151	1.130	1.114	1.060	1.022	1.006	0.969	0.917	0.758	0.546	
200	3.269	2.653	2.292	1.820	1.379	1.344	1.327	1.202	1.197	1.175	1.160	1.065	1.065	1.048	1.010	0.956	0.790	0.567	
205	3.446	2.710	2.352	1.889	1.430	1.394	1.376	1.249	1.243	1.221	1.205	1.148	1.107	1.090	1.051	0.995	0.822	0.588	
210	3.622	2.767	2.411	1.957	1.499	1.445	1.426	1.295	1.280	1.267	1.250	1.191	1.150	1.132	1.092	1.034	0.854	0.609	
215	3.798	2.824	2.470	2.026	1.572	1.519	1.492	1.342	1.336	1.313	1.296	1.235	1.192	1.174	1.133	1.074	0.886	0.630	
220	3.990	2.881	2.530	2.094	1.646	1.593	1.566	1.388	1.382	1.358	1.341	1.279	1.235	1.216	1.113	0.918	0.651	0.502	
225	4.310	2.938	2.598	2.162	1.721	1.669	1.640	1.435	1.425	1.404	1.384	1.322	1.288	1.258	1.214	1.152	0.951	0.672	
230	4.470	3.039	2.649	2.213	1.785	1.742	1.721	1.514	1.514	1.494	1.474	1.423	1.389	1.359	1.315	1.256	1.043	0.740	
235	4.490	3.453	2.707	2.399	1.869	1.816	1.789	1.578	1.568	1.549	1.523	1.474	1.434	1.404	1.364	1.320	1.215	0.714	
240	5.270	3.791	2.767	2.367	1.943	1.890	1.863	1.653	1.643	1.603	1.573	1.474	1.405	1.384	1.337	1.269	1.047	0.735	
245	5.590	4.128	2.826	2.436	2.017	1.964	1.937	1.727	1.717	1.677	1.648	1.532	1.451	1.426	1.378	1.308	1.079	0.597	
250	-	4.465	2.885	2.504	2.099	2.039	2.012	1.803	1.792	1.752	1.722	1.607	1.526	1.488	1.419	1.347	1.111	0.777	
255	-	4.802	2.944	2.573	2.113	2.086	2.076	1.876	1.866	1.826	1.796	1.682	1.602	1.563	1.473	1.386	1.144	0.798	
260	-	5.139	3.009	2.641	2.240	2.187	2.160	1.950	1.941	1.901	1.871	1.757	1.678	1.639	1.549	1.425	1.176	0.819	
265	-	5.477	3.077	2.709	2.318	2.261	2.235	2.025	2.018	1.975	1.955	1.832	1.753	1.715	1.672	1.582	1.480	1.062	
270	-	-	5.146	2.828	2.355	2.326	2.299	2.269	2.239	2.209	2.179	2.149	2.129	2.109	2.079	2.049	1.921	0.721	
275	-	-	3.215	2.846	2.463	2.410	2.383	2.173	2.164	2.124	2.094	1.983	1.905	1.867	1.778	1.640	1.272	0.882	
280	-	-	3.283	2.915	2.537	2.484	2.457	2.249	2.238	2.199	2.169	2.058	1.980	1.943	1.854	1.718	1.304	0.903	
285	-	-	3.352	2.994	2.611	2.558	2.532	2.322	2.313	2.273	2.243	2.133	2.056	2.019	1.931	1.796	1.336	0.924	
290	-	-	3.420	3.119	2.685	2.633	2.606	2.397	2.387	2.348	2.318	2.208	2.132	2.099	2.007	1.873	1.369	0.945	
295	-	-	3.489	3.245	2.759	2.707	2.680	2.471	2.461	2.422	2.392	2.283	2.207	2.170	2.083	1.951	1.401	0.966	
300	-	-	3.557	3.371	2.838	2.781	2.755	2.545	2.536	2.497	2.467	2.359	2.283	2.246	2.159	2.029	1.433	0.980	
305	-	-	3.626	3.496	2.908	2.855	2.826	2.650	2.640	2.571	2.541	2.459	2.381	2.317	2.247	2.107	1.501	0.924	
310	-	-	3.695	3.622	2.989	2.930	2.893	2.694	2.685	2.646	2.616	2.509	2.434	2.398	2.312	2.184	1.589	1.029	
315	-	-	3.763	3.747	3.109	3.024	2.982	2.768	2.759	2.720	2.690	2.584	2.510	2.474	2.388	2.262	1.676	1.050	
320	-	-	3.873	3.873	3.229	3.143	3.101	2.843	2.834	2.795	2.765	2.659	2.586	2.550	2.464	2.340	1.763	1.071	
325	-	-	3.999	3.999	3.349	3.263	3.220	2.917	2.908	2.869	2.839	2.734	2.661	2.626	2.540	2.418	1.851	1.092	
330	-	-	4.124	4.124	3.469	3.382	3.338	3.004	2.989	2.944	2.914	2.810	2.737	2.701	2.617	2.496	1.938	1.113	
335	-	-	4.391	4.250	3.588	3													


FIRETEX FX6010
Table E6 Rectangular Hollow Beams 75 Minutes

Required Thickness (mm) for a Design Temperature (°C)																			
Section Factor (m-1)	350°C	400°C	450°C	500°C	544°C	550°C	553°C	575°C	576°C	580°C	583°C	593°C	600°C	603°C	610°C	620°C	650°C	700°C	750°C
65	2.222	1.453	0.760	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
70	2.337	1.543	0.959	0.413	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	0.329	
75	2.452	1.632	1.120	0.504	0.429	0.429	0.429	0.429	0.429	0.429	0.429	0.429	0.429	0.429	0.429	0.429	0.429	0.429	
80	2.567	1.722	1.300	0.697	0.436	0.436	0.436	0.436	0.436	0.436	0.436	0.436	0.436	0.436	0.436	0.436	0.436	0.436	
85	2.682	1.812	1.458	0.838	0.543	0.513	0.499	0.408	0.404	0.389	0.379	0.349	0.329	0.329	0.329	0.329	0.329	0.329	
90	2.797	1.901	1.525	0.980	0.650	0.617	0.602	0.501	0.496	0.480	0.469	0.431	0.404	0.394	0.369	0.335	0.329	0.329	
95	2.913	1.991	1.593	1.121	0.757	0.721	0.705	0.593	0.589	0.572	0.559	0.517	0.488	0.478	0.450	0.414	0.329	0.329	
100	3.089	2.081	1.660	1.263	0.864	0.826	0.807	0.686	0.681	0.663	0.649	0.604	0.573	0.561	0.532	0.494	0.390	0.329	
105	3.325	2.170	1.727	1.404	0.971	0.930	0.910	0.779	0.774	0.754	0.739	0.691	0.657	0.645	0.614	0.573	0.463	0.329	
110	3.562	2.260	1.786	1.493	1.076	1.035	1.013	0.868	0.865	0.845	0.830	0.778	0.742	0.725	0.696	0.652	0.537	0.329	
115	3.799	2.350	1.862	1.552	1.126	1.139	1.141	0.965	0.963	0.918	0.914	0.827	0.782	0.732	0.700	0.623	0.539	0.329	
120	3.993	2.439	1.930	1.630	1.293	1.244	1.219	1.058	1.051	1.027	1.008	0.951	0.866	0.860	0.812	0.684	0.490	0.329	
125	4.103	2.529	1.997	1.698	1.400	1.348	1.321	1.151	1.144	1.118	1.098	1.038	0.956	0.979	0.942	0.892	0.758	0.556	0.334
130	4.212	2.619	2.064	1.767	1.485	1.450	1.424	1.244	1.236	1.209	1.188	1.125	1.080	1.063	1.024	0.971	0.831	0.622	0.384
135	4.322	2.708	2.132	1.835	1.555	1.519	1.500	1.336	1.329	1.300	1.278	1.212	1.165	1.146	1.105	1.051	0.905	0.688	0.434
140	4.432	2.798	2.199	1.903	1.625	1.589	1.570	1.429	1.421	1.391	1.368	1.298	1.249	1.230	1.187	1.130	0.978	0.754	0.484
145	4.541	2.888	2.267	1.972	1.694	1.659	1.640	1.503	1.497	1.473	1.455	1.384	1.334	1.269	1.210	1.052	0.820	0.533	0.434
150	4.651	2.983	2.334	2.040	1.761	1.728	1.709	1.560	1.556	1.536	1.506	1.462	1.410	1.347	1.289	1.125	0.903	0.656	0.434
155	-	3.055	2.405	2.139	1.834	1.798	1.779	1.643	1.637	1.613	1.599	1.535	1.493	1.476	1.433	1.369	1.249	0.993	0.633
160	-	3.145	2.469	2.177	1.903	1.868	1.849	1.712	1.706	1.683	1.665	1.605	1.563	1.544	1.504	1.448	1.273	1.019	0.683
165	4.980	3.126	2.536	2.245	1.973	1.937	1.919	1.782	1.776	1.753	1.734	1.674	1.632	1.614	1.574	1.517	1.346	1.085	0.733
170	5.090	3.176	2.604	2.314	2.043	1.988	1.852	1.84	1.822	1.804	1.744	1.702	1.684	1.643	1.586	1.420	1.151	0.783	0.434
175	5.199	3.887	2.671	2.382	2.113	2.077	2.058	1.922	1.916	1.892	1.874	1.814	1.772	1.754	1.713	1.656	1.489	1.217	0.833
180	5.309	4.431	2.739	2.450	2.182	2.146	2.128	1.992	1.986	1.962	1.944	1.884	1.842	1.824	1.782	1.725	1.557	1.283	0.883
185	5.419	5.202	2.806	2.519	2.216	2.197	2.063	2.032	2.014	1.954	1.924	1.893	1.854	1.824	1.794	1.625	1.359	1.033	0.833
190	-	-	3.074	2.520	2.232	2.069	2.011	1.915	1.894	1.868	1.838	1.801	1.763	1.724	1.676	1.616	1.336	1.033	0.833
195	-	-	2.941	2.656	2.391	2.355	2.337	2.101	2.195	2.172	2.153	2.093	2.051	2.033	1.991	1.933	1.760	1.480	1.033
200	-	-	3.310	2.724	2.461	2.425	2.407	2.271	2.265	2.241	2.223	2.163	2.121	2.103	2.060	1.828	1.543	1.083	0.833
205	-	-	3.908	2.792	2.531	2.495	2.476	2.341	2.335	2.311	2.293	2.233	2.191	2.173	2.130	2.071	1.895	1.606	1.333
210	-	-	4.061	2.861	2.601	2.565	2.546	2.411	2.405	2.381	2.363	2.303	2.261	2.243	2.199	2.141	1.963	1.669	1.383
215	-	-	4.175	2.929	2.670	2.634	2.616	2.481	2.475	2.451	2.433	2.373	2.331	2.312	2.269	2.210	2.030	1.732	1.333
220	-	-	4.288	3.063	2.740	2.704	2.686	2.551	2.521	2.503	2.443	2.401	2.382	2.338	2.279	2.098	1.795	1.489	1.283
225	-	-	3.596	2.818	2.774	2.755	2.626	2.615	2.591	2.572	2.553	2.513	2.482	2.452	2.408	2.359	2.166	1.854	1.332
230	-	-	4.516	3.152	2.919	2.874	2.855	2.760	2.754	2.730	2.709	2.682	2.652	2.622	2.582	2.448	2.201	1.831	1.332
235	-	-	4.630	3.762	3.499	2.913	2.895	2.760	2.754	2.730	2.708	2.682	2.652	2.622	2.587	2.487	2.301	1.984	1.432
240	-	-	4.744	3.977	3.050	2.989	2.964	2.830	2.824	2.800	2.782	2.752	2.722	2.680	2.661	2.617	2.557	2.369	2.047
245	-	-	4.858	4.108	3.164	3.094	3.062	2.900	2.894	2.870	2.852	2.792	2.750	2.731	2.686	2.626	2.436	2.110	1.563
250	-	-	4.972	4.238	3.279	3.199	3.163	2.970	2.964	2.940	2.922	2.862	2.820	2.801	2.756	2.695	2.504	2.173	1.631
255	-	-	5.085	4.369	3.393	3.304	3.263	3.042	3.035	2.989	2.931	2.890	2.871	2.825	2.764	2.572	2.236	1.699	1.333
260	-	-	5.199	4.499	3.507	3.409	3.363	3.113	3.105	3.074	3.053	2.998	2.960	2.941	2.895	2.834	2.639	2.299	1.766
265	-	-	5.313	4.630	3.621	3.514	3.463	3.185	3.174	3.141	3.116	3.079	3.063	3.045	2.986	2.903	2.707	2.364	1.834
270	-	-	5.427	4.750	3.765	3.610	3.547	3.217	3.207	3.174	3.145	3.105	3.075	3.045	3.007	2.924	2.724	2.315	1.834
275	-	-	5.541	4.891	3.850	3.724	3.664	3.348	3.348	3.348	3.348	3.289	3.237	3.210	3.101	2.842	2.488	1.969	1.333
280	-	-	5.655	5.021	3.969	3.829	3.764	3.481	3.481	3.481	3.481	3.481	3.442	3.349	3.228	2.910	2.551	2.037	1.333
285	-	-	5.769	5.152	4.152	3.934	3.865	3.613	3.613	3.613	3.613	3.573	3.479	3.479	3.356	2.983	2.614	2.104	1.333
290	-	-	5.883	5.282	4.334	4.111	3.974	3.746	3.746	3.746	3.746	3.746	3.746	3.746	3.705	3.609	3.483	3.102	2.172
295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
315	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
325	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
335	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
345	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
355	-	-	-																



FIRETEX FX6010

Table E7 Rectangular Hollow Beams 90 Minutes

Required Thickness (mm) for a Design Temperature (°C)
100
110
120
130
140
150
160
170
180
190
200
210
220
230
240
250
260
270
280
290
300
310
320
330
340
350
360
370
380
390
400
410
420
430
440
450
460
470
480
490
500
510
520
530
540
550
560
570
580
590
600
610
620
630
640
650
660
670
680
690
700
710
720
730
740
750
760
770
780
790
800
810
820
830
840
850
860
870
880
890
900
910
920
930
940
950
960
970
980
990
1000
1010
1020
1030
1040
1050
1060
1070
1080
1090
1100
1110
1120
1130
1140
1150
1160
1170
1180
1190
1200
1210
1220
1230
1240
1250
1260
1270
1280
1290
1300
1310
1320
1330
1340
1350
1360
1370
1380
1390
1400
1410
1420
1430
1440
1450
1460
1470
1480
1490
1500
1510
1520
1530
1540
1550
1560
1570
1580
1590
1600
1610
1620
1630
1640
1650
1660
1670
1680
1690
1700
1710
1720
1730
1740
1750
1760
1770
1780
1790
1800
1810
1820
1830
1840
1850
1860
1870
1880
1890
1900
1910
1920
1930
1940
1950
1960
1970
1980
1990
2000
2010
2020
2030
2040
2050
2060
2070
2080
2090
2100
2110
2120
2130
2140
2150
2160
2170
2180
2190
2200
2210
2220
2230
2240
2250
2260
2270
2280
2290
2300
2310
2320
2330
2340
2350
2360
2370
2380
2390
2400
2410
2420
2430
2440
2450
2460
2470
2480
2490
2500
2510
2520
2530
2540
2550
2560
2570
2580
2590
2600
2610
2620
2630
2640
2650
2660
2670
2680
2690
2700
2710
2720
2730
2740
2750
2760
2770
2780
2790
2800
2810
2820
2830
2840
2850
2860
2870
2880
2890
2900
2910
2920
2930
2940
2950
2960
2970
2980
2990
3000
3010
3020
3030
3040
3050
3060
3070
3080
3090
3100
3110
3120
3130
3140
3150
3160
3170
3180
3190
3200
3210
3220
3230
3240
3250
3260
3270
3280
3290
3300
3310
3320
3330
3340
3350
3360
3370
3380
3390
3400
3410
3420
3430
3440
3450
3460
3470
3480
3490
3500
3510
3520
3530
3540
3550
3560
3570
3580
3590
3600
3610
3620
3630
3640
3650
3660
3670
3680
3690
3700
3710
3720
3730
3740
3750
3760
3770
3780
3790
3800
3810
3820
3830
3840
3850
3860
3870
3880
3890
3900
3910
3920
3930
3940
3950
3960
3970
3980
3990
4000
4010
4020
4030
4040
4050
4060
4070
4080
4090
4100
4110
4120
4130
4140
4150
4160
4170
4180
4190
4200
4210
4220
4230
4240
4250
4260
4270
4280
4290
4300
4310
4320
4330
4340
4350
4360
4370
4380
4390
4400
4410
4420
4430
4440
4450
4460
4470
4480
4490
4500
4510
4520
4530
4540
4550
4560
4570
4580
4590
4600
4610
4620
4630
4640
4650
4660
4670
4680
4690
4700
4710
4720
4730
4740
4750
4760
4770
4780
4790
4800
4810
4820
4830
4840
4850
4860
4870
4880
4890
4900
4910
4920
4930
4940
4950
4960
4970
4980
4990
5000
5010
5020
5030
5040
5050
5060
5070
5080
5090
5100
5110
5120
5130
5140
5150
5160
5170
5180
5190
5200
5210
5220
5230
5240
5250
5260
5270
5280
5290
5300
5310
5320
5330
5340
5350
5360
5370
5380
5390
5400
5410
5420
5430
5440
5450
5460
5470
5480
5490
5500
5510
5520
5530
5540
5550
5560
5570
5580
5590
5600
5610
5620
5630
5640
5650
5660
5670
5680
5690
5700
5710
5720
5730
5740
5750
5760
5770
5780
5790
5800
5810
5820
5830
5840
5850
5860
5870
5880
5890
5900
5910
5920
5930
5940
5950
5960
5970
5980
5990
6000
6010
6020
6030
6040
6050
6060
6070
6080
6090
6100
6110
6120
6130
6140
6150
6160
6170
6180
6190
6200
6210
6220
6230
6240
6250
6260
6270
6280
6290
6300
6310
6320
6330
6340
6350
6360
6370
6380
6390
6400
6410
6420
6430
6440
6450
6460
6470
6480
6490
6500
6510
6520
6530
6540
6550
6560
6570
6580
6590
6600
6610
6620
6630
6640
6650
6660
6670
6680
6690
6700
6710
6720
6730
6740
6750
6760
6770
6780
6790
6800
6810
6820
6830
6840
6850
6860
6870
6880
6890
6900
6910
6920
6930
6940
6950
6960
6970
6980
6990
7000
7010
7020
7030
7040
7050
7060
7070
7080
7090
7100
7110
7120
7130
7140
7150
7160
7170
7180
7190
7200
7210
7220
7230
7240
7250
7260
7270
7280
7290
7300
7310
7320
7330
7340
7350
7360
7370
7380
7390
7400
7410
7420
7430
7440
7450
7460
7470
7480
7490
7500
7510
7520
7530
7540
7550
7560
7570
7580
7590
7600
7610
7620
7630
7640
7650
7660
7670
7680
7690
7700
7710
7720
7730
7740
7750
7760
7770
7780
7790
7800
7810
7820
7830
7840
7850
7860
7870
7880
7890
7900
7910
7920
7930
7940
7950
7960
7970
7980
7990
8000
8010
8020
8030
8040
8050
8060
8070
8080
8090
8100
8110
8120
8130
8140
8150
8160
8170
8180
8190
8200
8210
8220
8230
8240
8250
8260
8270
8280
8290
8300
8310
8320
8330
8340
8350
8360
8370
8380
8390
8400
8410
8420
8430
8440
8450
8460
8470
8480
8490
8500
8510
8520
8530
8540
8550
8560
8570
8580
8590
8600
8610
8620
8630
8640
8650
8660
8670
8680
8690
8700
8710
8720
8730
8740
8750
8760
8770
8780
8790
8800
8810
8820
8830
8840
8850
8860
8870
8880
8890
8900
8910
8920
8930
8940
8950
8960
8970
8980
8990
9000
9010
9020
9030
9040
9050
9060
9070
9080
9090
9100
9110
9120
9130
9140
9150
9160
9170
9180
9190
9200
9210
9220
9230
9240
9250
9260
9270
9280
9290
9300
9310
9320
9330
9340
9350
9360
9370
9380
9390
9400
9410
9420
9430
9440
9450
9460
9470
9480
9

Thickness is intumescent only. Table applies to beams with a concrete slab and protection on three sides



FIBETEX EX6010

Table E8 Rectangular Hollow Beams 105 Minutes

Thickness is intumescent only. Table applies to beams with a concrete slab and protection on three sides.



FIRETEX FX6010

Table E9 Rectangular Hollow Beams 120 Minutes

Thickness is intumescent only. Table applies to beams with a concrete slab and protection on three sides.