



LEEDv4.1

Material Ingredient Reporting

Manufacturer’s Inventory for Resuflor™ 3520:

This shall serve as the Manufacturer’s Declaration of the Chemical Inventory for the LEED Material Ingredient Reporting credit for the Resuflor™ 3520, manufactured by The Sherwin-Williams Company.

For more information about Sherwin-Williams, please visit: www.sherwin-williams.com. Or, for more information about the product, please consult its Product Data Sheet available at www.paintdocs.com.

Description of the Resuflor™ 3520 product line:

The Resuflor™ 3520 is a two-component system consisting of a Part A and Part B which have the following corresponding US GHS Classifications for its specific formulation. Part A and Part B must be combined before using with a mix ratio of 4:1.

Product Name	SW REX Series	US GHS Product Classification
Resuflor™ 3520 – Part A	GP3520A59	CARCINOGENICITY - Category 1A
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		TOXIC TO REPRODUCTION - Category 2
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
		SKIN CORROSION/IRRITATION - Category 2
Resuflor™ 3520– Part B	GP3520B01	SKIN SENSITIZATION - Category 1
		ACUTE TOXICITY (dermal) - Category 3
		ACUTE TOXICITY (oral) - Category 4
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
		TOXIC TO REPRODUCTION - Category 2
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
		SKIN CORROSION/IRRITATION - Category 1B
SKIN SENSITIZATION - Category 1		

Description of the Manufacturer’s Inventory Assessment:

In this assessment, we have disclosed the chemical content of all ingredients present at >1000 ppm (0.1%) in this product line base formulation, the respective GHS hazards associated with these chemicals, and their function/role. This inventory does not include colorants. In order to protect our confidential business information, specific quantities and CAS numbers are not reported for all chemicals. Additionally, chemicals with the same role have, in some cases, been aggregated into one line item.

When reviewing this document, it is important to consider that the potential hazards of the raw materials may not be relevant in the final, post-reacted product given that materials will often transform, be encapsulated, etc. As such, the information in this document shall not be utilized to make claims regarding product safety and/or to predict risk to end-users.

Information contained in this declaration has been verified by NSF as complying with LEED v4.1 Material Ingredient Reporting – Manufacturer Inventory criteria. Documents containing formula information were provided to NSF that represented each product line so that NSF could ensure accuracy throughout

CHEMMI - 114

Version 1.0 – Created 5/28/2021

Contact: sustainability@sherwin.com

Expires 5/28/2024 or upon issuance of a newer form



their review. These documents were exclusively shared with NSF to ensure business confidentiality. This information will be updated as necessary as reformulations or changes to GHS classifications occur. Additionally, this document will be internally audited by Sherwin-Williams annually to ensure correctness.

Any questions on this declaration should be sent to sustainability@sherwin.com.

Raw Material Composition for Resuflor™ 3520 (as mixed – 4:1):

Material/Role	Content Range	GHS Classification(s)
Epoxy Polymer CAS#: 1675-54-3	40%-55%	SKIN CORROSION/IRRITATION - Category 2
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		SKIN SENSITIZATION - Category 1
Calcium Carbonate CAS#: 1317-65-3	15%-25%	SKIN CORROSION/IRRITATION - Category 2
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
Additives	10%-20%	Not classified.
4-Nonylphenol CAS#: 84852-15-3	3%-10%	ACUTE TOXICITY (oral) - Category 4
		SKIN CORROSION/IRRITATION - Category 1B
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
		TOXIC TO REPRODUCTION - Category 2
Titanium Dioxide CAS#: 13463-67-7	3%-10%	CARCINOGENICITY - Category 2
Poly(oxypropylene)diamine CAS#: 9046-10-0	3%-10%	ACUTE TOXICITY (oral) (dermal) - Category 3
		SKIN CORROSION/IRRITATION - Category 1C
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Aliphatic Amine CAS#: 10563-26-5	1%-8%	ACUTE TOXICITY (oral) - Category 4
		ACUTE TOXICITY (dermal) - Category 3
		SKIN CORROSION/IRRITATION - Category 1B
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
		SKIN SENSITIZATION - Category 1A
Hexylene Glycol CAS#: 107-41-5	1%-5%	SKIN CORROSION/IRRITATION - Category 2
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) (Narcotic effects) - Category 3
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
Fumed Amorphous Silica CAS#: 112945-52-5	1%-5%	Not classified.
Crystalline Silica, respirable powder CAS#: 14808-60-7	<2%	CARCINOGENICITY - Category 1A
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
Phenol, 2-nonyl-, branched CAS#: 91672-41-2	<2%	ACUTE TOXICITY (oral) - Category 4
		SKIN CORROSION/IRRITATION - Category 1B
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
		TOXIC TO REPRODUCTION - Category 2

The information contained in this material ingredient disclosure is accurate to the best of Sherwin-Williams' knowledge at the time of writing based on the information provided to us by our raw material suppliers.

CHEMMI - 114

Version 1.0 – Created 5/28/2021

Contact: sustainability@sherwin.com

Expires 5/28/2024 or upon issuance of a newer form



SHERWIN-WILLIAMS®

Bryan P. Draga

Bryan Draga

Global Vice President – Marketing

sustainability@sherwin.com

CHEMMI - 114

Version 1.0 – Created 5/28/2021

Contact: sustainability@sherwin.com

Expires 5/28/2024 or upon issuance of a newer form