

## **SOFTOP<sup>™</sup> SYSTEMS** DECORATIVE COMFORT FLOORING



**DESIGNED TO PERFORM** 

sherwin-williams.com/resin-flooring 4-28-23\_acc <u>Accessibility Statement</u>



## SOFTOP<sup>™</sup> DELIVERS OPTIMAL FORM AND FUNCTION

Finding decorative flooring with ergonomic and sound dampening features, combined with excellent chemical and abrasion resistance, has long been a challenge. In heavy use environments, traditional flooring — such as carpet, laminate and heat-welded vinyl — can deteriorate, crack or lift, presenting significant hygiene, maintenance and trip-and-fall risks.

In contrast, SofTop Systems by Sherwin Williams High Performance Flooring incorporate advanced polymer technology and design-forward aesthetics, combining function and form in an ultimate flooring solution. Innovative cushioning improves ease underfoot, while simultaneously lowering room decibel levels, supporting occupants' physical, mental and emotional wellbeing. SofTop's excellent resistance to chemicals and abrasion helps ensure the integrity of the hygienic seamless surface over time. Beautiful, slip resistant and easy to clean, SofTop is the ideal flooring solution wherever ergonomics, evidence-based design and exciting aesthetics are priorities.

## **COMFORT FLOORING INNOVATION**



### FOR BUILDING OWNERS

#### **Cushioning Underfoot**

Designed to promote ergonomic comfort and reduce user fatigue.

#### Sound Dampening

Innovative urethane formulations help reduce echoes and room noise.

#### **Decorative Options**

Beautiful satin finish in unlimited choice of solid colors or striated look for optimal décor and visual appeal.

#### **Crack Bridging**

Coatings' elastomeric properties accommodate minor concrete cracking.

#### **Direct to Concrete**

Systems are fluid-applied and fully bonded to the substrate, leaving no room for pockets of mold to develop between the slab and the floor surface.

#### Monolithic, No Heat Welds

The absence of heat-welded seams means no weld cracks and subsequent edge curling.

#### Easy Maintenance

Seamless surface is inherently hygienic, without grout lines to hide dirt and contaminants; cleaning is simple and efficient.

#### **High Performance**

Finish is abrasion- and chemical-resistant, with a fine slip-inhibiting texture.

#### Sustainability

Formulated with up to 25 percent renewable plant oils to reduce environmental impacts relative to non-biobased alternatives

#### Long Usable Life

Installed in facilities throughout Europe, SofTop comes to North America with proven durability and excellent life cycle value.



#### Installation Ease

No pads to install, no panels to heat weld.

#### Convenience

Contractor-friendly pre-measured kits for mixing confidence.

#### **Application Efficiency**

Great flow and handling, both in the bucket and across the floor.

#### **Time Saving**

Quick-curing products for faster return to service.



#### **Specification Support**

Downloadable three part architectural specs online, plus a team of experts ready to answer questions or help customize specifications for individual projects.

#### **Creative Flexibility**

Unlimited array of standard and custom colors for design versatility.

#### No Red List Chemicals

Low VOC and formulated with plant oil-based content, Softop Systems are devoid of substances listed by the International Living Future Institute.

## SOFTOP<sup>™</sup> SL DECORATIVE 1/8″ COMFORT FLOOR SYSTEM

Sherwin-Williams SofTop SL System combines exciting aesthetics and industry-leading performance with innovative ergonomic and acoustic benefits. The one-eighth-inch thick, flexible polyurethane surface helps cushion footfall and dampen room noise to support occupant wellbeing. SofTop SL is low VOC and formulated with up to 25 percent natural, renewable plant oils to help reduce environmental impacts relative to non-biobased alternatives.



#### BENEFITS

- Enhances comfort underfoot
- Helps dampen room noise
- Helps bridge concrete cracks
- Beautiful design possibilities
- Standard and unlimited custom colors
- Outstanding abrasion and chemical resistance
- Seamless and sanitary no grout lines or heat welds
- Contractor-friendly installation
- Quick curing for faster turnaround
- Slip resistant and easy to clean
- Can contribute to meeting environmental goals
- Supports facility safety initiatives

#### USES

- Hospitals and clinics
- Schools and universities
- Pharmaceutical and life science facilities
- Retail and office buildings
- Stadiums and public spaces

## **SOFTOP COMFORT SL**

**DECORATIVE 1/4" COMFORT FLOOR SYSTEM** 

Sherwin-Williams SofTop Comfort SL System incorporates the technologically advanced SofTop SD membrane with its enhanced ergonomic and acoustic performance, bringing total floor surface thickness to one-fourth inch. In addition to its beautiful aesthetics, this premium flooring system offers building occupants next-level underfoot cushioning and room noise reduction for optimal comfort. The low VOCs and up to 25 percent natural plant oil content of SofTop Comfort SL help lower environmental impacts compared to many traditional alternatives, enabling users to feel good — not only within their space but also in their flooring choice.



#### BENEFITS

- Extra thick cushioning for added comfort
- Next-level sound dampening
- Excellent impact resistance
- Helps bridge concrete cracks
- Beautiful aesthetic possibilities
- Standard and unlimited custom colors
- Outstanding abrasion and chemical resistance
- Seamless and sanitary no grout lines or heat welds
- Contractor-friendly installation
- Quick curing for faster turnaround
- Slip resistant and easy to clean
- Can contribute to meeting environmental goals
- Supports facility safety initiatives

#### USES

- Hospitals and clinics
- Schools and universities
- Pharmaceutical and life science facilities
- Retail and office buildings
- Stadiums and public spaces



#### PERFORMANCE PROPERTIES OVERVIEW

SofTop Systems feature industry-leading chemical and abrasion resistance, along with outstanding strength, impact resistance and recovery after indentation.

Test	Test Method	SofTop SL System (1/8")	SofTop Comfort SL System (1/4")
Tensile Strength	ASTM D2370	534 psi (SofTop only)	534 psi (SofTop only)
Percent Elongation	ASTM D2370	201% (SofTop only)	167% (SofTop only)
Impact Resistance	ASTM D2794	272 in-Ibs	>320 in-Ibs
Shore A Hardness	ASTM D2240	44 @ 0 sec/43 @ 15 sec (SofTop only)	44 @ 0 sec/43 @ 15 sec (SofTop only)
Shore D Hardness	ASTM D2240	12 @ 0 sec/12 @ 15 sec (SofTop only)	12 @ 0 sec/12 @ 15 sec (SofTop only)
Abrasion Resistance	ASTM D4060	11.9 mg loss (Resutile HTS 100)	11.9 mg loss (Resutile HTS 100)
Recoat Window	ASTM D6677	Within 24 hours for all layers	Within 24 hours for all layers



#### STANDARD COLORS - UNLIMITED CUSTOM OPTIONS

SofTop Systems are available in the standard colors below and in unlimited custom colors. The floors may be installed as solids or in a beautiful striated look using two or more colors.



Colors shown are approximations of actual colors. Factors such as the type of product, degree of gloss, texture, size and shape of area, lighting, heat, or method of application may also cause color variance. Substituting other manufacturers' colors may not be representative of our blends. Contact your Sherwin-Williams representative for details.

# SOFTOP<sup>™</sup> SYSTEMS

## **DECORATIVE COMFORT FLOORING**

### THE SHERWIN-WILLIAMS DIFFERENCE

Sherwin-Williams High Performance Flooring delivers unique, sustainable flooring solutions to help your facilities maintain the highest level of performance from the ground up. Our extensive portfolio of flooring, structural steel and passive fire protection coatings for high-value infrastructure helps customers protect lives, enhance safety, safeguard assets and create a lasting aesthetic legacy. From sports arenas to convention centers, airports and healthcare facilities, Sherwin-Williams brings exceptional industry, product and technical expertise to ensure successful project outcomes.



Unparalleled distribution network



Global industry expertise



Most extensive sales organization coverage



Unmatched technical and specification service

United States & Canada sherwin-williams.com/resin-flooring swflooring@sherwin.com Sherwin-Williams.

© 2023 The Sherwin-Williams Company PM-1069390-06-BR 4/23